



# Mark Scheme Results

Summer 2022

Pearson Edexcel GCSE  
In Combined Science (1SC0) Paper 1PF

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2022

Publications Code 1SC0\_1PF\_2206\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2022

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

Assessment Objective		Command Word	
Strand	Element	Describe	Explain
AO1*		An answer that combines the marking points to provide a logical description	An explanation that links identification of a point with reasoning/justification(s) as required
AO2		An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding	An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding)
AO3	1a and 1b	An answer that combines points of interpretation/evaluation to provide a logical description	
AO3	2a and 2b		An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning
AO3	3a	An answer that combines the marking points to provide a logical description of the plan/method/experiment	
AO3	3b		An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning

\*there will be situations where an AO1 question will include elements of recall of knowledge directly from the specification (up to a maximum of 15%). These will be identified by an asterisk in the mark scheme

Question Number	Answer	Mark
<b>1(a)(i)</b>	<p><b>A ray box</b></p> <p><i>B is not correct because a ruler does not produce a beam of white light</i></p> <p><i>C is not correct because a measuring cylinder does not produce a beam of white light</i></p> <p><i>D is not correct because an ammeter does not produce a beam of white light</i></p>	<b>(1) AO1</b>

Question Number	Answer	Mark
<b>1(a)(ii)</b>	<p><b>C green</b></p> <p><i>A is not correct because red appears at the start of the spectrum</i></p> <p><i>B is not correct because orange appears in the middle of the spectrum</i></p> <p><i>D is not correct because violet appears at the end of the spectrum</i></p>	<b>(1) AO1</b>

	Answer	Additional guidance	Mark
<b>1(b)(i)</b>	x-ray(s)	allow X x no mark if more than one wave given e.g. x-rays and gamma rays scores 0	<b>(1) AO1</b>

	Answer	Additional guidance	Mark
<b>1(b)(ii)</b>	infrared	allow any recognisable spelling IR ir no mark if more than one wave given e.g. infrared and gamma rays scores 0	<b>(1) AO1</b>

	Answer	Additional guidance	Mark
<b>1(b)(iii)</b>	infrared	allow any recognisable spelling IR ir  no mark if more than one wave given e.g. infrared and gamma rays scores 0	<b>(1)</b> <b>AO1</b>

	Answer	Additional guidance	Mark
<b>1(b)(iv)</b>	gamma (rays)	allow any recognisable spelling γ  no mark if more than one wave given e.g. gamma rays and UV scores 0	<b>(1)</b> <b>AO1</b>

**(Total for Question 1= 6 marks)**

---

	Answer	Additional guidance	Mark
<b>2(a)(i)</b>	12		<b>(1)</b> <b>AO1</b>

	Answer	Additional guidance	Mark
<b>2(a)(ii)</b>	$\frac{42}{12}$ (1) 3.5(cm) (1)	ecf from 2ai  allow 0.035 for 1 mark award full marks for the correct answer without working	<b>(2)</b> <b>AO1</b>

	Answer	Additional guidance	Mark
<b>2(a)(iii)</b>	A description to include:  <b>either</b> time a crest/ripple/wavefront (1)  (moving) between <b>P</b> and <b>Q</b> (1)  use (wave speed =) $\frac{\text{distance}}{\text{time}}$ (1)  <b>or</b> count number of crests /ripples /wavefronts passing (eg P) (1)  in a given time (to find f) (1)  use $v = f \lambda$ (1)	allow 'how long it takes' allow 'wave' for crest  allow - over the 42 cm over a (set) distance  allow waves   if no other mark scored measure frequency for 1 mark	<b>(3)</b> <b>AO1</b>



Question Number	Answer	Mark
<b>2(b)(i)</b>	<p><b>A</b> longitudinal yes</p> <p><b>B</b> is not correct because sound waves can transfer energy</p> <p><b>C</b> is not correct because sound waves are longitudinal</p> <p><b>D</b> is not correct because sound waves are longitudinal and sound waves can transfer energy</p>	<b>(1) AO1</b>

	Answer	Additional guidance	Mark
<b>2(b)(ii)</b>	<p>select wave equation (1)</p> $(v =) f \times \lambda$ <p>evaluation (1)</p> <p>(speed = ) 330 (m/s)</p>	<p>(speed =) freq(ueency) <math>\times</math> wavelength</p> <p>(speed = ) 440 <math>\times</math> 0.75</p> <p>award full marks for the correct answer without working.</p>	<b>(2) AO2</b>

(Total for Question 2 = 9 marks)

	Answer	Additional guidance	Mark
<b>3(a)</b>	substitution (1) $(\Delta GPE =) 57 \times 10 \times 2.1$  evaluation (1) $(\Delta GPE =) 1200 \text{ (J)}$	ignore attempts to convert kg to g for this MP only  1197 allow numbers that round to 1200 no ecf from MP1  award full marks for the correct answer without working.	<b>(2)</b> <b>AO2</b>

	Answer	Additional guidance	Mark
<b>3(b)</b>	select correct equation (1) $KE = \frac{1}{2} \times m \times v^2$  substitution (1) $(KE =) \frac{1}{2} \times 70 \times 8(0)^{(2)}$  evaluation (1) $(KE =) 2200 \text{ (J)}$	ignore attempts to convert kg to g for this MP only   allow numbers that round to 2200 e.g. 2240  280 or $35 \times 8$ seen scores 2 marks  award full marks for the correct answer without working.	<b>(3)</b> <b>AO2</b>

	Answer	Additional guidance	Mark
<b>3(c)(i)</b>	0.54 (s)	allow any value from 0.53 and 0.55 inclusive	<b>(1)</b> <b>A03</b>

	Answer	Additional guidance	Mark
<b>3(c)(ii)</b>	curve extended to $\alpha = 80^\circ$ (1)  0.45 (s) (1)	judge generously  allow range 0.42 to 0.48  award full marks for the correct answer without working.	<b>(2)</b> <b>A03</b>

	Answer	Additional guidance	Mark
<b>3(c)(iii)</b>	mention/idea of reaction time (1)  (reaction time) about the same as the times on the graph (1)	human reaction time is about 0.2 seconds  (compared with) 0.4 seconds on the graph  ignore accuracy ignore "human error"	<b>(2)</b> <b>A03</b>

(Total for Question 3 = 10 marks)

	Answer	Additional guidance	Mark
<b>4(a)(i)</b>	<b>One</b> from: cell damage (1) cancer (1) radiation sickness / poisoning (1) mutation (1) chromosomal damage (1) dna damage (1) skin damage (1) (named) organ damage (1) burns (1) releases ionising radiation (1)	allow ionises / kills cells	<b>(1)</b> <b>A01</b>

	Answer	Additional guidance	Mark
<b>4 (a)(ii)</b>	<b>any one</b> from: Geiger (Muller) (tube/counter) photographic film dosimeter	accept recognisable spellings GM film badge	<b>(1)</b> <b>A01</b>

	Answer	Additional guidance	Mark
<b>4 (a)(iii)</b>	<b>any two</b> from: beta(minus)/ $\beta(-)$ (1) beta + (1) x-rays (1) gamma/ $\gamma$ (1)	accept positron in place of beta + accept proton beam accept electron beam maximum of 1 mark if one incorrect radiation given zero marks if two incorrect radiations given	<b>(2)</b> <b>A01</b>

	Answer	Additional guidance	Mark
<b>4(b)</b>	<p>type of particle                      number of particles</p>	<p>1 mark for each correct line</p> <p>more than one line from a box in the left column ("type of particle") box loses the mark for the box</p>	<b>(3)</b> <b>AO2</b>


	Answer	Additional guidance	Mark
<b>4(c)(i)</b>	260 (g)		<b>(1)</b> <b>AO2</b>

	Answer	Additional guidance	Mark
<b>4(c)(ii)</b>	<p>(54 days is) 3 half-lives (1)</p> <p>65 (1)</p>	<p><math>260 \div 2 (\div 2)</math> or <math>520 \div 2 \div 2 (\div 2)</math> 18, 36, 54 (represents 3 half-lives) <math>54/18 = 3</math> (half-lives)</p> <p>ecf answer to 4ci <math>\div 4</math></p> <p>130 scores 1 mark</p> <p>award full marks for the correct answer without working</p>	<b>(2)</b> <b>AO2</b>

**Total for Question 4 = 10 marks**

Question Number	Answer	Mark
<b>5(a)</b>	<p><b>B. when there are energy transfers, the total energy does not change</b></p> <p><i>A is not correct because the total energy does not reduce</i></p> <p><i>C is not correct because the total energy does not increase</i></p> <p><i>D is not correct because there must be no net change in the total energy</i></p>	<b>(1)</b> <b>AO1</b>

Question Number	Answer	Additional guidance	Mark
<b>5(b)(i)</b>	<p>A diagram showing:</p> <p>apparatus labelled to include <b>three</b> from</p> <ul style="list-style-type: none"> <li>• thermometer</li> <li>• water</li> <li>• insulator / sand / sawdust/ material</li> <li>• (copper) can</li> </ul> <p>(1)</p> <p>thermometer in the <b>water</b> (1)</p> <p>arrangement for water and insulator in and between copper cans (e.g. as in diagram below) (1)</p>	<p>independent of arrangement</p> <p>ignore kettle and stop clock</p> <p>accept reverse positions for water and insulator</p>	<b>(3)</b> <b>AO2</b>



Question Number	Answer	Additional guidance	Mark
<b>5(b)(ii)</b>	any <b>three</b> factors from:  {mass / volume} of water (1)  {volume / thickness / mass} of insulators /materials (1)  {starting / initial} temperature of water (1)  time interval / temperature change (1)	accept amount / specified values / "how much"  accept amount / specified values / "how much"  accept temperature of hot / boiling water / specified values  accept specified values of interval or change  unqualified "same time" is insufficient	<b>(3)</b> <b>AO3</b>

	Answer	Additional guidance	Mark
<b>5(c)</b>	a description giving  as the density (of expanded polystyrene) increases the (thermal) conductivity decreases (1)  non-linear / gradient decreases / at a decreasing rate / levels off / plateaus / becomes (almost) constant (1)	ORA  allow inversely proportional / exponential for non-linear in this context  ignore negative correlation  unqualified quoted values are insufficient	<b>(2)</b> <b>AO3</b>

	Answer	Additional guidance	Mark
<b>5(d)(i)</b>	600 (j)	accept 3000 – 2400 accept -600	<b>(1)</b> <b>AO3</b>

	Answer	Additional guidance	Mark
<b>5(d)(ii)</b>	substitution (1)  (efficiency =) $\frac{2400}{3000}$  evaluation (1)  0.8(0)	allow $\frac{4}{5}$   accept 80 (%)  award full marks for the correct answer without working  allow 1.25 for 1 mark for selecting and evaluating from the correct pair of values	<b>(2)</b> <b>AO3</b>

**(Total for Question 5 = 12 marks)**

---



	Answer	Additional guidance	Mark
<b>6 (a)(i)</b>	<p>an explanation linking <b>two</b> from:</p> <p>(wet road means) less / no friction (between tyres and road) (1)</p> <p>(wet weather means) increased stopping distance (1)</p> <p>(slower speed means) shorter braking / stopping distance (1)</p> <p>(dry weather / slower speed) reduces possibility of skidding / sliding / idea of losing control / crashing (1)</p>	<p>accept reverse arguments throughout</p> <p>accept road more slippery / less grip</p> <p>accept idea of reduced visibility</p> <p>accept braking or thinking distance in this context</p> <p>accept takes longer to slow down / stop</p> <p>ignore harder to brake</p>	<b>(2)</b> <b>AO1</b>

	Answer	Additional guidance	Mark
<b>6(a)(ii)</b>	convert <b>either</b> distance or time (1)  $(31 \text{ m} =) \frac{31}{1000} \text{ (km)}$ or 0.031 (km) <b>OR</b> $(1 \text{ s} =) \frac{1}{3600} \text{ (h)} = \frac{1}{60 \times 60} \text{ (h)}$ or 0.000 28 (h)  evaluation (1)  $(31 \text{ m/s} =) 110 \text{ (km/h)}$	$(130 \text{ km} =) 130 \times 1000 \text{ (m)}$ or 130 000 (m)  <b>OR</b> $(1 \text{ h} =) 60 \times 60 \text{ (s)}$ or 3600 (s)  $(130 \text{ km/h} =) 36(.1) \text{ (m/s)}$  accept 111.6 or 112 (km/h) for 2 marks  if no other marks awarded accept <u>1860 m/min</u> and <u>2167 m/min</u> for 1 mark each  award full marks for the correct answer without working	<b>(2)</b> <b>AO2</b>

	Answer	Additional guidance	Mark
<b>6(a)(iii)</b>	<p>select and substitute into distance travelled = average speed x time (1)</p> $46 = 31 \times t$ <p>rearrangement and evaluation (1)</p> <p>(t=) 1.48(3) (s)</p> <p>evaluation given to 2 sf (1) (t =) 1.5 (s)</p>	$31 = \frac{46}{t}$ $(t =) \frac{46}{31}$ <p>award two marks for the correct evaluation without working</p> <p>any answer written to 2 sf independent mark</p> <p>1.5          scores 3 marks</p> <p>1.4          scores 2 marks</p> <p>1.50        scores 2 marks</p> <p>0.67        scores 2 marks</p> <p>1400        scores 2 marks</p> <p>0.673(9)   scores 1 mark</p> <p>1426        scores 1 mark</p>	<b>(3)</b> <b>AO2</b>

Question number	Indicative content	Mark
*6(b)	<p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.</p> <p>The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <p style="text-align: center;">AO3</p> <ul style="list-style-type: none"> <li>• graph starts at zero</li> <li>• graph increases to a maximum at 2 s</li> <li>• graph stays constant for 2.6 s</li> <li>• graph decreases to zero at 6 s</li> <li>• graph stays at zero after 6 s</li> <li>• graph decreases steeply until 5 s</li> <li>• graph decreases less steeply until 6 s</li> <li>• graph at zero between 6 and 7s</li> </ul> <p style="text-align: center;">AO2</p> <ul style="list-style-type: none"> <li>• velocity is zero at time zero</li> <li>• velocity increases/train accelerates until 2 s</li> <li>• velocity is constant for 2.6 s</li> <li>• velocity decreases/train decelerates until 6 s</li> <li>• deceleration changes at 5 s</li> <li>• acceleration is gradient of graph</li> <li>• velocity zero between 6 and 7 s</li> </ul>	(6) AO2 AO3

Level	Mark	Descriptor
	0	<ul style="list-style-type: none"> <li>• No awardable content</li> </ul>
Level 1	1–2	<ul style="list-style-type: none"> <li>• Interpretation and evaluation of the information attempted but will be limited with a focus on mainly just one variable. Demonstrates limited synthesis of understanding. (AO3)</li> <li>• The description attempts to link and apply knowledge and understanding of scientific ideas, flawed or simplistic connections made between elements in the context of the question. (AO2)</li> </ul>
Level 2	3–4	<ul style="list-style-type: none"> <li>• Interpretation and evaluation of the information on both variables, synthesising mostly relevant understanding. (AO3)</li> <li>• The description is mostly supported through linkage and application of knowledge and understanding of scientific ideas, some logical connections made between elements in the context of the question. (AO2)</li> </ul>
Level 3	5–6	<ul style="list-style-type: none"> <li>• Interpretation and evaluation of the information, demonstrating throughout the skills of synthesising relevant understanding. (AO3)</li> </ul>

		<ul style="list-style-type: none"> <li>The description is supported throughout by linkage and application of knowledge and understanding of scientific ideas, logical connections made between elements in the context of the question. (AO2)</li> </ul>
--	--	--

Level	Mark	Additional Guidance	General additional guidance – the decision within levels e.g. - At each level, as well as content, the scientific coherency of what is stated will help place the answer at the top, or the bottom, of that level.
	0	No rewardable material.	
Level 1	1–2	<u>Additional guidance</u> isolated facts about the movement of the train or the shape of the graph	<u>Possible candidate responses</u> the train speeds up and slows down
Level 2	3–4	<u>Additional guidance</u> Description of motion in at least 2 parts of the graph. At least one of those parts linked to data from the graph.	<u>Possible candidate responses</u> the train speeds up for the first 2 seconds then stays at a constant speed
Level 3	5–6	<u>Additional guidance</u> Description of motion in at least 3 parts of the graph. At least two of those parts linked to data from the graph.	<u>Possible candidate responses</u> the train speeds up for the first 2 seconds then stays at a constant speed for 2.6 seconds then slows down

**Total for Question 6 = 13 marks**