



# Mark Scheme (Results)

Summer 2023

Pearson Edexcel GCSE  
In Physics (1SC0)  
Paper 1PF

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2023

Publications Code 1PH0\_1F\_2306\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2023

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word **'Explain'** requires an **identification** of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

**When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.**

| Assessment Objective |           | Command Word  |   |
|----------------------|-----------|---|---|
| Strand               | Element   | Describe  | Explain   |
| AO1*                 |           | An answer that combines the marking points to provide a logical description   | An explanation that links identification of a point with reasoning/justification(s) as required   |
| AO2                  |           | An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding | An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding) |
| AO3                  | 1a and 1b | An answer that combines points of interpretation/evaluation to provide a logical description                                    |   |
| AO3                  | 2a and 2b |   | An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning                            |
| AO3                  | 3a        | An answer that combines the marking points to provide a logical description of the plan/method/experiment                       |   |
| AO3                  | 3b        |   | An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning             |

\*there will be situations where an AO1 question will include elements of recall of knowledge directly from the specification (up to a maximum of 15%). These will be identified by an asterisk in the mark scheme.

| Question Number | Answer | Additional guidance   | Mark       |
|-----------------|--------|---|------------|
| 1<br>(a) (i)    |        | <p>award one mark for each correct line up to three marks</p> <p>reject for a mark two lines starting or ending at the same box</p> | (3)<br>AO1 |

| Question Number | Answer  | Mark       |
|-----------------|---|------------|
| 1<br>(a)(ii)    | <p>C ultraviolet</p> <p>A (infrared), B (microwaves) and D (visible light) all have frequencies below that of ultraviolet</p> | (1)<br>AO1 |

| Question Number | Answer   | Additional guidance   | Mark       |
|-----------------|--|---|------------|
| 1<br>(b)(i)     | <p>an explanation linking</p> <p>(X-rays/they) pass through/penetrate (the bags/cases) (1)</p> <p>to see contents/to show objects of greater density (1)</p> | <p>accept see through</p> <p>accept look/see inside</p> <p>accept see contents/check inside</p> | (2)<br>AO1 |

| Question Number | Answer   | Additional guidance   | Mark       |
|-----------------|--|---|------------|
| 1<br>(b)(ii)    | <p>an explanation linking</p> <p>X-rays/they are ionising (1)</p> <p>cause cancer/mutations (of cells/DNA) (1)</p> | <p>accept harmful/dangerous</p> <p>accept a description of ionising</p> <p>accept high energy</p> <p>accept kill/damage cells</p> | (2)<br>AO2 |

**Total for question 1 = 8mark**

| Question Number | Answer  | Mark       |
|-----------------|---|------------|
| 2<br>(a (i))    | <p><b>B</b> QR (horizontal line)</p> <p><b>A</b> PQ is incorrect it shows constant acceleration<br/> <b>C</b> RS is incorrect it shows constant acceleration<br/> <b>D</b> ST is incorrect it shows constant deceleration</p> | (1)<br>AO3 |

| Question Number | Answer   | Mark       |
|-----------------|--|------------|
| 2<br>(a)(ii)    | <p><b>A</b> PQ ( steeper slope shows greater acceleration)</p> <p><b>B</b> QR is incorrect it shows zero acceleration<br/> <b>C</b> RS is incorrect as slope is less steep than for PQ<br/> <b>D</b> ST is incorrect as the slope is less steep than for PQ and shows deceleration</p> | (1)<br>AO3 |

| Question Number | Answer   | Additional guidance   | Mark       |
|-----------------|--|---|------------|
| 2<br>(a)(iii)   | <p>substitution (1)</p> $(a =) \frac{15(-0)}{10}$ <p>evaluation (1)</p> $1.5 \text{ (m/s}^2\text{)}$ | <p>15 seen</p> <p>allow 10 divided by any number between 6 and 7 for this mark</p> <p>award full marks for the correct answer with no working</p> | (2)<br>AO3 |

| Question Number            | Answer  | Additional guidance   | Mark                     |
|----------------------------|---|---|--------------------------|
| <b>2</b><br><b>(a)(iv)</b> | <p>indication that distance travelled = area under graph (1)</p> <p>substitution (1)<br/>(distance travelled =) <math>10 \times 15</math></p> <p>evaluation (1)<br/>150 (m)</p> | <p>may be seen on graph<br/>accept distance = speed x time<br/>ignore speed = <math>\frac{\text{distance}}{\text{time}}</math></p> <p>award full marks for the correct answer with no working</p> <p>award 2 marks for <math>10 \times 15</math> seen anywhere</p> <p>if no other marks awarded, 1 mark for use of 15 (m/s) or 10 (s)</p> | <b>(3)</b><br><b>AO3</b> |

| Question Number | Answer   | Additional guidance  | Mark                     |
|-----------------|--|--|--------------------------|
| <b>2(b)</b>     | <p>substitution (1)<br/>(F=) <math>1200 \times 2.4</math></p> <p>evaluation (1)<br/>2900 (N)</p> | <p>accept 2880 (N)</p> <p>award one mark for power of ten error</p> <p>award full marks for the correct answer with no working</p> | <b>(2)</b><br><b>AO2</b> |

**Total for question 2 = 9marks**

| Question Number | Answer  | Mark |    |            |
|-----------------|---|------|----|------------|
| 3<br>a (i)      | <p data-bbox="384 309 408 342">C</p> <table border="1" data-bbox="475 275 874 338"><tr><td data-bbox="475 275 683 338">1</td><td data-bbox="683 275 874 338">+1</td></tr></table> <p data-bbox="384 394 1023 427">A is incorrect the proton has a mass of 1 not 0</p> <p data-bbox="384 432 1023 465">B is incorrect the proton has a mass of 1 not 0</p> <p data-bbox="384 470 1066 504">D is incorrect the proton has a charge of +1 not -1</p> | 1    | +1 | (1)<br>AO1 |
| 1               | +1  |      |    |            |




| Question Number          | Answer  | Additional guidance  | Mark                     |
|--------------------------|---|--|--------------------------|
| <b>3</b><br><b>a(ii)</b> | substitution (1)<br>ratio = $\frac{10^{-10}}{10^{-15}}$<br><br>evaluation (1)<br>$10^5$ | $10^{-10} : 10^{-15}$<br><br>accept suitable equivalent ratios e.g.<br>$1 \times 10^5 : 1$<br>$1 : 10^{-5}$ or $10^5 : 1$<br>$1 : 0.00001$ or $100000 : 1$<br><br>allow 1 mark for inverted ratios e.g.<br>$10^{-15} : 10^{-10}$<br>$0.00001 : 1$ or $1 : 100000$<br><br>award full marks for the correct answer with no working | <b>(2)</b><br><b>AO2</b> |

| Question Number           | Answer   | Additional guidance  | Mark                     |
|---------------------------|--|--|--------------------------|
| <b>3</b><br><b>a(iii)</b> | an explanation linking<br><br>same number / amount of (1)<br><br><br><br>electrons and protons (1) | equal number / amount of<br><br>allow balanced (number / amount of)<br><br>negative and positive charges<br>ignore (neutral) neutrons<br><br>reject positive/negative neutrons for 2 <sup>nd</sup> marking point | <b>(2)</b><br><b>AO1</b> |

| Question Number           | Answer  | Additional guidance | Mark                     |
|---------------------------|---------|---------------------|--------------------------|
| <b>3</b><br><b>(b)(i)</b> | 6 / six |                     | <b>(1)</b><br><b>AO1</b> |

| Question Number | Answer    | Additional guidance | Mark       |
|-----------------|-----------|---------------------|------------|
| 3<br>(b)ii      | 8 / eight |                     | (1)<br>AO2 |

| Question Number | Answer   | Additional guidance   | Mark       |
|-----------------|--|---|------------|
| 3<br>(b)(iii)   | <p>indication of horizontal line between 14 and 16 and / or vertical line between 5250 and 6250 (1)</p>  <p>value between 5250 (years) and 6250 (years) inclusive (1)</p> | <p>accept alternative indications e.g. cross on curve</p> <p>accept any halving pairs e.g. going between 20 cpm and 10 cpm</p> <p>award full marks for the correct answer with no working</p> | (2)<br>AO3 |

**Total for question 3 = 9 marks**

| Question Number | Answer  | Mark       |
|-----------------|---|------------|
| 4<br>(a)(i)     | <p><b>B</b> the line shows the amplitude</p> <p><b>A</b> is incorrect the line shows twice the amplitude</p> <p><b>C</b> is incorrect the line shows half the wavelength</p> <p><b>D</b> is incorrect the line shows the wavelength</p> | (1)<br>AO1 |

| Question Number | Answer  | Additional guidance | Mark       |
|-----------------|---|---------------------|------------|
| 4<br>(a)(ii)    | <p>an explanation linking</p> <p>vibration/oscillation (1)</p> <p>perpendicular / at right angles / <math>90^\circ</math><br/>(to the direction of travel of the wave/direction of energy transfer)<br/>(1)</p> | accept up and down  | (2)<br>AO1 |

| Question Number | Answer  | Additional guidance   | Mark       |
|-----------------|---|---|------------|
| 4 (b)(i)        | <p>a description including</p> <p>count the number of waves/ripples (1)</p> <p>(that pass a point) in a certain time (1)</p> <p>OR</p> <p>measure the time for a certain number of waves/ripples (1)</p> <p>use of <math>f = 1/T</math> (1)</p> | <p>accept use of numerical values</p> <p>calculate the number of waves that pass the point in a second scores 2 marks</p> | (2)<br>AO1 |

| Question Number            | Answer  | Additional guidance  | Mark                     |
|----------------------------|---|--|--------------------------|
| <b>4</b><br><b>(b)(ii)</b> | <p>a description including any two from</p> <p>the waves/ripples are made to look stationary (1)</p> <p>measure the distance across a number of waves/wave fronts/ripples (1)</p> <p>calculate the wavelength from the measurements (1)</p> | <p>using camera, video, strobe light, stroboscope, mobile, phone, photo(graph)</p> <p>accept measure the distance across a number of lines</p> <p>divide distance by the number of waves/ripples</p> <p>accept the idea of measuring the distance between one wave/ripple/line and another (successive) wave/ripple/line for 2 marks</p> | <b>(2)</b><br><b>AO1</b> |


| Question Number        | Answer   | Additional guidance   | Mark                     |
|------------------------|--|---|--------------------------|
| <b>4</b><br><b>(c)</b> | <p>substitution (1)</p> <p><math>0.8 = f \times 4.0</math></p> <p>rearrangement and evaluation (1)</p> <p>0.2 (Hz)</p> <p>unit (1)</p> <p>Hz / <math>s^{-1}</math> / per sec</p> | <p>(f =) <math>\frac{0.8}{4.0}</math></p> <p>allow correct substitution into seen incorrect rearrangement</p> <p>award 2 marks for the correct answer with no working</p> <p>accept hz or hertz independent mark accept recognisable spelling</p> | <b>(3)</b><br><b>AO2</b> |

**Total for question 4= 10marks**

| Question Number | Answer  | Additional guidance | Mark       |
|-----------------|---|---------------------|------------|
| 5(a)            | <b>B</b> distance<br><br><b>A, C,</b> and <b>D</b> are incorrect as these are vector quantities |                     | (1)<br>AO1 |

| Question number | Answer  | Additional guidance  | Mark       |
|-----------------|---|--|------------|
| 5<br>(b)(i)     | A description to include any 4 from:<br><br>measure height (1)<br><br>measure time of fall (1)<br><br>use (average) speed = distance /time (1)<br><br>repeat with different number of cupcake cases in the stack/more cupcake cases (1)<br><br>repeat <b>and</b> average time (of fall for each stack of cupcake cases) (1)<br><br>plot a graph (speed of fall against number of cupcake cases dropped) (1) | allow 'keep same height'<br>allow in this context hold against (fixed point) on metre rule<br><br>allow 'time it'<br><br>accept cupcakes for cupcake cases | (4)<br>AO1 |

| Question Number | Answer   | Additional guidance  | Mark       |
|-----------------|--|--|------------|
| 5<br>(b)(ii)    | substitution (1)<br>(W=)0.005 x 10<br><br>evaluation (1)<br>0.05 (N) | $5 \times 10^{-2}$ (N)<br><br>do not allow power of ten error<br><br>award full marks for the correct answer with no working<br><br>give full credit for use of $g=9.8$ or $9.81$ N/kg | (2)<br>AO2 |

| Question number | Answer  | Additional guidance  | Mark       |
|-----------------|---|--|------------|
| 5<br>(b)(iii)   |  <p>air resistance arrow (1)</p> | <p>judge by eye any vertical upward arrow outside or inside the cupcake case</p> <p>ignore length of arrow</p> <p>arrow need not touch cupcake holder</p> <p>ignore label on arrow</p> | (1)<br>AO2 |

| Question number | Answer  | Additional guidance                          | Mark       |
|-----------------|---|--|------------|
| 5<br>(b)(iv)    | zero / there is none / 0 / it has no acceleration | <p>ignore 'constant'</p> <p>ignore units</p> | (1)<br>AO2 |

| Question number | Answer   | Additional guidance                                     | Mark       |
|-----------------|--|---|------------|
| 5(c)            | <p>substitution (1)<br/>(change in velocity=) <math>3 \times 7</math></p> <p>evaluation (1)<br/>21 (m/s)</p> | award full marks for the correct answer with no working | (2)<br>AO2 |

**Total for question 5 = 11 marks**

| Question number           | Answer  | Additional guidance  | Mark                     |
|---------------------------|---|--|--------------------------|
| <b>6</b><br><b>(a)(i)</b> | substitution (1)<br>$11 = 0.42 \times 10 \times \Delta h$<br><br>rearrangement (1)<br>$(\Delta h =) \frac{11}{0.42 \times 10}$<br><br>evaluation (1)<br>2.6 (m) | accept substitution and rearrangement in either order<br><br>$(\Delta h =) \frac{\Delta GPE}{m \times g}$<br><br>accept any value which rounds to 2.6 (m)<br>award 2 marks for 2.6 to any other power of 10<br>allow 1 mark for 0.38<br>allow 1 mark for 46(.2)<br><br>award full marks for the correct answer with no working<br><br>give full credit for use of $g=9.8$ or $9.81 \text{ N/kg}$ (gives 2.7 (m)) | <b>(3)</b><br><b>AO2</b> |

| Question number            | Answer   | Additional guidance   | Mark                     |
|----------------------------|--|---|--------------------------|
| <b>6</b><br><b>(a)(ii)</b> | substitution(1)<br>$(KE=) \frac{1}{2} \times 0.42 \times 12^2$<br><br>evaluation (1)<br>30 (J) | allow 30.2(4) (J)<br>award 1 mark for 30 240 (J)<br>award 1 mark for 2.52 (J)<br>award 1 mark for 60.5 (J)<br><br>award full marks for the correct answer with no working | <b>(2)</b><br><b>AO2</b> |

| Question number                     | Answer  | Additional guidance   | Mark                             |
|-------------------------------------|---|---|----------------------------------|
| <p><b>6</b><br/><b>(a)(iii)</b></p> | <p>A description including:<br/>KE/kinetic (energy store)<br/>(1)</p> <p>(transfers to)</p> <p>and <b>one</b> of:</p> <p>elastic (potential energy store) (1)</p> <p>OR</p> <p>thermal (energy of ball/wall/surroundings)<br/>(1)</p> <p>OR</p> <p>dissipates (to surroundings) (1)</p> | <p>allow mechanically / mechanical transfer</p> <p>ignore reference to gravitational potential energy</p> <p>allow heat for thermal<br/>allow sound in this context</p> <p>ignore reference to the ground</p> | <p><b>(2)</b><br/><b>AO2</b></p> |



| Question number | Indicative content   | Mark               |
|-----------------|--|--------------------|
| 6*(b)           | <p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.</p> <p>The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <p style="text-align: center;"><b>AO2,AO3</b></p> <p><b>Non-renewable sources of energy</b></p> <p style="padding-left: 20px;">trend: less used/decrease in use (between 2012 and 2019)</p> <p><b>fossil fuels</b></p> <p style="padding-left: 20px;">coal, gas, oil</p> <p style="padding-left: 20px;">are running out / finite resource / sustainability argument</p> <p style="padding-left: 20px;">produce carbon dioxide/ sulphur dioxide/ greenhouse gases (when burned) in power stations</p> <p style="padding-left: 20px;">cause pollution/ smoke particles /damage to the environment</p> <p style="padding-left: 20px;">causes climate change / global warming</p> <p style="padding-left: 20px;">production of greenhouse gases needs to be reduced (for Britain to become carbon neutral)</p> <p><b>nuclear fuels</b></p> <p style="padding-left: 20px;">no carbon dioxide produced</p> <p style="padding-left: 20px;">radioactive waste produced</p> <p style="padding-left: 20px;">safety concerns</p> <p><b>Renewable sources of energy</b></p> <p style="padding-left: 20px;">trend: more used /increase in use (between 2012 and 2019)</p> <p style="padding-left: 20px;">renewable and non-renewable about equally used from 2019</p> <p style="padding-left: 20px;">solar, wind, hydroelectric, tidal, geothermal, wave and biomass</p> <p style="padding-left: 20px;">never run out / are sustainable</p> <p style="padding-left: 20px;">do not produce carbon dioxide/ greenhouse gases (except biomass)</p> <p style="padding-left: 20px;">slow down climate change / global warming</p> | (6)<br>AO2,<br>AO3 |

| Level   | Mark | Descriptor  |
|---------|------|---|
|         | 0    | <ul style="list-style-type: none"> <li>No awardable content</li> </ul>  |
| Level 1 | 1–2  | <ul style="list-style-type: none"> <li>Interpretation and evaluation of the information attempted but will be limited with a focus on mainly just one variable. Demonstrates limited synthesis of understanding. (AO3)</li> <li>The explanation attempts to link and apply knowledge and understanding of scientific ideas, flawed or simplistic connections made between elements in the context of the question. (AO2)</li> </ul> |
| Level 2 | 3–4  | <ul style="list-style-type: none"> <li>Interpretation and evaluation of the information on both variables, synthesising mostly relevant understanding. (AO3)</li> <li>The explanation is mostly supported through linkage and application of knowledge and understanding of scientific ideas, some logical connections made between elements in the context of the question. (AO2)</li> </ul>                                       |
| Level 3 | 5–6  | <ul style="list-style-type: none"> <li>Interpretation and evaluation of the information, demonstrating throughout the skills of synthesising relevant understanding. (AO3)</li> <li>The explanation is supported throughout by linkage and application of knowledge and understanding of scientific ideas, logical connections made between elements in the context of the question. (AO2)</li> </ul>                               |

| Level   | Mark | Additional Guidance   | <b>General additional guidance - the decision within levels</b><br>e.g. - At each level, as well as content, the scientific coherency of what is stated will help place the answer at the top, or the bottom, of that level.                         |
|---------|------|---|--|
|         | 0    | No rewardable material.   |  |
| Level 1 | 1-2  | <u>Additional guidance</u><br>isolated facts about the resources, non-renewable or renewable<br><br><b>OR</b><br>the trend(s) in usage                                | <u>Possible candidate responses</u><br>coal is non-renewable and solar is renewable<br><br>non-renewables are decreasing and renewables are increasing<br><br>non-renewable resources are higher on (most of) the graph                              |
| Level 2 | 3-4  | <u>Additional guidance</u><br>trend(s)<br><br><b>AND</b><br>limited explanation of the renewable trend<br><b>OR</b><br>limited explanation of the non-renewable trend | <u>Possible candidate responses</u><br>use of renewable resources is increasing because renewables are sustainable<br><br><b>OR</b><br>use of non-renewable resources are decreasing because they cause global warming                               |
| Level 3 | 5-6  | <u>Additional guidance</u><br>both trends<br><br><b>AND</b><br>detailed explanation of one trend<br><b>AND</b><br>some explanation of the other trend                 | <u>Possible candidate responses</u><br>use of renewable resources are increasing <b>and</b> the use of non-renewable resources are decreasing because non-renewable resources are running out <b>and</b> wind turbines do not produce carbon dioxide |

**Total for question 6 =13 marks**