

GCSE (9-1)

**Combined Science (Chemistry) A (Gateway Science)** 

J250/03: Paper 3 (Foundation Tier)

General Certificate of Secondary Education

Mark Scheme for Autumn 2021

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2021

### 1. Annotations available in RM Assessor

| Annotation | Meaning                                |
|------------|--|
| <b>✓</b>   | Correct response                       |
| ×          | Incorrect response                     |
| ^          | Omission mark                          |
| BOD        | Benefit of doubt given                 |
| CON        | Contradiction                          |
| RE         | Rounding error                         |
| SF         | Error in number of significant figures |
| ECF        | Error carried forward                  |
| L1         | Level 1                                |
| L2         | Level 2                                |
| L3         | Level 3                                |
| NBOD       | Benefit of doubt not given             |
| SEEN       | Noted but no credit given              |
| I          | Ignore                                 |

2. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

| Annotation   | Meaning   |
|--------------|---|
| 1            | alternative and acceptable answers for the same marking point |
| <b>√</b>     | Separates marking points                                      |
| DO NOT ALLOW | Answers which are not worthy of credit                        |
| IGNORE       | Statements which are irrelevant                               |
| ALLOW        | Answers that can be accepted                                  |
| ()           | Words which are not essential to gain credit                  |
| _            | Underlined words must be present in answer to score a mark    |
| ECF          | Error carried forward   |
| AW           | Alternative wording   |
| ORA          | Or reverse argument   |

#### 3. Subject-specific Marking Instructions

#### **INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science A:

|                       | Assessment Objective   |
|-----------------------|--|
| AO1                   | Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.  |
| AO1.1                 | Demonstrate knowledge and understanding of scientific ideas.   |
| AO1.2                 | Demonstrate knowledge and understanding of scientific techniques and procedures.   |
| AO2                   | Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.   |
| AO2.1                 | Apply knowledge and understanding of scientific ideas.   |
| AO2.2                 | Apply knowledge and understanding of scientific enquiry, techniques and procedures.  |
| AO3                   | Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.   |
| AO3.1                 | Analyse information and ideas to interpret and evaluate.   |
| AO3.1a                | Analyse information and ideas to interpret.  |
| AO3.1b                | Analyse information and ideas to evaluate.   |
| AO3.2                 | Analyse information and ideas to make judgements and draw conclusions.   |
| AO3.2a                | Analyse information and ideas to make judgements.  |
| AO3.2b                | Analyse information and ideas to draw conclusions.   |
| AO3.3                 | Analyse information and ideas to develop and improve experimental procedures.  |
| AO3.3a                | Analyse information and ideas to develop experimental procedures.  |
| AO3.3b                | Analyse information and ideas to improve experimental procedures.  |
| AO3.2b  AO3.3  AO3.3a | Analyse information and ideas to draw conclusions.  Analyse information and ideas to develop and improve experimental procedures.  Analyse information and ideas to develop experimental procedures. |

| Question | Answer | Marks | AO<br>element | Guidance |
|----------|--------|-------|---------------|----------|
| 1        | C✓     | 1     | 1.1           | ALLOW Ca |
| 2        | D✓     | 1     | 2.1           |          |
| 3        | A ✓    | 1     | 1.1           |          |
| 4        | B✓     | 1     | 1.1           |          |
| 5        | B✓     | 1     | 2.1           |          |
| 6        | B✓     | 1     | 2.1           |          |
| 7        | C✓     | 1     | 2.1           |          |
| 8        | A ✓    | 1     | 2.2           |          |
| 9        | C✓     | 1     | 2.1           |          |
| 10       | B✓     | 1     | 1.1           |          |

| Question | Answer  | Marks | AO<br>element | Guidance |
|----------|---|-------|---------------|----------|
| 11       | Separates a solvent from a solution.  Simple distillation     | 4     | 1.2           |          |
|          | Separates a dissolved solid from a solution.  Chromatography  |       |               |          |
|          | Separates a mixture of dissolved substances from one another. |       |               |          |
|          | Separates an insoluble solid from a liquid.                   |       |               |          |

| Q  | Question |  | Answer   | Marks | AO element | Guidance                                      |
|----|----------|--|--|-------|------------|---|
| 12 | (a)      |  | C ✓  | 1     | 1.1        | ALLOW CuCO₃ (or copper carbonate)             |
|    | (b)      |  | B✓   | 1     | 1.1        | ALLOW Cu <sub>2</sub> O (or copper oxide)     |
|    | (c)      |  | C ✓  | 1     | 2.2        | ALLOW CuCO <sub>3</sub> (or copper carbonate) |
|    | (d)      |  | FIRST CHECK ANSWER ON ANSWER LINE If answer = 159.1 award 2 marks  (63.5 x 2) + 32.1 ✓ | 2     | 2.2        |   |
|    |          |  | = 159.1 ✓  |       |            |   |

| Q  | uestion | Answer  |   | AO element | Guidance  |
|----|---------|---|---|------------|---|
| 13 | (a)     | Conical flask ✓   | 1 | 1.2        |   |
|    | (b)     | (dropping pipette) is more accurate / measures volume to one decimal place ✓  | 1 | 3.1b       | ALLOW idea that dropping pipette measures to 0.5 cm³ whereas 0.5 cm³ is difficult to get exactly with measuring cylinder  Assume "it" refers to dropping pipette if unqualified |
|    | (c)     | All points plotted correctly = 2 marks ✓✓ <b>BUT</b> 3 or 4 points plotted correctly = 1 mark ✓  smooth line of best fit through all points ✓ | 3 | 2 x 2.2    | ALLOW ± ½ square  |
|    | (d)     | 6(.0) (cm³) ✓   | 1 | 3.2b       |   |
|    | (e)     | 3 correct = 2 marks ✓✓ 1 or 2 correct = 1 mark ✓  The <b>hydrogen ions</b> in the dilute hydrochloric acid react with                         | 2 | 1.2        | <b>ALLOW</b> use of H <sup>+</sup> , OH <sup>-</sup> , H <sub>2</sub> O   |
|    |         | the <b>hydroxide ions</b> in the sodium hydroxide solution to make <b>water molecules</b>   |   |            |   |

| Qı | uestic | on   |  | Answ     | er         |           |          | Marks | AO element | Guidance   |
|----|--------|------|--|----------|------------|-----------|----------|-------|------------|--|
| 14 | (a)    |      | Part of the heating curve  | 1        | 2          | 3         | 4        | 3     | 2.1        |  |
|    |        |      | Letter   | D        | В          | С         | Α        |       |            |  |
|    |        |      | 4 correct = 3 marks ✓ ✓ ✓<br>2 or 3 correct = 2 marks<br>1 correct = 1 mark ✓                              |          |            |           |          |       |            |  |
|    | (b)    |      | The idea that the water has team / a gas ✓ OR The idea that (the water beaker / is no longer in the steam) | the gas) | has esca   |           | ·        | 1     | 3.1b       |  |
|    | (c)    | (i)  | A or C ✓   |          |            |           |          | 1     | 3.2b       |  |
|    |        | (ii) | Idea that a pure substan   | ce melts | at one ter | nperature | <b>√</b> | 1     | 3.2b       | ALLOW idea that an impure substance melts over a range of temperatures |

| Q  | uesti | on    | Answer  | Marks | AO element | Guidance  |
|----|-------|-------|---|-------|------------|---|
| 15 | (a)   |       | $2Na(s) + Cl₂(g) → 2NaCl(s) \checkmark$   | 1     | 2.2        | <b>ALLOW</b> correct multiples e.g. $4Na(s) + 2Cl_2(g) \rightarrow 4NaCl(s)$    |
|    | (b)   |       | (Sodium atom) loses one electron ✓  Idea that it obtains a full outer shell / Idea that it attains a noble gas configuration ✓        | 2     | 2.1<br>1.1 | ALLOW idea of losing electrons for 1 mark if no other mark scored               |
|    | (c)   |       | Idea that (electrostatic) forces between ions are strong ✓ and require a lot of energy to break ✓                                     | 2     | 2.1        | DO NOT ALLOW covalent bonds / intermolecular forces / metallic bonds are strong |
|    | (d)   | (i)   | NaCl(aq) ✓  | 1     | 1.1        |   |
|    |       | (ii)  | No (✓) for solid sodium chloride  Yes (✓) for solution of sodium chloride ✓   | 1     | 1.2        | Both answers required for the mark  |
|    |       | (iii) | Solid sodium chloride  lons cannot move / ions fixed in position / ions only vibrate  Solution of sodium chloride lons free to move ✓ | 2     | 1.2        |   |

| Question | Answer   |   | AO element                     | Guidance  |
|----------|--|---|--------------------------------|---|
| 16*      | Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.  Level 3 (5–6 marks)  Uses knowledge and understanding of atomic structure to describe similarities in the atomic structures of helium and neon.  AND  Applies knowledge and understanding of atomic structure to describe differences in the atomic structures of helium and neon.  AND  Analyses and interprets information to quantitatively describe differences in the atomic structures of helium and neon.  There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.  Level 2 (3–4 marks)  Analyses and interprets information to quantitatively describe differences in the atomic structures of helium and neon.  OR  Uses knowledge and understanding of atomic structure to describe similarities in the atomic structures of helium and neon. | 6 | 2 x 1.1<br>2 x 2.1<br>2 x 3.1a | AO1.1 Demonstrate knowledge and understanding  atoms made up of protons, neutrons and electrons  contain a central nucleus  surrounded by electrons  nucleus contains protons and neutrons  electrons in energy levels / shells  outer energy level / shell full  AO2.1 Apply knowledge and understanding of scientific ideas  Helium and neon:  have different numbers of protons  have different numbers of electrons  have different numbers of electrons  have different numbers of electrons in their outer shells  AO3.1a Analyse information to interpret data  Helium has  2 protons, 2 neutrons, 2 electrons  has 2 electrons in its outer energy level / shell  has an electron arrangement of 2  Neon has  10 protons, 10 neutrons, 10 electrons |
|          | AND Applies knowledge and understanding of atomic structure to describe differences in the atomic structures of helium and neon.   |   |                                | <ul> <li>has 8 electrons in its outer energy level / shell</li> <li>has an electron arrangement of 2, 8</li> </ul>  |
|          | There is a line of reasoning presented with some   |   |                                |   |

| Question | Answer  |  | AO element | Guidance |
|----------|---|--|------------|----------|
|          | structure. The information presented is relevant and supported by some evidence.  |  |            |          |
|          | Level 1 (1–2 marks) Uses knowledge and understanding of atomic structure to describe similarities in the atomic structures of helium and neon.  OR Applies knowledge and understanding of atomic structure to describe differences in the atomic structures of helium and neon.  OR Attempts to analyse and interpret information to quantitatively describe differences in the atomic structures of helium and neon. |  |            |          |
|          | There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.  |  |            |          |
|          | 0 marks No response or no response worthy of credit.  |  |            |          |

PMT

| Q  | uesti | on   | Answer   | Marks | AO element | Guidance  |
|----|-------|------|--|-------|------------|---|
| 17 | (a)   | (i)  | Temperature decreases / AW ✓   | 1     | 1.1        | <b>IGNORE</b> answers based on transfer of energy from surroundings   |
|    |       | (ii) | -3.5 (°C) / as a negative ✓  | 1     | 1.1        |   |
|    | (b)   |      | Idea of measuring temperature of sodium hydrogen carbonate solution before adding citric acid ✓  Idea of measuring lowest temperature reached / largest temperature change ✓ | 2     | 3.3a       |   |
|    | (c)   |      | FIRST CHECK ANSWER ON ANSWER LINE If answer = 1860 (mg) award 4 marks  | 4     | 3 x 2.2    |   |
|    |       |      | (0.65 ÷ 3.5) x 10.0 ✓<br>= 1.857 (g) ✓   |       |            | <b>ALLOW</b> alternative methods for MP1 e.g. 10/3.5 x 0.65 = 1.857g  |
|    |       |      | = (1.857 x 1000) = 1857 (mg) ✓   |       |            | ECF from incorrect calculation of mass in g   |
|    |       |      | = 1860 (mg) ✓  |       | 1.2        | ECF from incorrect calculation for 3 sig fig mark   |
|    | (d)   |      | Idea that solid left is unreacted (citric acid) / idea that not all the crystals have dissolved ✓  Idea that temperature change not as large as it should be                 | 3     | 3.3b       |   |
|    |       |      | / calculated mass would be too low ✓  Improvement: Stir the solution when citric acid is added ✓   |       |            | ALLOW use less solid / citric acid OR use more (sodium hydrogen carbonate) solution OR use more concentrated (sodium hydrogen carbonate) solution |
|    | (e)   |      | Na <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> ) <b>OR</b> Na <sub>3</sub> C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> ✓                                     | 1     | 2.2        | ALLOW C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> Na <sub>3</sub>  |

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

#### **OCR Customer Contact Centre**

### **Education and Learning**

Telephone: 01223 553998 Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

### www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

