



Tuesday 23 November 2021 – Morning

GCSE (9–1) in Combined Science B (Twenty First Century Science)

J260/03 Physics (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Combined Science (Physics) B (inside this document)

You can use:

- an HB pencil
- · a scientific or graphical calculator



Please write clearly in blac	o not write in the barcodes.	
Centre number	Candidate number	
First name(s)		
Last name		

INSTRUCTIONS


- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is 95.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 24 pages.

ADVICE

• Read each question carefully before you start your answer.



2 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

Answer all the questions.

- 1 Jane wants to know if different types of radiation are absorbed, reflected or transmitted by different materials.
 - (a) Complete the sentences to describe if electromagnetic radiation is absorbed, reflected, or transmitted by the materials.

Put a (ring) around the correct answers.

Wood warms up when it absorbs / reflects / transmits infrared radiation.

Some metals are shiny because they **absorb** / **reflect** / **transmit** visible light.

Windows are made out of glass because glass absorbs / reflects / transmits visible light.

An X-ray scan can be hazardous because human bodily tissue **absorbs** / **reflects** / **transmits** X-rays.

[4]


(b) Complete the sentences about wavelength.

Use the words.

You can use each word once, more than once, or not at all.

2 James makes an electromagnet.

The diagram shows the electromagnet picking up some paperclips.



(a) (i	Why has James used a nail that is made of iron ?	
		[1]
(ii	How can James make the electromagnet stronger	, so that it will pick up more paperclips?
	Tick (✓) two boxes.	
	Increase the current in the coil.	
	Increase the number of turns of wire in the coil.	
	Increase the resistance of the coil.	
	Remove the iron nail.	
	Use an aluminium nail.	
		[2]

(b)	The	current in the coil of insulated wire is 1.9A and the potential difference across it is 0.95 V
	(i)	Calculate the resistance of the coil of insulated wire.
		Use the equation: resistance = potential difference ÷ current
		Resistance = Ω [2]
	(ii)	The current passes through the coil for 30 s.
		Calculate the charge that flows through the coil.
		Use the equation: charge = current × time
		Charge = C [2]

3 Mia stretches a spring using a forcemeter, as shown in Fig. 3.1.




Fig. 3.1

(a)	The spring	stretches from	5.0 cm lona	to 8.5 cm lo	ng when a	force of 7.7 N is	s used.

(i) Calculate the extension of the spring in **metres**.

(ii) Calculate the spring constant of the spring.

Use the equation: spring constant = force ÷ extension


(iii) Calculate the energy stored in the spring.

Give your answer to 2 decimal places.

Use the Data Sheet.

(b) Mia investigates the work done when another spring is stretched.

She uses the equipment shown in Fig. 3.2 and plots the graph shown in Fig. 3.3.






Fig. 3.2

(i) Suggest how Mia could make the experiment safer.

Fig. 3.3

.....[1]

(ii) Complete the sentences to describe how Mia could collect the data she needs to plot the graph in Fig. 3.3.

Use the words.

You can use each word once, more than once, or not at all.

(iii) Calculate the work done when the spring is stretched by a force of 5 N.

The area under the graph in **Fig. 3.3** is equal to the work done when the spring is stretched.

© OCR 2021

4 Amaya makes a bubble machine as shown in Fig. 4.1.

The fan blows air through the bubble wand.

A wand motor rotates the bubble wand between the bubble mixture and the moving air to make bubbles.





Fig. 4.1

(a) The bubble machine transfers energy to the bubble wand and bubbles.

Complete Fig. 4.2 to show the energy transfer from the battery to the rotating bubble wand.



(b) Fig. 4.3 shows an incomplete circuit diagram for the wand motor.

A variable resistor is needed to change the speed of the wand motor.




Fig. 4.3

- (i) Complete the circuit diagram in Fig. 4.3 by adding a variable resistor. [1]
- (ii) The resistance of the variable resistor is set to 1.54Ω and the resistance of the wand motor is 0.56Ω .

Calculate the total resistance of the variable resistor and the wand motor.

Total resistance = Ω [2]

(c) Complete the statements to describe what happens to the current and potential difference when the resistance of the variable resistor is increased.

Use the words.

You can use each word once, more than once, or not at all.

increases decreases stays the same

- (iii) The total potential difference across the variable resistor and wand motor

.....[1]

(a)	Complete the table to show the type of electromagnetic radiation absorbed or emitted in each
	case.

Tick (\checkmark) one box in each row.

	Type of electromagnetic radiation		
	Gamma rays	Infrared	Ultraviolet
Absorbed and re-emitted by carbon dioxide			
Absorbed by oxygen to produce ozone			
Emitted from nuclei			


		[3]
(b)	Which two statements are correct?	
	Tick (✓) two boxes.	
	All electrons in an atom are at the same distance away from the nucleus.	
	All electromagnetic radiation has the same frequency.	
	All electromagnetic radiation is transmitted through space at the same speed.	
	Atoms can become ions by losing their outer electrons.	
	Visible light and gamma rays travel through space at different speeds.	
		[2]

(c) This hazard sign is found on gamma ray sources, X-ray machines and some ultraviolet lamps.



Describe the risk of using equipment labelled with this hazard sign.
[2

6 (a) Alex has a cube of tungsten metal.



(i) Calculate the volume of the cube.

Volume =		cm^3	[1	ij
----------	--	--------	----	----

(ii) The mass of the cube is 513 g.

Calculate the density of the cube.

Use the equation: density = mass ÷ volume

Density =		g/cm ³	[2]
-----------	--	-------------------	-----

(b) This table shows the density of some solids, liquids and gases.


	State	Density (kg/m³)	
Methane	Gas	0.67	
Air	Gas	1.2	
Ethanol	Liquid	790	
Water	Liquid	1000	
Limestone	Solid	2700	
Iron	Solid	7900	

(i)	What does the table show about the relationship between state and density?
	[2

(ii)*	Explain the difference in density between air, water and iron.
	Use data from the table to support your answer.
	Include diagrams in your answer.
	16

(a)	Li is driving his car. The car travels at a constant speed.							
	Cor	Complete the sentence to describe the driving force on the car.						
	Put	Put a (ring) around the correct answer.						
	The the	driving force on the car is equal to / greater than / smaller than the friction forces on car.						
(b)	Li b	rakes to a stop. The car decelerates at 5 m/s ² .						
	(i)	Calculate the braking force.						
		The mass of the car is 1200 kg.						
		Use the equation: force = mass × acceleration						
		Braking force = N [2]						
	(ii)	The car travels 55 m while braking.						
		Calculate the work done by the braking force.						
		Use the equation: work done = force × distance						
		Work done = J [2]						

7



(d) Li drives the car home at 54km/h.

Calculate this speed in m/s.

Speed = m/s [3]


I	Description		Particle
			electrons
Isotopes of an elen	nent have the same num	per of	
			neutrons
sotopes of an elem	nent have a different num	ber of	
			protons
This table shows th	e half-lives of four of the	isotopes released	d from the power station.
Isotope	Half-life		
Tellurium-129	70 minutes		
Caesium-137	30 years		
Plutonium-239	24 000 years		
Selenium-79	327 000 years		
would be the n	nost hazardous?	how hazardous	the isotope was, which is
Put a (ring) ard	ound the correct answer.		
Caesium-137	Plutonium-239	Seleniur	n-79 Tellurium-12
	Isotopes of an elem This table shows th Isotope Tellurium-129 Caesium-137 Plutonium-239 Selenium-79 (i) If half-life was would be the month of the m	Isotopes of an element have a different num This table shows the half-lives of four of the Isotope Half-life Tellurium-129 70 minutes Caesium-137 30 years Plutonium-239 24 000 years Selenium-79 327 000 years (i) If half-life was the only factor affecting would be the most hazardous? Put a ring around the correct answer.	Tellurium-129 70 minutes Caesium-137 30 years Plutonium-239 24 000 years Selenium-79 327 000 years (i) If half-life was the only factor affecting how hazardous would be the most hazardous? Put a ring around the correct answer.

(c) Some of the radioactive isotopes from the power station were alpha emitters, some were beta

emitt	ers and some were gamma emitters.
	Explain why it is more hazardous to breathe in alpha emitters than to breathe in gamma emitters.
	[2]
	Explain why it is more hazardous to be irradiated from outside the body by gamma emitters than by beta emitters.
	[1]

9			s an electric car. It has a rechargeable battery. She plugs it into a charger at home to e it overnight.
	(a)	The	charger has a power rating of 7kW.
		(i)	Calculate the total energy transferred when Nina charges the battery for 7.5 hours.
			Give your answer in kWh .
			Total energy transferred =kWh [3]
		(ii)	The charging increases the energy stored in the battery by 48.3 kW h.
			Calculate the efficiency of the charger.
			Give your answer as a percentage.
			Efficiency = % [3]
		(iii)	The domestic electricity supply voltage is alternating voltage, but the battery voltage is direct voltage.
			What is the difference between alternating voltage and direct voltage?
			[1]

(b) The graph shows the number of cars and vans in the U.K. that could be plugged in and charged, from 2011 to 2018.



/i\	Complete the graph by drawing a curve of best fit.	[4]
(1)	Complete the diabil by diawing a curve of pest iit.	111

(ii) Use the graph to estimate the number of plug-in cars and vans in the U.K. in 2019.


(c)	(i)	Suggest one reason why the number of plug-in cars and vans in the U.K. is increasing	ng.
			[4]

(ii) Suggest **two** problems for the electricity supply industry if all petrol cars in the U.K. are replaced by electric cars that are plugged in overnight.

	•••••	• • • • • • • • • • • • • • • • • • • •	 	 	 [2]
2			 	 	
1			 	 	

10 (a) Amir wants to know the weight of a stone.

He puts the stone in a pan and hangs the pan from a forcemeter as shown in the diagram. He then records the measurement shown on the forcemeter.



Amir's measurement is not accurate.

How can the experiment be improved to get a more accurate value for the stone's weight?
[2

(b) Amir researches four different planets.

Table 10.1 shows some of the data he finds.

Planet	Gravitational field strength of planet (N/kg)	Average density of planet (×10 ³ kg/m ³)	Mass of planet (×10 ²⁴ kg)
Mars	4	3.9	0.64
Venus	9	5.2	4.9
Earth	10	5.5	6.0
Jupiter	23	1.3	1900

Table 10.1

(i) On which of the planets in **Table 10.1** would the stone have the greatest weight?

(ii)	Explain what conclusions Amir can make from the data in Table 10.1 .			
	FAT			

END OF QUESTION PAPER

22 ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).								

 	••••
 	••••
 	• • • •
	••••

	 	•••••



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.