

Higher

GCSE

Combined Science B Twenty First Century Science

J260/08: Combined science (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for June 2024

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2024

J260/08

Mark Scheme

June 2024

MARKING INSTRUCTIONS

PREPARATION FOR MARKING

RM ASSESSOR

1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *RM Assessor Online Training*; *OCR Essential Guide to Marking*.
2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are available in RM Assessor.
3. Log-in to RM Assessor and mark the **required number** of practice responses ("scripts") and the **required number** of standardisation responses.

MARKING

1. Mark strictly to the mark scheme.
2. Marks awarded must relate directly to the marking criteria.
3. The schedule of dates is very important. It is essential that you meet the RM Assessor 50% and 100% (traditional 50% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the RM Assessor messaging system.
5. **Crossed Out Responses**
Where a candidate has crossed out a response and provided a clear alternative then the crossed out response is not marked. Where no alternative response has been provided, examiners may give candidates the benefit of the doubt and mark the crossed out response where legible.

Rubric Error Responses – Optional Questions

Where candidates have a choice of question across a whole paper or a whole section and have provided more answers than required, then all responses are marked and the highest mark allowable within the rubric is given. Enter a mark for each question answered into RM assessor, which will select the highest mark from those awarded. *(The underlying assumption is that the candidate has penalised themselves by attempting more questions than necessary in the time allowed.)*

Multiple Choice Question Responses

When a multiple choice question has only a single, correct response and a candidate provides two responses (even if one of these responses is correct), then no mark should be awarded (as it is not possible to determine which was the first response selected by the candidate). *When a question requires candidates to select more than one option/multiple options, then local marking arrangements need to ensure consistency of approach.*

Contradictory Responses

When a candidate provides contradictory responses, then no mark should be awarded, even if one of the answers is correct.

Short Answer Questions (requiring only a list by way of a response, usually worth only one mark per response)

Where candidates are required to provide a set number of short answer responses then only the set number of responses should be marked. The response space should be marked from left to right on each line and then line by line until the required number of responses have been considered. The remaining responses should not then be marked. Examiners will have to apply judgement as to whether a 'second response' on a line is a development of the 'first response', rather than a separate, discrete response. *(The underlying assumption is that the candidate is attempting to hedge their bets and therefore getting undue benefit rather than engaging with the question and giving the most relevant/correct responses.)*

Short Answer Questions (requiring a more developed response, worth two or more marks)

If the candidates are required to provide a description of, say, three items or factors and four items or factors are provided, then mark on a similar basis – that is downwards (as it is unlikely in this situation that a candidate will provide more than one response in each section of the response space.)

Longer Answer Questions (requiring a developed response)

Where candidates have provided two (or more) responses to a medium or high tariff question which only required a single (developed) response and not crossed out the first response, then only the first response should be marked. Examiners will need to apply professional judgement as to whether the second (or a subsequent) response is a 'new start' or simply a poorly expressed continuation of the first response.

6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there then add a tick to confirm that the work has been seen.
7. Award No Response (NR) if:
 - there is nothing written in the answer space

Award Zero '0' if:

- anything is written in the answer space and is not worthy of credit (this includes text and symbols).

Team Leaders must confirm the correct use of the NR button with their markers before live marking commences and should check this when reviewing scripts.

8. The RM Assessor **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**

If you have any questions or comments for your Team Leader, use the phone, the RM Assessor messaging system, or email.

9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.

10. For answers marked by levels of response:

Read through the whole answer from start to finish, using the Level descriptors to help you decide whether it is a strong or weak answer. The indicative scientific content in the Guidance column indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance. Using a 'best-fit' approach based on the skills and science content evidenced within the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.

Once the level is located, award the higher or lower mark:

The higher mark should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in *italics*) have been met.

The lower mark should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in *italics*) are missing.

In summary:

The skills and science content determines the level.

The communication statement determines the mark within a level.

Level of response questions on this paper are **X** and **X**

J260/08

Mark Scheme

June 2024

11. Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

12. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

13. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science B:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

Question			Answer	Marks	AO element	Guidance
1	(a)		D or F ✓ If D is selected Has the shortest half life (of the beta emitters) ✓ Can be detected outside the body ✓ If F is selected Any two from: Has the shortest half life (of the gamma emitters) ✓ Least ionising / most penetrating ✓ Can be detected outside the body ✓	3	3.2a	If C is selected maximum 1 mark for the correct explanation: can be detected outside the body If E is selected maximum 2 marks for the correct explanations: can be detected outside the body and least ionising / most penetrating ALLOW leaves the body
	(b)		Any two from: Wear device that tells you when you've been exposed too long ✓ Store it in (lead-lined) box / container ✓ Wear protective clothing / wear gloves ✓ Do not touch it (if solid) / use tongs ✓ Wash hands after use ✓ Do not point sources directly at people ✓	2	3.3a	IGNORE leaving the room as this question asks about 'handling' the source IGNORE 'reduce the amount exposed to' unqualified IGNORE goggles

J260/08

Mark Scheme

June 2024

Question			Answer	Marks	AO element	Guidance
			Reduce time handling ✓			
	(c)		First check the answer on answer line If answer = 138 award 2 marks 88 ✓ $226 - 88 = 138$ ✓	2	2.2	
	(d)		2 (electrons) ✓ (Radium is in) group 2 / group number corresponds to number of electrons in outer shell ✓	2	2.1	
	(e)		Sodium ✓	1	3.2a	

J260/08

Mark Scheme

June 2024

Question			Answer	Marks	AO element	Guidance
2	(a)		The number of decay events per second ✓	1	1.1	
	(b)		The time for the activity to fall to half. ✓	1	1.1	
	(c)		Random ✓ Match ✓ Trend✓	3	1.1	

Question			Answer	Marks	AO element	Guidance
3	(a)		Identifies bottom right disc ✓	1	3.1a	
	(b)		16 (mm) ✓	1	1.2	ALLOW answers between 16-17mm
	(c)		First check the answer on answer line If answer = 200.96 (mm²) award 3 marks Calculation of radius: $16/2 = 8$ ✓ Substitution: area = 3.14×8^2 ✓ = 200.96 (mm ²) ✓	3	1.2	ALLOW calculator values ALLOW ECF from Q3b ALLOW their measured value from 3b divided by 2 for MP1 ALLOW the use of π rather than 3.14 to give 201.06 mm ² ALLOW any correctly calculated and rounded value to at least 3 sig fig IF 17 is used then correct answer is 226.865 for 3.14 and 226.98 for π
	(d)		First check the answer on answer line If answer = 120 (%) award 3 marks Substitution: % difference = $((113 - 52) / 52) \times 100$ ✓ = 117.3076923 ✓ = 120 (%) to 2sf ✓	3	2.2 x 2 1.2	ALLOW alternative methods Evaluated mark from the correct equation and substitution of values ALLOW $((113 - 52) / 113) \times 100 = 53.98$ for 1 mark and this correctly rounded to 54 is 2 marks

Question			Answer	Marks	AO element	Guidance
4	(a)	(i)	Water bath ✓ Any one from: Maintains / controls the temperature ✓ no naked flame ✓ heating more evenly ✓	2	3.3b	ALLOW electric heater or description of a water bath
		(ii)	Any two pairs from: Use a greater number of temperatures ✓ AND Idea that you can see a trend in the data / to improve accuracy ✓ Use same mass of calcium carbonate ✓ AND Idea that the comparison is valid ✓ Use a constant concentration of sulfuric acid ✓ AND Idea that the comparison is valid ✓ Use data logger (connected to a balance) ✓ AND To improve reliability of measurements ✓ Use a measuring cylinder / pipette / burette to measure the 50cm ³ ✓ AND To ensure the same volume each time / to get accurate measurements ✓	4	3.3b	IGNORE repeats and fair testing

J260/08

Mark Scheme

June 2024

			Measure the change in volume of gas released rather than mass (every 30 seconds) ✓ AND Improve the accuracy of the experiment ✓ Record mass more often/frequently ✓ AND to collect more valid data to calculate the rate of reaction (using a graph) ✓ Add cotton wool in the top of the conical flask ✓ AND To stop loss of acid / improve accuracy of the results ✓ Measure room temperature ✓ AND Allows comparison of the rate at two different temperatures ✓			IGNORE mention of gas syringe unqualified
	(b)	(i)	First check the answer on answer line If answer = 44, award 2 marks Selection: 12 and 16 from periodic table ✓ $((1 \times 12) + (2 \times 16)) = 44$ ✓	2	2.2	
		(ii)	First check the answer on answer line If answer = 0.0045 award 3 marks Calculation of change in mass: $(180.0 - 179.8 =) 0.2$ (g) ✓ Substitution: $0.2 / 44$ ✓ $= 0.0045$ (mol) ✓	3	2.2	ALLOW alternative methods e.g. subtraction after moles calculation. ALLOW correct standard form answers ALLOW ECF from b(i) RFM value

J260/08

Mark Scheme

June 2024

		(iii)	First check the answer on answer line If answer = 3.6×10^{21} award 2 marks $0.006 \times 6.0 \times 10^{23} \checkmark$ $= 3.6 \times 10^{21}$ (molecules) $\checkmark$	2	2.2	
	(c)	(i)	0.2g $\checkmark$	1	3.1a	
		(ii)	Idea that the measurement of 1 cm ³ from the gas syringe allows a calculation of 0.002g which is more accurate than the balance at 0.2g $\checkmark$	1	3.3b	ALLOW mass can be calculated to 3 decimal places using the gas syringe (and conversion). E.g.it shows more accurate results given to 3 decimal places when calculating mass. E.g. Measuring the volume using the gas syringe allows a conversion to a mass which is more accurate than the balance IGNORE comments about accuracy without qualification It is the conversion that improves the accuracy so answers must reflect this to gain the mark

Question			Answer	Marks	AO element	Guidance									
5	(a)		Parental gametes (alleles) correct (Tall = TT, short = tt) ✓ Genotypes all correct (Tt)✓	2	2.2	ALLOW other letters for parental alleles ALLOW ECF for incorrect parental alleles <table><tr><td></td><td>T</td><td>T</td></tr><tr><td>t</td><td>Tt</td><td>Tt</td></tr><tr><td>t</td><td>Tt</td><td>Tt</td></tr></table>		T	T	t	Tt	Tt	t	Tt	Tt
	T	T													
t	Tt	Tt													
t	Tt	Tt													
	(b)		Any two from: All offspring / 100 / pea plants would be tall ORA ✓ All (offspring) the same genotype /all Tt /all heterozygous / all offspring have a dominant allele / no offspring have genotype tt✓ Idea that 50 short and 50 tall can only be produced from homozygous recessive and a heterozygous pea plant ✓	2	3.1b	ALLOW ECF if both parents on the punnet square are heterozygous offspring probability is 75(%) tall / 25(%) short									

Question			Answer	Marks	AO element	Guidance
6	(a)		First check the answer on answer line If answer = 1.08 (m/s²) award 2 marks acceleration = $(2.7 - 0) \div 2.5$ ✓ = 1.08 (m/s²) ✓	2	2.1	ALLOW correct evaluation from incorrect substitution
	(b)		$(10 - 0) = 10$ (m/s ²) ✓	1	2.1	ALLOW use of 9.8 or 9.81 for value of acceleration in freefall IGNORE any signs

Question			Answer	Marks	AO element	Guidance
7	(a)	(i)	First check the answer on answer line If answer = 0.012 (cm³/s) award 3 marks Evidence of triangle method shown on the graph / correct numbers from the graph ✓ Substitution: rate of reaction = $4.4 - 0 / 360 - 0$ ✓ = 0.012 (cm³/s) ✓	3	2.2	ALLOW answer given to 2d.p. ALLOW values from 0.012 to 0.013 for 3 marks ALLOW ECF from incorrect substitution of values
		(ii)	Place glowing splint inside test tube which contains gas ✓ Splint will relight (if oxygen is present) ✓	2	1.2	ALLOW lighted splint blown out DO NOT ALLOW lighted splint going out DO NOT ALLOW lighted splint (zero marks)
	(b)	(i)	Any two from: The student is correct / the rate decreases, the graph shows volume (of gas) produced in 10 minutes decreases with distance from the lamp ✓ Idea that change in rate is small between 0.1m to 0.2 / 0.5m to 0.6m ✓ 0.2 to 0.5 has the largest decrease in rate ✓	2	3.2b	Must discuss rate or refer to student being correct to score MP1 IGNORE negative correlation unqualified ALLOW rate is the same between 0.1 to 0.2m or 0.5 to 0.6m
		(ii)	Any two from: Temperature ✓ Concentration of carbon dioxide ✓ Type / size of pondweed ✓ Light from external source ✓	2	3.3a	

J260/08

Mark Scheme

June 2024

Question			Answer	Marks	AO element	Guidance
			Same lamp used ✓			
		(iii)	First check the answer on answer line If answer = 0.08 (cm³/ min) award 2 marks Reading value 0.8 cm ³ from the graph ✓ (0.8 ÷ 10) = 0.08 (cm ³ / min) ✓	2	2.2	
	(c)	(i)	10.15 AND 14.45 ✓	1	3.1a	ALLOW 10.00 to 10.30 and 14.30 to 15.00 ALLOW Times identified from the intersections on the graph
		(ii)	Photosynthesis curve broader than the photosynthesis curve on the graph ✓ Photosynthesis curve higher than the photosynthesis curve on the graph at all points ✓	2	3.2a	DO NOT ALLOW lines that cover 24 hour period or implies no hours of darkness

Question			Answer	Marks	AO element	Guidance
8	(a)		(Newton) scale(s) / Newton-meter / Use a spring / (top-pan) balance ✓	1	1.2	ALLOW mass multiplied by gravitational field strength if mass is measured DO NOT ALLOW mass in kg unless converted to Newtons by multiplying by gravitational field strength
	(b)		Weight acting downwards ✓ Tension acting upwards / opposes weight ✓	2	2.1	ALLOW gravity ALLOW Weight and Tension for 1 mark if no other marks are awarded
	(c)		Two arrows equal in length drawn touching (the diagram) and in opposite directions from the ankles / waist ✓ Both arrows labelled pull of bungee on person / tension / upward force AND pull of person on the bungee / weight / alternative labels describing forces acting up and down ✓	2	2.1	ALLOW arrows drawn close to the diagram, equal and opposite in length
	(d)		(when the graph is a straight line) force and extension are proportional / extension increases when force increases ✓ (Beyond a certain point) force is no longer proportional to extension / the graph plateaus and extension increases more with the same force ✓	2	1.1	IGNORE elastic deformation occurs ALLOW positive correlation IGNORE plastic deformation occurs

Question		Answer	Marks	AO element	Guidance
9	(a)*	Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Explains in detail why Nylon is the best material for the rope referring to all properties AND identifies why the other materials are not suitable AND identifies other factor(s) that may be considered. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i> Level 2 (3–4 marks) Explains in detail why Nylon is the best material for the rope referring to all properties AND identifies why the other materials are not suitable OR Explains in detail why Nylon is the best material for the rope referring to all properties AND identifies other factor(s) that may be considered. <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i> Level 1 (1–2 marks) Limited explanation of their choice of material <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i> 0 marks No response or no response worthy of credit.	6	3.2a	Indicative content may include: All three ropes are of suitable strength. Nylon • Has a low spring constant so stretches easily • Has a density greater than water so will sink Aramid • Has a high spring constant so doesn't stretch easily • Has a density greater than water so will sink Polypropylene • Less dense than water so will float. • Lowest spring constant so stretches the most Other factors • Consideration of sustainability of materials • Consideration of cost • Consideration of time for which product can be used / be under stress • Consideration of environmental impact and life-cycle assessment • Consideration of recycling / reuse • Consideration of ease of transport • Consideration of CO₂ emissions in lifespan of product • Consideration of water use

J260/08

Mark Scheme

June 2024

						Consideration of the impact on the marine environment
	(b)		Any three from: Forms 4 covalent bonds ✓ (Carbon) can bond to itself / other elements ✓ (Carbon) can form chains ✓ (Carbon) can form rings ✓ (Carbon) can form double bonds (to enable addition) ✓ (Carbon) can form compounds of different lengths ✓ (Longer chains) gives stronger intermolecular forces ✓ Can form Cross links ✓ (Chains) can be branched ✓ Monomers can join to form polymers ✓ (Carbon) can form compounds of different properties ✓	3	2.1	ALLOW strong intermolecular bonds instead of forces ALLOW named properties of polymers e.g. strength, flexibility, density

Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our customer support centre.

Call us on

01223 553998

Alternatively, you can email us on

support@ocr.org.uk

For more information visit



ocr.org.uk/qualifications/resource-finder



ocr.org.uk



Twitter/ocrextams



/ocrextams



/company/ocr



/ocrextams



CAMBRIDGE
UNIVERSITY PRESS & ASSESSMENT

OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. © OCR 2024 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA.

Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

OCR provides resources to help you deliver our qualifications. These resources do not represent any particular teaching method we expect you to use. We update our resources regularly and aim to make sure content is accurate but please check the OCR website so that you have the most up-to-date version. OCR cannot be held responsible for any errors or omissions in these resources.

Though we make every effort to check our resources, there may be contradictions between published support and the specification, so it is important that you always use information in the latest specification. We indicate any specification changes within the document itself, change the version number and provide a summary of the changes. If you do notice a discrepancy between the specification and a resource, please [contact us](#).

Whether you already offer OCR qualifications, are new to OCR or are thinking about switching, you can request more information using our [Expression of Interest form](#).

Please [get in touch](#) if you want to discuss the accessibility of resources we offer to support you in delivering our qualifications.