Surname	Centre Number	Candidate Number
Other Names		0



GCSE – NEW

3430U10-1

SCIENCE (Double Award)

Unit 1: BIOLOGY 1 FOUNDATION TIER

MONDAY, 11 JUNE 2018 - MORNING

1 hour 15 minutes

For Examiner's use only					
Question	Maximum Mark	Mark Awarded			
1.	7				
2.	6				
3.	8				
4.	9				
5.	8				
6.	7				
7.	6				
8.	9				
Total	60				

ADDITIONAL MATERIALS

In addition to this paper you may require a calculator and a ruler.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen. Do not use correction fluid.

Write your name, centre number and candidate number in the spaces at the top of this page. Answer **all** questions.


Write your answers in the spaces provided in this booklet.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

Question 6(a) is a quality of extended response (QER) question where your writing skills will be assessed.





Examiner only

[4]


(c) Complete the following table about plant cells.

Name of structure	Function
	respiration
	controls entry and exit of materials
chloroplasts	
	contains chromosomes

7

3430U101 03





Examiner only

Between pH 4.5 and pH 8.0 Between pH 4.5 and pH 7.5 Between pH 6.0 and pH 7.5

(iii) Enzyme **Z** is found in saliva.

(ii)

State a structure in the body that produces saliva.

[1]

[1]

3430U101 05

6



Examiner only

[1]

[1]

[1]




The photograph shows an insect called an aphid (Aphis).

3.

Aphids damage crops such as barley, by making holes in the leaves. They then suck out sugar solution through the holes. A thick layer of fungi can then grow on the damaged leaves, so they absorb less light energy. Farmers may use pesticides on their crops. Pesticides are effective, but may also be toxic to harmless organisms. Another approach is to release insects such as ladybirds onto the crop. Ladybirds are secondary consumers that are common in many food chains. They target pests such as aphids and so reduce their numbers. Using **only** the information above, give the evidence that: (a) barley is photosynthetic; (i) (ii) aphids are primary consumers; (iii) ladybirds are carnivores; using ladybirds is less likely to damage the environment than using pesticides. [2] (iv) 06 © WJEC CBAC Ltd. (3430U10-1)

[Examiner
(b)	(i)	A farmer growing barley aims to harvest 8.0 tonnes/hectare. Aphids reduce her harvest by 15 %.	only
		Calculate the loss due to the aphids in tonnes/hectare. [2]	
		loss = tonnes/hectare	
	(ii)	The farmer is paid £117.00 per tonne for her barley.	
		Use your answer to (i) to calculate how much money the farmer loses per hectare due to aphid damage. [1]	
			3430U101 07
			343 07
		loss = £ per hectare	
			8
07	1 🖬 🖬 İ	© WJEC CBAC Ltd. (3430U10-1) Turn over.	

h	٢	ŀ
i	2	i
1	Ļ	,





Examiner only

PMT

(ii) Describe two differences you can see between the two diagrams and explain why people with ARDS have difficulty getting enough oxygen from inspired air. [3]

(c) Many different types of molecules pass across cell membranes.


Complete the table below to show the direction of movement of molecules between blood and muscles. Place **one** tick (\checkmark) in each row. [3]

Molecule	From blood to muscles	From muscles to blood	To and from blood and muscles
oxygen			
carbon dioxide			
water			



9







(i)	How successful was using e-cigarettes in helping young people cut down or stop smoking? Use all the results in the bar chart to justify your answer. [4]
••••••	
•••••	
(ii)	The original sample involved 838 young people. A second survey is planned to include 10000 people. Suggest two factors which should be considered in the selection of the people to take part in the second survey, to make it more representative of the population of Wales. [2]
•••••	



6.	(a)	Describe the meth apparatus below.	nod you would u	se to make a	slide of your ow	n cheek cells using the [6 QER]	Examine only
		glass slide]	cover slip		cotton wool bud	
		methyler	ne blue stain		mounted needle	9	
	•••••						
	•••••						
	•••••						
	••••••						
	••••••						
	•••••						
	•••••						
	••••••						
	•••••						
	•••••						



		Exam
(b)	Make a large drawing of one cheek cell in the box below.	on
	Include the cell structures you would see when viewed at the highest magnification of a light microscope. No labels are required. [1]	
		7




Examiner only Rhys was asked by his teacher to set up a light microscope so that he could view some cells at a magnification of ×100. The microscope had three objective lenses of ×4, ×10 and ×40 7. magnifications. Rhys was also given a prepared slide of muscle cells. eyepiece lens ×10 objective lens stage Α (°00) mirror \in Explain how Rhys could view the muscle cells at a magnification of ×100. [2] (a) State the function of structure **A** on the diagram. [1] (b)




;)	not f	In Rhys viewed the muscle cell under the microscope he could see that the cells ound on their own, but were grouped together in large numbers.	
	(i)	Muscle cells are described as being specialised cells. State the advantage t organism of having specialised cells.	o the [1]
	 (ii)	State the name given to a large number of the same cells grouped together.	[1]
Ŋ	In bi	ology, what is meant by the term organ?	[1]



8. In the past, many countries, including the UK, have disposed of sewage sludge in the open ocean. A famous example of this practice is the '106 mile' dump site in the North West Atlantic. This site, 106 miles off the east coast of the USA, served the populations of New York and New Jersey. Prior to the use of the '106 mile' dump site sewage sludge was disposed of at the '12 mile' dump site.








Examiner

(iii) The US Environmental Protection Agency released buoys into the ocean at the 106 mile dump site. They used satellites to track the movement of the buoys between 1989 and 1992.



Map 2 showing the movement of buoys



Use the information in map **2** to suggest why it was decided to select a sewage dump site 106 miles off the east coast of the USA and to close the '12 mile' dump site. [2]



		Examine
(Of the sewage sludge which is dumped, 20 – 70% reaches the sea bed. Here the oxygen consumed by living organisms increases greatly. Explain why this happens. [3] 	only
(Close to the '106 mile' sewage dump site is the former '106 mile' industrial waste dump site. (See map 1 on page 16). Name one group of industrial wastes which you would expect to find at this site. 	
	END OF PAPER	9
	19 © WJEC CBAC Ltd. (3430U10-1)	

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

