**INTEGRATION****Answers**

1 a $= [-2x^{-1}]_1^4$

$$= -\frac{1}{2} - (-2)$$

$$= \frac{3}{2}$$

b $= \int_0^2 (x^2 - 6x + 9) \, dx$

$$= [\frac{1}{3}x^3 - 3x^2 + 9x]_0^2$$

$$= (\frac{8}{3} - 12 + 18) - 0$$

$$= 8\frac{2}{3}$$

3 a $= 3\sqrt{2} - \frac{1}{\sqrt{2}}$

$$= 3\sqrt{2} - \frac{1}{2}\sqrt{2}$$

$$= \frac{5}{2}\sqrt{2}$$

b $\int_3^4 (3x^{\frac{1}{2}} - x^{-\frac{1}{2}}) \, dx$


$$= [2x^{\frac{3}{2}} - 2x^{\frac{1}{2}}]_3^4$$

$$= [16 - 4] - [(2 \times 3\sqrt{3}) - 2\sqrt{3}]$$

$$= 12 - 4\sqrt{3}$$

5 a $p = -\frac{1}{4}, q = 4$

b



c $x \quad 1 \quad \frac{3}{2} \quad 2 \quad \frac{5}{2} \quad 3$

$$4 + \frac{1}{x} \quad 5 \quad 4\frac{2}{3} \quad 4\frac{1}{2} \quad 4\frac{2}{5} \quad 4\frac{1}{3}$$

$$\text{area} \approx \frac{1}{2} \times \frac{1}{2} \times [5 + 4\frac{1}{3} + 2(4\frac{2}{3} + 4\frac{1}{2} + 4\frac{2}{5})]$$

$$= 9\frac{7}{60} \text{ or } 9.12 \text{ (3sf)}$$

2 a $x \quad 0 \quad 2 \quad 4 \quad 6$

$$\sqrt{x^2 + 4} \quad 2 \quad \sqrt{8} \quad \sqrt{20} \quad \sqrt{40}$$

$$\text{area} \approx \frac{1}{2} \times 2 \times [2 + \sqrt{40} + 2(\sqrt{8} + \sqrt{20})]$$

$$= 22.9 \text{ (3sf)}$$

b over-estimate

curve passes below top of each trapezium

4 a $4x^{\frac{1}{2}} - x^{\frac{3}{2}} = 0$

$$x^{\frac{1}{2}}(4 - x) = 0$$

$$x^{\frac{1}{2}} = 0 \quad [\Rightarrow x = 0, \text{ at } O] \text{ or } x = 4$$

$$\therefore A(4, 0)$$

b $\frac{dy}{dx} = 2x^{-\frac{1}{2}} - \frac{3}{2}x^{\frac{1}{2}}$

$$\text{SP: } 2x^{-\frac{1}{2}} - \frac{3}{2}x^{\frac{1}{2}} = 0$$

$$\frac{1}{2}x^{-\frac{1}{2}}(4 - 3x) = 0$$

$$x^{-\frac{1}{2}} = 0 \Rightarrow \text{no solutions}$$

$$\therefore x = \frac{4}{3} \text{ at } B$$

c $= \int_0^4 (4x^{\frac{1}{2}} - x^{\frac{3}{2}}) \, dx$

$$= [\frac{8}{3}x^{\frac{3}{2}} - \frac{2}{5}x^{\frac{5}{2}}]_0^4$$

$$= (\frac{64}{3} - \frac{64}{5}) - 0 = 8\frac{8}{15}$$

5 a $4x - y + 11 = 0 \Rightarrow y = 4x + 11$

intersect when $2x^2 + 6x + 7 = 4x + 11$

$$x^2 + x - 2 = 0$$

$$(x+2)(x-1) = 0$$

$$x = -2, 1$$

b area below curve

$$= \int_{-2}^1 (2x^2 + 6x + 7) \, dx$$

$$= [\frac{2}{3}x^3 + 3x^2 + 7x]_{-2}^1$$

$$= (\frac{2}{3} + 3 + 7) - (-\frac{16}{3} + 12 - 14) = 18$$

area below line

$$= \frac{1}{2} \times 3 \times (3 + 15) = 27$$

area between line and curve

$$= 27 - 18 = 9$$

- 7 a minimum when $\sin x = 1$

$$\therefore x = \frac{\pi}{2}$$

$$\therefore \left(\frac{\pi}{2}, \frac{1}{2}\right)$$

b	x	0	$\frac{\pi}{6}$	$\frac{\pi}{3}$
	$\frac{1}{1+\sin x}$	1	0.6667	0.5359

$$\therefore \text{area} \approx \frac{1}{2} \times \frac{\pi}{6} \times [1 + 0.5359 + 2(0.6667)] = 0.751 \text{ (3sf)}$$

8 a $= 1 + 12\left(\frac{x}{10}\right) + \frac{12 \times 11}{2} \left(\frac{x}{10}\right)^2 + \frac{12 \times 11 \times 10}{3 \times 2} \left(\frac{x}{10}\right)^3 + \dots$
 $= 1 + \frac{6}{5}x + \frac{33}{50}x^2 + \frac{11}{50}x^3 + \dots$

b $\approx \int_0^1 (1 + \frac{6}{5}x + \frac{33}{50}x^2 + \frac{11}{50}x^3) \, dx$
 $= [x + \frac{3}{5}x^2 + \frac{11}{50}x^3 + \frac{11}{200}x^4]_0^1$
 $= (1 + \frac{3}{5} + \frac{11}{50} + \frac{11}{200}) - 0 = 1\frac{7}{8}$

- 9 a at A , $x = 0 \Rightarrow (0, 2)$

$$\frac{dy}{dx} = -1 - 2x$$

$$\text{grad at } A = -1$$

$$\therefore y = 2 - x$$

- b curve cuts x -axis when $y = 0$

$$2 - x - x^2 = 0$$

$$(2 + x)(1 - x) = 0$$

$$x = -2, 1$$

area below curve

$$\begin{aligned} &= \int_0^1 (2 - x - x^2) \, dx \\ &= [2x - \frac{1}{2}x^2 - \frac{1}{3}x^3]_0^1 \\ &= (2 - \frac{1}{2} - \frac{1}{3}) - 0 = \frac{7}{6} \end{aligned}$$

tangent cuts x -axis when $y = 0$

$$x = 2$$

area below line

$$= \frac{1}{2} \times 2 \times 2 = 2$$

shaded area

$$= 2 - \frac{7}{6}$$

$$= \frac{5}{6}$$