



## Additional Assessment Materials Summer 2021

### Pearson Edexcel GCE in Biology

### Practical Skills and Maths – (Paper 1)

This assumes A level knowledge, however the following questions (\*) can be used for AS.

(Public release version)

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

## General guidance to Additional Assessment Materials for use in 2021

### Context

- Additional Assessment Materials are being produced for GCSE, AS and A levels (with the exception of Art and Design).
- The Additional Assessment Materials presented in this booklet are an **optional** part of the range of evidence teachers may use when deciding on a candidate's grade.
- 2021 Additional Assessment Materials have been drawn from previous examination materials, namely past papers.
- Additional Assessment Materials have come from past papers both published (those materials available publicly) and unpublished (those currently under padlock to our centres) presented in a different format to allow teachers to adapt them for use with candidate.


### Purpose

- The purpose of this resource to provide qualification-specific sets/groups of questions covering the knowledge, skills and understanding relevant to this Pearson qualification.
- This document should be used in conjunction with the mapping guidance which will map content and/or skills covered within each set of questions.
- These materials are only intended to support the summer 2021 series.

1\*

A student investigated the effect of moving air on transpiration in a leafy shoot.

The diagram shows the potometer used by the student.



(a) In this investigation, a leafy shoot was cut from a plant.

The leafy shoot was then put under water and the stem inserted into the rubber connection.

Explain how this procedure should be modified to produce accurate readings.

(2)

Do not put leaves under water as wet leaves means less diffusion.

(b) During the investigation, the air bubble moved off the scale very quickly.

Explain how this potometer could be modified to obtain repeat readings.

(2)

Use a longer capillary tube and keep the bubble on the scale for longer.

2\*

Cofactors are non-protein molecules that help enzymes to function.

Magnesium ions act as cofactors for some enzymes.

Devise an experiment to investigate the effect of magnesium ions on the initial rate of this reaction.

Do the experiment without magnesium ions<sup>(5)</sup> to act as a control experiment - compare results with and without magnesium ions. Use the same <sup>concentration and</sup> volume of isomerase enzymes each time. Use excess glucose (this is the substrate which the enzyme acts on.) so that glucose is not limiting. Control the temperature <sup>and pH</sup> so it does not affect the results. Repeat the experiment several times, recording the rate of reaction each time, so you can work out a mean and identify anomalies.

3

Photosynthetic pigments are found in plant leaves.

(a) Describe how you could use chromatography to separate these pigments.

(3)

Add the pigment to the start line.  
Dry and repeat. Place the paper in ethanol.  
to concentrate the spot  
below the start line. Obtain the solvent front.


4\*

A student read that some plants do not grow well in waterlogged soil.

The student formed the following hypothesis:


*Adding water to soil inhibits mitosis in root cells.*

To test this hypothesis, the student grew onion roots in the apparatus shown.



The tips of the onion roots were removed and observed for stages of mitosis.

The photomicrograph shows a preparation from one onion root tip.



(a) Calculate the percentage of cells in this photomicrograph in anaphase.

(2)

$$\frac{3}{16} = 0.1875$$

$$0.1875 \times 100 = 18.75$$

Answer .....18.75%.....

(b) Describe how to prepare a microscope slide of root tissue to show stages of mitosis.

(4)

Use warm acid then remove it using water. Add acetic orcein. Macerate using a needle. Use a coverslip to squash the root tissue flat.

(c) Devise a method the student should use to investigate the effect of waterlogged soil on mitosis in root cells.

(4)

Use a range of water content. Use the same plant species and size.

Control the temperature and leave the plants for the same amount of time each - e.g.


24 hours or more. Take sample cells from same part of root tips to compare.

A student investigated the effect of light intensity on the development of stomata in coffee plant leaves.

The following method was used:

- young coffee seedlings were separated into two groups
- one group was grown in bright light and the other group was grown in dim light
- leaves were selected from each group and their surfaces were painted with nail varnish
- the nail varnish was allowed to dry and then peeled off the leaf surface
- each nail varnish peel was observed using a light microscope.

The diagram shows an example of the field of view seen by the student when using the high power lens.



- (a) Describe how a microscope should be used to observe the stomata using the high power lens.

(3)

Locate the specimen by using low power objective lens. Focus using low power objective lens then use the high power objective lens. Only use fine focus with high power lens.

(b) The diameter of the field of view is 0.4 mm.

Calculate the number of stomata per  $\text{mm}^2$  on the leaf surface.

The area of a circle is  $\pi r^2$ , where  $\pi$  is 3.142.


(2)

$$\pi \times 0.2^2 = 0.126$$

$$\frac{18}{0.126} = 143$$

Answer 143  $\text{mm}^{-2}$

(c) The diagram shows one of the stomata drawn by the student.



The actual length of this stoma is  $20 \mu\text{m}$ .

Calculate the magnification of this drawing.

(2)

$$\text{image} = 27 \text{ mm} \rightarrow 27000 \mu\text{m}$$

$$\text{actual} = 20 \mu\text{m}$$

$$\text{mag} = \frac{\text{image}}{\text{actual}} = \frac{27000}{20} = 1350$$

**X 1350**

Answer .....

(d) The results of this investigation are shown in the table.

Leaf sample	Number of stomata mm <sup>-2</sup>	
	Leaves in bright light	Leaves in dim light
1	184	143
2	190	138
3	182	140
4	185	132
5	192	136
Mean ( $\bar{x}$ ) and SD	186.6 ± 4.2	137.8

(i) Calculate the SD for the leaves in dim light.

Use the formula

$$SD = \sqrt{\frac{\sum(x - \bar{x})^2}{n - 1}}$$

(2)

$$\frac{68.8}{4} = 17.2$$

$$\sqrt{17.2} = 4.1$$

Answer 4.1

(ii) Describe how these nail varnish peel samples should be taken to allow a valid comparison between the mean numbers of stomata.

(2)

With leaves at the same height on the stem. Also, use the same surface of the leaf.

6

Malaria is caused by *Plasmodium*, a pathogenic microorganism.

Vaccination is one of many methods being used to control malaria.

In a study, the effectiveness of a vaccine for malaria was tested.

The following method was used:

- samples of *Plasmodium* were exposed to radiation and used to make a vaccine
- two groups of people, A and B, were given different doses of the vaccine
- a third group of people, C, was used as a control
- one month after vaccination, all three groups of people were exposed to mosquitoes known to contain live *Plasmodium*
- the number of people in each group with malaria was recorded.

The results are shown in the table.

Group	Treatment with the vaccine	Number of people in each group	Number of people with malaria
A	low dose	17	16
B	high dose	6	0
C	control	12	11

(a) (i) Explain why the samples of *Plasmodium* were exposed to radiation.

(2)

In order to kill the samples so there is less risk of disease.

(ii) State the control treatment that was given to people in group C.

(1)

Vaccinate with no Plasmodium.

(iii) It was claimed that this vaccine was 100% effective.

Analyse the data to criticise the validity of this claim.

(3)

It was effective for group B because zero were infected. However, Group B is a sample size of only 6 which is very small. Group A's result is similar to Group C's result.

7

A student read that some herbicides work by inhibiting electron transport in photosynthesis.


The student investigated this using the indicator DCPIP.

This indicator changes from blue to colourless when it is reduced.

The student used the following method:

- chloroplasts were suspended in two tubes, each containing a solution of DCPIP
- herbicide was added to one of the tubes and no herbicide was added to the other tube
- both tubes were exposed to light
- a colorimeter was used to measure the absorbance in each tube at five minute intervals for 20 minutes.

The diagram shows details of the workings of the colorimeter used by the student.



As DCPIP changes from blue to colourless, the absorbance of light decreases.

(i) Explain how the student used this method to collect valid data.

(4)

Use the same light intensity and use a red filter. Use a control tube with water to calibrate and use the same volume of DCPIP. concentration and

TOTAL FOR TEST = 43 marks