



GCSE MATHEMATICS

S21-C300

Non-Calculator Assessment Resource Q

Higher Tier

Formula list

Area and volume formulae

Where r is the radius of the sphere or cone, l is the slant height of a cone and h is the perpendicular height of a cone:

Curved surface area of a cone =
$$\pi rl$$

Surface area of a sphere = $4\pi r^2$
Volume of a sphere = $\frac{4}{3}\pi r^3$
Volume of a cone = $\frac{1}{3}\pi r^2h$

Kinematics formulae

Where *a* is constant acceleration, *u* is initial velocity, *v* is final velocity, *s* is displacement from the position when t = 0 and *t* is time taken:

v = u + at $s = ut + \frac{1}{2}at^{2}$ $v^{2} = u^{2} + 2as$

1. Lena makes a fruit drink by mixing orange juice, pineapple juice and sparkling water in the ratio

	orange : pineapple : water = 3 : 2 : 7.	
(a)	What fraction of the mix is water?	[1]
•••••		•••••
(1-)	Long resure 200 relief has fruit driets into a stage	
(D)	Lena pours 300 mi of her fruit drink into a glass.	
	How much pineapple juice is in Lena's glass?	[2]
		•••••
•••••		
•••••		
	ml	

2.

Use: Pressure = $\frac{\text{Force (N)}}{\text{Area (cm}^2)}$



[5]

A camera is attached to a tripod. The tripod has 3 legs and stands on horizontal ground. Each leg exerts the same pressure on the ground.

The tripod has a weight of 34 N. The camera has a weight of 20 N.

Each foot of the tripod is a rectangle with length 3 cm and width 2 cm.

Work out the pressure exerted by the tripod and camera on the ground. You must show all your working.

Pressure = N/cm²

Eric currently spends £36 each week playing ten pin bowling. 3. (a)

He wants to decrease this amount by	<u>, 3</u>
	^y 8

He writes:



a = _____ *b* = _____ *c* = _____



(a)	Solve	10(x-1))-(7x+9)	= x.		[3]
······						
(b)	Facto	rise and	nence solv	e $x^2 + 3x - 3$	18 = 0.	 [3]
(b)	Facto	rise and	nence solv	e $x^2 + 3x - 3$	18 = 0.	 [3]
(b)	Facto	rise and	nence solv	e $x^2 + 3x - 3$	18 = 0.	 [3]
(b)	Facto	rise and	nence solv	e $x^2 + 3x - 3$	18 = 0.	 [3]



6. (a) The diagram shows the distribution of the heights, in cm, of 100 Firebird Marigold plants.

(i) How many of these *Firebird Marigold* plants had a height of less than 25 cm? [1]

(ii) Use the diagram to complete the table for these *Firebird Marigold* plants. [3]

Median	Lower Quartile	Upper Quartile	Inter-quartile Range

Marvel Marigolds Firebird Marigolds 35 20 25 30 40 45 50 Height (cm) (i) The tallest *Firebird Marigold* plant had a height of 49 cm. The range of the heights of the Firebird Marigold plants was exactly 27 cm. Firebird Marigold plants on the grid above. (ii) Jules wants to buy one of these types of Marigold for her garden. She wants as many as possible of her plants to be at least 30 cm tall. Should Jules buy Marvel Marigold or Firebird Marigold plants?



[2]

[1]

This box plot shows the distribution of the heights, in cm, of 100 Marvel Marigold plants. (b)

7. The velocity, v m/s of a particle, t seconds after it begins to move is given by

$$v = 10t - t^2 \text{ for } 0 \leq t \leq 10.$$

(a) The diagram shows the graph of the velocity of this particle.



t (seconds)

Find an estimate for the acceleration of the particle at *t* = 6. [3]



(ii) What does this area represent?	[1]