


GCSE
PHYSICS

Physics Test 5: Waves (Higher)

Total number of marks: 37

0 8 . 1 Figure 20 shows parallel rays of light being refracted by a convex lens.

Figure 20



What is distance 'X' called?

[1 mark]

0 8 . 2 Lenses can be used to form the image of an object.

Complete the ray diagram in Figure 21 to show how a **convex** lens forms the image of the object.

Use an arrow to represent the image.

[2 marks]

Figure 21





Figure 22 shows how a concave lens forms the image of an object.

Figure 22



0 8 . 3

Give **one** similarity and **one** difference between the image formed by the convex lens and the image formed by the concave lens.

[2 marks]

Similarity _____

Difference _____

0 8 . 4

A person uses a lens to read the letters on the back of a coin.

The image height of the letters on the coin is 9.0 mm

The magnification produced by the lens is 6.0

Calculate the height of the letters on the coin.

Use the Physics Equations sheet.

[3 marks]

Height = _____ mm

Figure 7 shows the apparatus a student used to investigate the reflection of light by a plane mirror.

The student drew four ray diagrams for each angle of incidence.

The student measured the angle of reflection from each diagram.

Table 2 gives the student's results.

Figure 7




Table 2

Angle of incidence	Angle of reflection			
	Test 1	Test 2	Test 3	Test 4
20°	19°	22°	20°	19°
30°	31°	28°	32°	30°
40°	42°	40°	43°	41°
50°	56°	49°	53°	46°

0 5 . 1 For each angle of incidence, the angle of reflection has a range of values.

This is caused by an error.

What type of error will have caused each angle of reflection to have a range of values?

[1 mark]

0 5 . 2 Suggest what the student may have done during the investigation to cause each angle of reflection to have a range of values.

[1 mark]

0 5 . 3 Estimate the uncertainty in the angle of reflection when the angle of incidence is 50° .

Show how you determine your estimate.

[2 marks]

Uncertainty = $\begin{matrix} + \\ - \end{matrix}$ _____ $^\circ$

0 5 . 4 The student concluded that for a plane mirror, the angle of incidence is equal to the angle of reflection.

Explain whether you agree with this conclusion.

Use examples from the results in **Table 2** in your answer.

[2 marks]

0 5 . 5 What extra evidence could be collected to support the student's conclusion?

[1 mark]


0 5 . 6 State **one** change the student should make to the apparatus if he wants to use the same method to investigate diffuse reflection.

[1 mark]

0 6

Figure 8 shows a student playing with a remote-controlled car.

Figure 8



0 6 . 1

The remote control transmits radio waves to the car aerial.

The transmitted radio waves have a frequency of 320 MHz.

speed of radio waves = 3.0×10^8 m/s

Calculate the wavelength of the radio waves.

Give the unit.

[5 marks]

Wavelength = _____ Unit _____

0 6 . 2

The car aerial is connected to an electrical circuit in the car.

Describe what happens in the electrical circuit when the car aerial absorbs radio waves.

[2 marks]

0 6 . 3

The car produces sound waves.

Give **two** ways in which radio waves are different to sound waves.


[2 marks]

1 _____

2 _____

0 7 . 1 Figure 12 shows the electromagnetic spectrum.

Figure 12



Which statement is correct for the direction of the arrow in Figure 12?

[1 mark]

Tick (✓) **one** box.

The wavelength decreases and the wave speed in air increases.

The frequency increases and the wavelength increases.

The frequency increases and the wave speed in air stays the same.

The wavelength increases and the wave speed in air increases.


0 7 . 2 Explain how the properties of X-rays make them suitable for the medical imaging of bones.

[2 marks]

A student investigated the infrared radiation emitted from the sides of a hollow metal cube.

The sides of the cube are different colours or textures.

Figure 13 shows the equipment used.



Boiling water was poured into the cube. The amount of infrared radiation emitted from each vertical surface was then measured.

0 7 . 3 Boiling water is a hazard in this investigation.

Suggest how the risk of harm could be reduced in this investigation.

[1 mark]

0 7 . 4 What is the control variable in this investigation?

[1 mark]

Table 2 shows the results.

Table 2

Type of surface	Temperature in °C
Matt black	68.0
Matt white	65.5
Shiny black	66.3
Shiny silver	28.0

0 7 . 5 The four temperature values in **Table 2** cannot be used to show that the infrared detector gives precise readings.

Give the reason why.

[1 mark]

0 7 . 6 The student looked at the data in **Table 2** and concluded:

'A black surface always emits more infrared radiation than a white surface.'

Explain how using an infrared detector with a resolution of 1 °C would have affected the student's conclusion.

[2 marks]

Albedo is a measure of the amount of solar radiation reflected by an object compared to the total solar radiation incident on the object.

A perfect reflector has an Albedo value of 1.0


A perfect absorber has an Albedo value of 0.0

0 7 . 7 What is the Albedo value of a perfect black body?

[1 mark]

07.8 Figure 14 shows two points, A and B, just above the Earth's surface.

Figure 14



The average Albedo value of the Earth's surface is 0.3
The Albedo value of thick cloud varies between 0.6 and 0.9

At night the air at point A cools faster than the air at point B.

Explain why.

[3 marks]