

OCR (A) Biology A-level

Topic 2.1: Cell Structure

Notes










All living organisms are made of cells, there are several different types of cells, some of them sharing some common features. Human are made up of **eukaryotic cells**. All eukaryotic cells contain a nucleus and membrane bound organelles. A more detailed structure of cells called the **ultrastructure** can be obtained by using a microscope.

Ultrastructure of eukaryotic cells:



- Nucleus is surrounded by a double membrane called the envelope containing pores which enable molecules to enter and leave the nucleus. The nucleus also contains chromatin and a nucleolus which is the site of ribosome production
- Rough endoplasmic reticulum which is a series of flattened sacs enclosed by a
 membrane with ribosomes on the surface. RER folds and processes proteins made
 on the ribosomes.
- Smooth endoplasmic reticulum is a system of membrane bound sacs. SER produces and processes lipids.
- Golgi apparatus is a series of fluid filled, flattened & curved sacs with vesicles surrounding the edges. Golgi apparatus processes and packages proteins and lipids. It also produces lysosomes.
- Mitochondria are usually oval shaped, bound by a double membrane called the
 envelope. The inner membrane is folded to form projections called cristae with
 matrix on the inside containing all the enzymes needed for respiration.





- Centrioles are hollow cylinders containing a ring of microtubules arranged at right angles to each other. Centrioles are involved in cell division.
- Ribosomes are composed of two sub units and are the site of protein production
- Lysosome is a vesicle containing digestive enzymes bound by a single membrane
- The cytoskeleton of the cell plays an important role in providing mechanical strength as well as aiding transport within cells and enabling cell movement.

Protein transport:

- Proteins are produced on the ribosomes
- Proteins which are produced on the surface on RER are folded and processed in the RER
- The proteins are then transported from the RER to the Golgi apparatus in vesicles
- They are then modified in the Golgi apparatus
- Golgi apparatus packages proteins into vesicles to be transported around the cells o
 where they're required. Some of the proteins such as extracellular enzymes leave the
 cell by exocytosis.

Prokaryotic cells:

- Cell wall –Rigid outer covering made of peptidoglycan
- Capsule Protective slimy layer which helps the cell to retain moisture and adhere to surfaces
- Plasmid –Circular piece of DNA
- Flagellum- a tail like structure which rotates to move the cell
- Pili- Hair-like structures which attach to other bacterial cells
- Ribosomes- Site of protein production

