

### **Cambridge International AS & A Level**

### BIOLOGY

Paper 3 Paper 32 (Advanced Practical Skills 2) MARK SCHEME Maximum Mark: 40 9700/32 May/June 2020

Published

Students did not sit exam papers in the June 2020 series due to the Covid-19 global pandemic.

This mark scheme is published to support teachers and students and should be read together with the question paper. It shows the requirements of the exam. The answer column of the mark scheme shows the proposed basis on which Examiners would award marks for this exam. Where appropriate, this column also provides the most likely acceptable alternative responses expected from students. Examiners usually review the mark scheme after they have seen student responses and update the mark scheme if appropriate. In the June series, Examiners were unable to consider the acceptability of alternative responses, as there were no student responses to consider.

Mark schemes should usually be read together with the Principal Examiner Report for Teachers. However, because students did not sit exam papers, there is no Principal Examiner Report for Teachers for the June 2020 series.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the June 2020 series for most Cambridge IGCSE<sup>™</sup> and Cambridge International A & AS Level components, and some Cambridge O Level components.

### Cambridge International AS & A Level – Mark Scheme PUBLISHED

PMT

### **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

### GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

### GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

### **GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

### GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

PMT

### GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

### GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

## Cambridge International AS & A Level – Mark Scheme PUBLISHED

PMT

### **Science-Specific Marking Principles**

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
- 5 <u>'List rule' guidance</u>

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided
- Any response marked *ignore* in the mark scheme should not count towards **n**
- Incorrect responses should not be awarded credit but will still count towards *n*
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

PMT

#### 6 <u>Calculation specific guidance</u>

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form, (e.g.  $a \times 10^{n}$ ) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

### 7 <u>Guidance for chemical equations</u>

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

### Mark scheme abbreviations:

- ; separates marking points
- / alternative answers for the same marking point
- R reject
- A accept
- l ignore
- AVP any valid point
- AW alternative wording (where responses vary more than usual)
- ecf error carried forward
- <u>underline</u> actual word underlined must be used by candidate (grammatical variants accepted)
- max indicates the maximum number of marks that can be given
- ora or reverse argument

9700/32

### Cambridge International AS & A Level – Mark Scheme PUBLISHED

May/June 2020

Question	Answer	Marks		
1(a)(i)	three concentrations given between 4.0% and 0.0%; correct corresponding volumes of water and 4% sodium chloride solution;			
1(a)(ii)	states at least 20 as the total number of cells in the sample ;			
1(a)(iii)	<ol> <li>heading for independent variable: concentration of sodium chloride solution / AW and %;</li> <li>heading for dependent variable: number of plasmolysed cells;</li> <li>expected pattern: W has lower number of plasmolysed cells than 4.0% sodium chloride solution;</li> </ol>	3		
1(a)(iv)	<ol> <li>lines are continuous, thin and sharp <u>and</u> at least two enclosed areas;</li> <li>draws only three cells <u>and</u> each cell touching at least one of the other cells;</li> <li>shows plasmolysis in at least one cell;</li> <li>label line <u>and</u> label to the cell surface membrane;</li> </ol>	4		
1(a)(v)	<ul> <li>water potential in (4.0%) sodium chloride solution is, lower / more negative, than in cells ; ora</li> <li>water lost from cells by osmosis / cell volume shrinks / cell surface membrane comes away from the cell wall ;</li> </ul>	2		
1(a)(vi)	<ul> <li>any two from:</li> <li>1 count more cells for each solution tested ;</li> <li>2 count cells in more than one sample from each solution tested ;</li> <li>3 (if more than one sample per solution) calculate the mean number of plasmolysed cells per sample in each solution tested ;</li> <li>4 photograph image and count ;</li> <li>5 AVP ; e.g. use a different piece of onion tissue use a greater, range / number, of concentrations</li> </ul>	2		
1(b)(i)	-2.60 ; (anomalous result (-1.60) not included in mean calculation)	1		

9700/32

# Cambridge International AS & A Level – Mark Scheme PUBLISHED

May/June 2020

PMT

Question	Answer	
1(b)(ii)	<ol> <li>x-axis: concentration of sucrose solution / mol dm<sup>-3</sup> and y-axis : mean percentage change in length / mean % change in length ;</li> <li>scale on x-axis: 0.2 mol dm<sup>-3</sup> to 2 cm and scale on y-axis: 1% to 2 cm ;</li> <li>correct plotting of six points using small crosses or dots in circles ;</li> <li>points joined with a thin line passing through all points as either a smooth curve or straight lines joining each point to the next ;</li> </ol>	4
1(b)(iii)	<ul> <li>correct reading of sucrose concentration on Fig. 1.3 at which there is 0% change in length;</li> <li>correct reading of water potential value on Fig. 1.4 corresponding to the sucrose concentration from mp1;</li> <li>show on graphs (Fig. 1.3 and Fig.1.4) how values were obtained for mp1 and mp2;</li> </ul>	3

# Cambridge International AS & A Level – Mark Scheme PUBLISHED

May/June 2	2020
------------	------

Question	Answer				Marks	
2(a)(i)	shorter time for <b>A</b> than for <b>B</b> ;				1	
2(a)(ii)	<ul> <li>any one from:</li> <li>1 coloured water did not reach top of slide in a uniform manner;</li> <li>2 delay in, starting / stopping, stop-watch;</li> </ul>				1	
2(a)(iii)	narrower xylem leads to faster movement of water;				1	
2(b)(i)	<ol> <li>suitable size <u>and</u> no shading;</li> <li>draws only outline of tissues <u>and</u> no cells;</li> <li>correct proportions drawn;</li> <li>vascular tissue subdivided;</li> <li>correct distribution of tissues <u>and</u> minimum three layers of tissues;</li> <li>label line <u>and</u> label to upper epidermis;</li> </ol>				6	
2(b)(ii)	<ul> <li>i) 1 records only observable features ;</li> <li>2, 3 and 4 any three from:</li> </ul>					
	feature	Fig. 2.4	Fig. 2.5			
	epidermis	thick(er) / two cells thick	thin(ner) / one cell thick	;		
		positioned towards top of midrib	positioned in centre of midrib	;		
	vascular bundles	larger (in relation to width of T.S)	smaller (in relation to width of T.S)	];		
	lower surface of leaf	has infoldings / spaces / AW	continuous / smooth / no infoldings / no spaces	;		
	spongy mesophyll	more / bigger, air spaces	fewer / smaller, air spaces	];		
	width of section	more cell layers	fewer cell layers	];		
			present (upper and lower epidermis)		1	

### Cambridge International AS & A Level – Mark Scheme PUBLISHED

PMT

May/June 2020

Question	Answer		
2(c)(i)	<ol> <li>records measured length of line Z;         <ul> <li>A suitable range of measurements based on printed diagram</li> <li>shows mm and converts to μm by multiplying by 1000 and shows division by magnification (× 200);</li> <li>appropriate units for final answer (μm);</li> <li>shows answer to two or three significant figures;</li> </ul> </li> </ol>	4	
2(c)(ii)	stage micrometer;		