
1. The table shows the percentage of various gases in atmospheric air, exhaled air and in air samples collected from the alveoli and the trachea of a healthy human.

Gas	Atmospheric air(inhaled air)	Exhaled air	Sample of air collected from alveoli	Sample of air collected from trachea
Oxygen	20.9	15.7	13.7	19.6
Carbon dioxide	0.04	3.6	5.2	1.1
Water vapour	0.5	6.2	6.2	6.2
Nitrogen	78.5	74.4	74.9	73.1

Use the table to suggest an explanation for the difference between:

(a)	the percentage of carbon dioxide in the air sample collected from the alveoli and that exhaled air;	in
		(1)
(b)	the percentage of nitrogen in atmospheric air and that in exhaled air.	
	(То	(2) tal 3 marks)


**2.** The diagram shows some blood vessels in a muscle.



(a)	(1)	Name <b>two</b> substances which are at a higher concentration in the blood at point <b>A</b> than in the blood at point <b>D</b> .	
		1	
		2	(1)
	(ii)	The more active a muscle, the greater the blood flow through its capillaries. Explain the advantage of this.	
			(2)
(b)	(i)	Explain why the amount of protein in the blood plasma does not fall when tissue fluid is formed at point $\bf B$ .	
			(1)


		(11)	capillary at point C.	
			(Total 6 ma	(2) arks)
3.	(a)	Expl	ain why a vein is described as an organ.	
		•••••		(1)

(b) The diagram shows a vein passing between two muscles.



(i)	When the muscles contract, the pressure of the blood in the part of the vein between valves <b>A</b> and <b>B</b> changes. Explain how this change in pressure, together with the action of the valves, helps the blood to flow to the heart	
		(3)
(ii)	Suggest how blood is returned to the heart when the muscles are not contracting	
		(1)

(c) The graph shows the relationship between the pressure in the veins returning blood into the heart and stroke volume.




(1)

(Total 7 marks)

(i)	Describe the relationship between stroke volume and pressure in the veins.	
		(1)
(ii)	What information would you need, other than that in the graph, to calculate this person's cardiac output	

4. The graph shows some of the changes which take place in a man during breathing.




(1)

(i)	Use the information per minute. Show y		e this man's rate of breathing in breaths	S
		Answer	breaths per minute	
(ii)	The volume of air in the volume of air in	n the man's lungs after h his lungs immediately a	he had exhaled was 2400 cm <sup>3</sup> . What is after he had inhaled	
Expl	ain how muscles caus	se the change in alveolar	pressure between 0 and 0.5 s.	
••••••	••••••			
	ng normally.	· ·	gas samples obtained while this man	
	•	· ·	gas samples obtained while this man e of total volume Carbon dioxide	
oreathi	ng normally.	Percentage	e of total volume	
At	ng normally.  Sample	Percentage Oxygen	e of total volume Carbon dioxide	
At Ai	Sample mospheric air	Percentage Oxygen 21.0	e of total volume Carbon dioxide 0.0	

(d)	(i)	Not all the air that a person breathes out has been in the alveoli. Explain why.	
			(1)
	(ii)	Use your answer to part (i) to explain the difference in carbon dioxide concentration between exhaled air and air from alveoli	
			(2)
(e)		cribe how the structure of the lungs and the red blood cells enable efficient diffusion cransport of oxygen.	
	•••••		
	•••••		
	•••••	(Total 15 m	(6) arks)

5. An athlete ran at different speeds on a treadmill. The graph shows some of the changes which occurred as running speed increased.



(a)	(i)	Give suitable units for the rate of blood flow in the pulmonary artery.	
			(1)
	(ii)	Explain why the rate of blood flow in the pulmonary artery changes when the heart rate changes.	

(b) During exercise, red blood cells give up more of the oxygen they are transporting. Give one piece of evidence from the graph which supports this statement.

(1)

(c)	Suggest how an increase in the rate of blood flow in the pulmonary artery helps to supply more oxygen to muscles.
	(2)
	(Total 5 marks)

**6.** The table shows some information about blood vessels in a dog.


Blood vessels	Mean diameter/cm	Total number	Mean length/cm	Total cross-sectional area/cm <sup>2</sup>	Total volume/ cm <sup>3</sup>
Main arteries	0.1	600	10.0	5	50
Arterioles	0.002	$4 \times 10^7$	0.2	125	25
Capillaries	0.0008	$1.2 \times 10^{9}$	0.1	600	60
Main veins	0.24	600	10.0	27	270
Other blood vessels					525

(a)	Use your knowledge of the pattern of blood circulation in a mammal to explain why					
	(i)	the total number of arterioles is more than the total number of main arteries;				
			(1)			
	(ii)	the total number of main arteries is the same as the total number of main veins.				

(b)	(i)	Explain how the total volume of blood in the arterioles was calculated.	
			(1)
	(ii)	Calculate the percentage of blood in the blood vessels which is in the capillaries. Show your working.	
		Answer %	(2)
(c)	(i)	Name <b>one</b> tissue or organ in which the volume of blood in the capillaries increases during exercise.	
			(1)
	(ii)	Describe the part played by the arteriole walls in reducing blood flow to the capillaries in the intestines during exercise.	
		(Total 9 m	(3) arks)

**(2)** 

7. The diagram shows the formation of tissue fluid and its return to a capillary.



(a)	(i)	Describe how the concentration of protein in the tissue fluid at Y differs from that in the plasma at X. Explain what causes this difference.	
		Difference	
		Explanation	
			(2)
	(ii)	Describe how the concentration of protein in the plasma at <b>Z</b> differs from that in the plasma at <b>X</b> . Explain what causes this difference.	
		Difference	
		Explanation	

Describe the part played by proteins in the plasma in returning tissue fluid to the apillary.
(3)
The tissues of people who are starving often swell because of the accumulation of tissue luid. Explain what causes this accumulation of tissue fluid.
(2) (Total 9 marks)

	Inner layer of epithelial cells
	Middle layer containing elastic fibres and smooth muscle
	Outer layer containing collagen  Blood vessels in wall of aorta
Explain	why the aorta is an organ.
Explain	how cells in the outer layer of the wall of the aorta get oxygen for respiration.

8.

(c)	(i)	The wall of the aorta helps to smooth out blood pressure in the aorta. Explain how.
	(ii)	The changes in the pressure of blood in the aorta can be measured. Explain why this information would enable you to measure the heart rate.
		(Total 6 m
		re of the blood in an artery was measured during a cardiac cycle. The minimum as 9.6 kPa and the maximum pressure was 13.4 kPa.
	Sure wa	
press	Sure wa	as 9.6 kPa and the maximum pressure was 13.4 kPa.  Tribe how the increase in pressure of the blood in the artery results from the events in
press	Sure wa	as 9.6 kPa and the maximum pressure was 13.4 kPa.  Tribe how the increase in pressure of the blood in the artery results from the events in
press	Sure wa	as 9.6 kPa and the maximum pressure was 13.4 kPa.  Tribe how the increase in pressure of the blood in the artery results from the events in
press	Describe control of the control of t	as 9.6 kPa and the maximum pressure was 13.4 kPa.  Tribe how the increase in pressure of the blood in the artery results from the events in
press (a)	Describe control of the control of t	as 9.6 kPa and the maximum pressure was 13.4 kPa.  The ribe how the increase in pressure of the blood in the artery results from the events in ardiac cycle.  The ribe how the increase in pressure of the blood in the artery results from the events in ardiac cycle.


	(c)	the wall of a capillary.		
		(Total 5 mar	(1) ·ks)	
10.	(a)	Explain why both the heart and arteries are described as organs.		
			(1)	

The table shows changes in the volume of blood in the left ventricle over a period of one second.

Time / s	Volume of blood as percentage of maximum
0	70
0.1	100
0.2	70
0.3	30
0.4	0
0.5	35
0.6	60
0.7	70
0.8	70
0.9	100
1.0	70

Use	inform	ation in the table to answer the following questions.					
(b)	Wha	What is the approximate length of one cardiac cycle?					
	•••••		(1)				
(c)	At w	At what time is there least blood in the <i>right</i> ventricle? Explain your answer.					
			(1)				
(d)	(i)	Between which times are the muscles in the wall of the left atrium contracting? Give the reason for your answer.					
		Times					
		Reason					
			(1)				
	(ii)	Between which times are the semilunar valves in the arteries open? Give the reason for your answer.					
		Times					
		Reason	(1)				
(e)		maximum volume of blood in the left ventricle is 45 cm <sup>3</sup> . Calculate the volume of d in the left ventricle at 0.5 s. Show your working.					
		Volume of blood = $cm^3$ (Total 7 mag)	(2) arks)				

11. (a) The graph shows hourly blood pressure recordings from a group of 65 people.



(i)	Describe how the mean maximum arterial blood pressure changes over the period shown in the graph.	
		(1)
(ii)	In each cardiac cycle, the arterial pressure has a maximum value. Explain the link between this maximum value and the events of the cardiac cycle.	
		(1)

**(2)** 

(b) Molecules of different substances differ in size. The relative molecular mass of a substance gives an indication of the size of its molecules. The table shows the relative permeability of the wall of a capillary to different molecules.

Substance	Relative molecular mass	Relative permeability of capillary wall
Water	18	1.00
Urea	60	0.96
Glucose	180	0.60
Haemoglobin	68 000	0.01
Albumin (plasma protein)	69 000	0
Globulin (plasma protein)	140 000	0

Describe the relationship between molecule size and the permeability of the

(i)

	capillary wall.	
		(2)
(ii)	The water potential of the plasma at the venule end of the capillary is more negative than the water potential at the arteriole end. Use the table to explain why.	
		(2)
		(4)

	t	here is no h	e capillary walls are slight aemoglobin in the tissue f in tissue fluid.		
					(1) (Total 9 marks)
	ble sho		ive thickness of layers in		d a vein.
		.,	Artery	Vein	
Endo	thelium	ı	20	20	
Smoo	oth mus	scle	490	240	
Elast	ic tissu	e	370	240	
Conr	nective 1	tissue	120	120	
(a)	Explair	1 why a veir	n may be described as an o	organ.	
(b)			tion from the table to sug son for your answer.	gest the thickness of a ca	apillary wall.
	•				(1

12.


	(ii)	The diameter of the artery was 4 mm. Calculate the diameter of the lumen of this artery. Show your working.	
		Answer	(2)
(c)		ain how the elastic tissue in the wall helps to even out the pressure of blood flowing 1gh the artery.	
			(2)
		(Total 6 m	

13. S The table shows factors which affect oxygen transport to the body tissues in different groups of animals.

Animal group	Mean rate of blood flow to body tissues/ cm <sup>3</sup> kg-1 minute <sup>-1</sup>	Mean haemoglobin concentration in blood/g cm <sup>-3</sup>
Reptiles	45	0.072
Fish	17	0.038
Amphibians	25	0.070
Mammals	75	0.132


(a)	Suggest why values for mean rate of blood flow to the tissues are expressed per kilogram of body mass.	
		(2)
(b)	Describe the relationship between the mean rate of blood flow and haemoglobin concentration.	
		(1)
(c)	Each gram of haemoglobin can transport up to 1.38 cm <sup>3</sup> of oxygen. Calculate the difference between mammals and fish in the maximum amount of oxygen that can be transported per cm <sup>3</sup> of blood. Show your working,	
	Answer cm <sup>3</sup>	(2)
	(Total 5 ma	

**14.** The diagram shows some of the large blood vessels in a mammal.



(a)	Add arrows to the diagram to show the direction of blood flow in each of the blood
	vessels A to E.

(1)



(1)

(ii) Which of blood vessels A to E contains blood at the lowest pressure?



(1)

(c)	Complete the table to show to	vo differences	between the	e structure o	of vessel	C and the
	structure of vessel <b>E</b> .					

Structural feature	Vessel C	Vessel E

(d) Blood vessel **B** contains smooth muscle in its walls. Explain how this muscle may reduce the blood flow to the small intestine.

(2)

(e) Elastic tissue in the walls of blood vessel **A** helps to even out the pressure of blood through this vessel. Explain how.

(Total 9 marks)