1 6	Ĩ	large / increase the, surface area / SA:Vol ratio √ <i>idea of</i> : increase (the rate of) oxygen absorption / described √ oxygen levels in the lake are low √	2 max	ALLOW 'for oxygen absorption' if mp1 given e.g. of description: 'for (more) oxygen to diffuse in (through skin)' Examiner's Comments This question relates the properties of a good exchange surface, to the conditions in the lake. The majority of candidates were able to suggest that the skin folds provided a larger surface are or a large surface area to volume ratio. More able candidates added that this enabled the frog to absorb more oxygen from the water. Candidates should be encouraged to make clear that extra surface area helps to absorb more oxygen, ie they should make their explanations comparative. Few candidates suggested that this was because the oxygen levels in the lake were not very high. Despite the clear link to oxygen absorption in the stem of the question there were some unusual suggestions. For example: the extra folds might be used like fins to help the frog swim; the folds are due to loss of elasticity in the skin due to old age. Key
				Mark first <b>D</b> response or <b>E</b> response only For two marks the <b>E</b> mark must be linked to the <b>D</b> mark
	ii	D large surface area √	2 max	<b>IGNORE</b> increase surface area, ref to SA:Vol ratio
		E for (maximum) diffusion √		ALLOW idea of more or faster diffusion

			<b>D</b> squamous, epithelium / cells OR		Examiner's Comments
			alveolar wall, only 1 cell thick / thin $\checkmark$ E (providing) a short diffusion distance $\checkmark$		This question no longer relates to the Titicaca frog but to a general point about the lungs.
			D good, blood supply / ventilation √ E maintaining / creating a (steep) concentration gradient √		A range of correct responses was seen with large surface area and thin alveolar wall being the most common. Less able candidates often gave poor descriptions of a thin alveolar wall – simply stating 'thin surface'. Examiners were hoping to see more detail than this for a mark to be credited. In general candidates had a good understanding of the features of a good exchange surface and could provide valid explanations.
					When one feature is asked for, the examiner will mark the first feature described. Candidates should be encouraged to read the question carefully and not add additional features as this takes time that they may use better elsewhere in the examination.
			Total	4	
					<b>Mark the first answer in each cell.</b> If an additional answer is given that is incorrect then = <b>0 marks</b>
		i	н 🗸		<b>IGNORE</b> correct combinations of letters that correspond to D (e.g. A + F + G + H)
1				4	<b>IGNORE</b> correct combinations of letters that correspond to C (e.g. A + F + G or B + G)
7			D ✓		Examiner's Comments
			F ✓ C ✓		It was good to see so many correct responses for this question. It provided a useful scaffold with letter A provided (to emphasise the direction of the trace) but, nonetheless, the candidates did show a good grasp of the features displayed via the spirometer trace. It was interesting to note that a common error was to select E (the expiratory reserve volume) instead of
	1				the correct choice H for the residual

					volume. Total lung capacity was most frequently correct. Several candidates confused F and C.
		ii	<ol> <li>breathe in as deeply as possible / AW ✓</li> <li>(and) then force as much air out as possible ✓</li> </ol>	2	IGNORE ref to using nose clip If they have the deepest breath out before the deepest breath in, then <b>max 1</b> (for correct mp 2) 1 e.g. 'breathe in as much as possible' 'inhale as much as you can' 'inhale to maximum' 'breathe in all the air that you can' 2. e.g. 'breathe out as hard as possible' 'exhale as much as you can' 'exhale to maximum' 'breathe out all the air that you can' DO NOT CREDIT <i>all</i> of the air pushed out of lungs Examiner's Comments This question was generally answered really well. It demonstrates the emphasis on practical work and the fact that its assessment is now embedded in the question papers. Those with experience were better equipped to describe the process. However, a large minority struggled to link the 'as much as possible' idea to both inhalation and exhalation in terms of quality of expression. Unfortunately, some candidates described breathing out before breathing in and this limited their overall score to 1 mark for this question.
			Total	6	
1 8	а	i	fossils in, known-age / Jurassic, strata / rocks	1	
		ii	DNA / cytochrome c	1	
	b	i	carbon dioxide diffuses down concentration gradient out of the respiring cell (1) carried through body from cell (to tracheoles) by blood passing out via tracheoles / trachea / spiracles (1) respiration generates heat (1) hot gases expand and are less dense so rise up by convection through the mound to vents at mound- top (1)	4	

	ii	<i>shape,</i> large or increased surface area to volume ratio (1) smallest area exposed to greatest heat (1)	2	Response <b>must</b> be linked to context of avoiding overheating / needing to get rid of heat.
		Total	8	
19	i	<i>Insects</i> many / branched, tracheae / tracheoles / tubes √ <i>Fish</i> many / AW , filaments / lamellae / plates√	2	IGNORE many spiracles ACCEPT many / branched,vessels ACCEPT feathery filaments IGNORE folding with no reference to an increase in number e.g. primary lamellae folded but ACCEPT if primary lamellae, folded into / covered with, secondary lamellae / plates Examiner's Comments While this was a seemingly straightforward question, very few candidates achieved full marks here. Candidates often overcomplicated their answers which were generally much longer than the spaces provided. The vast majority of candidates knew the structure of both insects and fish exchange systems, but candidates lost marks due to a lack of 'many' or a reference to 'branching' to explain how surface area was increased. The term 'spiracles' was used frequently when writing answers in this part, which gained no credit. Another common error was talking about tracheal fluid for insects, and the counter-current system for fish, rather than the structure of the gas exchange systems to increase surface area.
	ii	oxygen is in short supply (in lugworm habitat) √ rate of diffusion is, insufficient / too slow (to meet needs) √ lugworms have a smaller surface area to volume ratio (than some worms) √	1 max	IGNORE Live in habitat where gas exchange difficult DO NOT ACCEPT no oxygen ACCEPT harder to get oxygen Examiner's Comments Some candidates failed to realise that oxygen would be in short supply and
		lugworms have a high(er) <u>metabolic</u> rate √		instead wrote in terms of extracting the oxygen from water, which gained no credit. Some candidates used vague terminology

								such as 'air' or 'gas' instead of oxygen, and so failed to get the first mp for the oxygen being in short supply. Many candidates simply referred to the lugworm being surrounded by water as a reason for the external gills and some said it was just due to it being an advantageous adaptation. There was very little reference to the rate of diffusion being too slow or the possibility that lugworms may have a higher metabolic rate, which would have also gained credit.
			Total				3	
2 0	a	i	Structure Trachea Bronchi Bronchioles Alveoli	Structu Cartilage ✓ ✓ × / ✓ ×	Iral feature p Elastic fibres ✓ ✓ ✓	resent Goblet cells ✓ ✓ X X	3 (AO1.1) 1	DO NOT ALLOW hybrid crosses Trachea given in question, do not mark 1 mark for each correct row
							(AO1.1)	ALLOW range 1.0 to 1.2
		ii	1.1 (dm³) √				(AO2.6)	(estimate 3.5 - 2.4)
		iii	4.5 (dm³) √ √				2 (AO2.6)	FIRST CHECK ON ANSWER LINE if answer 4.5 , award 2 marks. If answer incorrect: ALLOW 1 mark for calculation of maximum expiration - maximum inhalation i.e. 4.7 – 0.2
	С		Summary of instructions to markers: See instruction 10 on page 5 of this mark scheme. Level 3 (5–6 marks) A good description of normal expiration as passive process and comparison /contrast with forced expiration as an active process e.g. energy required contraction of abdominal muscles. There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated			rk scheme. as passive forced ergy required / ning which is mation	6 (AO1.2)	Indicative scientific points may include: Normal expiration (provides some comparative statements for similarities) <ul> <li>passive</li> <li>diaphragm muscles relax</li> <li>diaphragm moves up / becomes dome shaped</li> <li>external intercostal muscles relax</li> <li>ribs move down and in</li> <li>elastic fibres recoil</li> <li>volume of thorax reduced</li> </ul>

		<ul> <li>Level 2 (3–4 marks)</li> <li>A sound description of normal expiration as passive process e.g. changes in volume or pressure due to muscles relaxing / elastic fibres recoiling. Some comparison / contrast with forced expiration.</li> <li>There is a line of reasoning presented with some structure. The information presented is in the most-part relevant and supported by some evidence</li> <li>Level 1 (1–2 marks)</li> <li>A basic description of normal expiration OR forced expiration.</li> <li>The information is basic and communicated in an unstructured way. The information is supported by limited evidence and the relationship to the evidence may not be clear.</li> <li>0 marks</li> <li>No response or no response worthy of credit.</li> </ul>		<ul> <li>pressure in thorax increased</li> <li>pressure in thorax greater than atmospheric pressure so air moves out of lungs</li> <li>Forced expiration (provides contrasting statements for differences)</li> <li>active         <ul> <li>requires energy</li> <li>internal intercostal muscles contract</li> <li>ribs pulled down hard</li> <li>abdominal muscles contract forcing diaphragm up</li> </ul> </li> </ul>
	d	surface area √ surface area to volume ratio √ circulatory system √ concentration gradient √	5 (AO1.1)	
		Total	18	
2	а	surface area to volume ratio = 3 : 1 (small) and 1.5 : 1 (large) <b>or</b> large, cube / animal, has small <u>er</u> SA:vol <b>or</b> small, cube / animal, has lar <u>ger</u> SA:vol √ <u>diffusion</u> , distance / pathway, long / deep, in large, cube / animal or <u>diffusion</u> time long in large, cube / animal √ relatively / proportionally, small(er) surface cannot supply large(r) volume of cells √ specialised exchange surfaces needed for, oxygen / carbon dioxide / gases / nutrients / waste products √	2 max (AO2.2) (AO3.1)	ALLOW SA : volume or SA : V for surface area to volume ratio         ALLOW 3 : 2 for 1.5 : 1         DO NOT ALLOW reverse ratios 1 : 3 and 1         : 1.5 (unless volume : SA stated)         IGNORE diffusion, easier / harder         ALLOW ora diffusion, distance / pathway / time, shorter in small, cube / animal         Examiner's Comments         On this question some candidates calculated the volume and surface area of the cubes shown but expressed the ratio back to front, e.g. saying the surface area to volume ratio was 1 to 3 rather than 3 to 1.

b

For answers marked by levels of response:		Indicative scientific poin
Read through the whole answer from start to finish,		the following:
concentrating on features that make it a stronger or		hony fich ventilation
weaker answer using the indicative scientific content		bony fish ventilation
as guidance. The indicative scientific content		water enters mouth
indicates the expected parameters for candidates'		ref. volume / pressure, cha
answers, but be prepared to recognise and credit		cavity
unexpected approaches where they show relevance.		water, flows / pushed, ove
Using a 'best-fit' approach based on the science		water leaves via operculur
content of the answer, first decide which set of level		throughflow system / one of
descriptors, Level 1, Level 2 or Level 3, best		
describes the overall quality of the answer using the		bony fish gas exchange
guidelines described in the level descriptors in the		gill, filaments / lamellae (sl
mark scheme. Once the level is located, award the		large surface area
higher or lower mark.		thin
The higher mark should be awarded where the		short diffusion distance
level descriptor has been evidenced and all aspects		good blood supply / blood
of the communication statement (in italics) have		on Fig. 6.2)
been met.		steep concentration gradie
The lower mark should be awarded where the level		counter current system (wa
descriptor has been evidenced but aspects of the		move in opposite direction
communication statement (in italics) are missing.		
In summary:		tips of gill filaments overlag
in Summary.		water movement
• The science content determines the level.		
The communication statement determines	6	insect ventilation
the mark within a level.	(AO2.1)	muscular movement
	(AO2.3)	abdominal, dorso-ventral f
		telescoping / pumping
Level 3 (5–6 marks)		ref. volume / pressure, cha
Full and detailed description of respiratory system in		thorax, movement / shape
both fish and insect, showing how both are adapted		air drawn in or forced out
to maximise ventilation and gaseous exchange.		size of spiracle, changes /
Reference made to structures shown on both Fig.		external gills in aquatic ins
6.2 and Fig. 6.3 shown in the insert.		small size / large SA:vol of
		diffusion may be sufficient
There is a well-developed line of reasoning, which is		
clear and logically-structured and uses scientific		insect gas exchange
terminology at an appropriate level. All the		gas / oxygen / CO2, diffus
information presented is relevant and forms a		tracheae (shown on Fig. 6
continuous narrative.		oxygen dissolves in water
		diffuses into surrounding c
Level 1 (1–2 marks)		many tracheoles so large s
A description of some of the features of the		
respiratory systems of both fish and insect but not		spirals of chitin (shown on
clearly linked to ventilation or gaseous exchange.		tracheae open
Very few references to structures shown on Fig. 6.2		
and Fig. 6.3 on the insert.		Examiner's Comments
The information is communicated with only a little		
structure. Communication is hampered by the		In Question 6(b) candidat
inappropriate use of technical terms.		refer to structures shown of
mappropriate use or teernical territs.		figures for both fish and in
		these to both gas exchang

### dicative scientific points may include e following:

## ony fish ventilation

ater enters mouth f. volume / pressure, change in buccal avity ater, flows / pushed, over gills ater leaves via operculum roughflow system / one direction of flow

## ony fish gas exchange

II, filaments / lamellae (shown on Fig. 6.2) rge surface area in nort diffusion distance ood blood supply / blood vessels (shown n Fig. 6.2) eep concentration gradient ounter current system (water and blood

ove in opposite directions)

os of gill filaments overlap to slow down ater movement

## sect ventilation

### uscular movement odominal, dorso-ventral flattening / lescoping / pumping f. volume / pressure, change in abdomen orax, movement / shape change, in flight r drawn in or forced out ze of spiracle, changes / controlled xternal gills in aquatic insects mall size / large SA:vol of insects, means

### isect gas exchange

as / oxygen / CO2, diffuses along acheae (shown on Fig. 6.3) xygen dissolves in water at tracheoles ffuses into surrounding cells any tracheoles so large surface area

pirals of chitin (shown on Fig. 6.3) hold acheae open

### xaminer's Comments

Question 6(b) candidates needed to fer to structures shown on the insert gures for both fish and insect and relate ese to both gas exchange and to

0 marks No response or no response worthy of credit.	ventilation. Again, partial answers achieved a lower level and mark as did those that contained factual errors. The commonest errors were omitting mention of ventilation mechanisms in fish and confusing the roles of tracheae, tracheoles and spiracles in insects. Candidates should be taught that air (not oxygen) enters spiracles and diffuses along tracheae and that in small resting insects, diffusion alone delivers a sufficient supply of oxygen to tissues.
	AfL
	Candidates need to spend some time analysing the demands of a level of response question. A level of response question is likely to require them to address multiple aspects and may require a higher order skill such as linking or comparing of ideas. Careful analysis before starting to write an answer can identify how many areas need to be addressed, and how these areas should be linked.
	For example, <b>Question 1(c)(iii)</b> required that eight areas should be addressed, while <b>Question 6(b)</b> required six (structures on the insert identified with comment relevant to gas exchange and to ventilation for fish and again for insects). Candidates may benefit from drawing a table to show the number of areas required as empty boxes, which they can tick off when they have addressed each one.
	? Misconception
	Many candidates misapplied the terms gas exchange and ventilation. Gas exchange covers the diffusion of oxygen and carbon dioxide at an exchange surface. Ventilation refers to muscular movements that result in the delivery of a fresh supply of air or water to an exchange surface. Ventilation may be tidal (as in mammals) or throughflow (as in fish).

		Total	8	
2		maggots are smaller so have greater surface area to volume ratio (than adult flies) $\checkmark$ shorter diffusion distance $\checkmark$ <i>idea that</i> maggots less active so lower metabolic demand for O <sub>2</sub> $\checkmark$ no (hard) exoskeleton so can absorb oxygen by diffusion through, skin / cuticle $\checkmark$	3	ALLOW ORA throughout ALLOW SA:V ratio
		Total	3	
2 3		radius (of larva) = 0.8 mm AND (larvae) could (rely on simple diffusion) √√	2(AO2.2)(AO3.1 )	<ul> <li>ALLOW calculator value (i.e. 0.79788456) or any correctly rounded value.</li> <li>ALLOW correct calculation with incorrect or no conclusion for 1 mark</li> <li>ALLOW ecf for correct conclusion drawn from incorrect calculation</li> <li>Award 0 marks for conclusion alone</li> <li>Examiner's Comments</li> <li>Most candidates scored well on this question. Those who lost a mark for an incorrect calculation often gained the mark for understanding the significance of their answer regarding the ability of larva to rely on simple diffusion.</li> </ul>
		Total	2	
2 4	i	20 indicated as the incorrect value ✓ 19 ✓	2	e.g. number written alongside the 20 20 circled or indicated by arrow or other indication <b>Examiner's Comments</b> The vast majority of candidates correctly identified 20 as the incorrect answer and gave 19 as the correct one. A few candidates did not round the answer correctly and a very small number identified the mean of 43 as the incorrect number, suggesting that beetle C at 38 was anomalous and so re-calculated the mean excluding 38. Some candidates had

				not read the instructions and left their answer in the 'working out' area.
	ii	tracheole(s) √	1	<b>Examiner's Comments</b> The majority of candidates correctly identified the tracheoles. The most common incorrect answers were bronchioles or trachea.
				Statements must be comparative Assume 'it' is the mamma
				<b>2 ACCEPT</b> 'wider / narrower' for 'larger / smaller' diameter IGNORE bigger
		<ul> <li>1 mammals have just one trachea</li> <li>and insects have multiple tracheae √</li> <li>2 mammals (much) larger diameter /</li> <li>insects (much) smaller diameter √</li> </ul>		<b>4 ACCEPT</b> descriptions e.g. gap v no gap in strengthening
	III	<ul> <li>3 in mammals trachea has, cartilage / no chitin (support)</li> <li>and in insects tracheae have, no cartilage / chitin √</li> <li>4 mammals have, C-shaped 'rings' / incomplete circle,</li> <li>and insects have spiral (support) √</li> <li>5 mammal trachea is longer / (individual) insect tracheae shorter √</li> <li>6 mammal trachea branch into bronchi and insect tracheae branch into tracheoles √</li> </ul>	2	6 ACCEPT 'leads to' instead of 'branch into' Examiner's Comments Many candidates failed to provide differences between the trachea in a mammal and in an insect, largely because their statements were not comparative, or only a detailed description of one was given Imprecise terms such as 'bigger'
		7 mammal trachea has, smooth muscle / goblet cells / ciliated epithelium and (individual) insect tracheae do not √		given. Imprecise terms such as 'bigger' failed to gain credit for the difference in diameter. Chitin and cartilage commonly gained a mark but candidates did not show understanding of the spiral nature of chitin in insects so failed to gain credit for their comparison with the C-shaped rings in mammals. Several candidates failed to realise that the mammalian trachea leads to bronchi rather than directly to alveoli and that insect tracheae lead to tracheoles rather than directly into muscle. Some

					candidates thought that the mammalian trachea had collagen rings.
			Total	5	
2 5	а	i	FIRST CHECK ANSWER ON ANSWER LINE correct answer = 2 marks $1,000,000 / 1 \times 10^6 \checkmark \checkmark$ 1 mark for working if final answer wrong: $40 \times 500 = (20, 000 \text{ cm}3) \checkmark$ or 20 ms is 20/1000 = 0.02 s $\checkmark$	2 (AO2.4)	ALLOW calculation combined with wrong time figure e.g. 40 x 500 x 3 = 60, 000 ALLOW (1s $\div$ 0.02 s / 1000 ms $\div$ 20 ms) = 50
		ii	(more) infections / irritation / coughing $\checkmark$	1 (AO2.1)	<b>ALLOW</b> bronchitis / pneumonia / bacterial disease / viral disease
	b	i	to provide, lots of / much, energy / ATP $\checkmark$	1 (AO2.1)	<b>DO NOT ALLOW</b> make / produce energy. <b>ALLOW</b> cell, needs / uses, lots of, energy / ATP
		ii	Golgi apparatus √ to, modify / process / package, protein √ ref. vesicles / secretion (of mucus) / exocytosis √	2 max (AO2.1)	ALLOW smooth endoplasmic reticulum / SER ALLOW lipid / triglyceride, synthesis (for smooth ER)
			Total	6	
2 6			<i>cartilage</i> stops, trachea / bronchus, from collapsing √ <i>elastic fibres</i> recoil of, alveoli / air sacs √	2 (AO1.1)	ALLOW for support of trachea / bronchi
			Total	2	
2 7			goblet √ noradrenaline √ diaphragm √ forced / conscious / active / voluntary √	4	ACCEPT phonetic spelling throughout ACCEPT norepinephrine Examiner's Comments This question proved to be a good differentiator, with only the most capable candidates scoring 4 marks. The most common errors seen by examiners were Acetylcholine or Adrenaline being used instead of Noradrenaline, and the term occurring/finished/happening being used to explain when internal intercostal muscles are used in expiration.
			Total	4	
2 8			*Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.	1	

Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.)

Using a 'best-fit' approach based on the science content of the answer, first decide which of the level descriptors, **Level 1**, **Level 2** or **Level 3**, best describes the overall quality of the answer. Then, award the higher or lower mark within the level, according to the **Communication Statement** (shown in italics):

- award the higher mark where the Communication Statement has been met.
- award the lower mark where aspects of the Communication Statement have been missed.

### In summary:

- The science content determines the level.
- The Communication Statement determines the mark within a level.

### Level 3 (5-6 marks)

Full and detailed description and explanation of the features of the mammalian respiratory system. Candidate demonstrates a detailed understanding of the different features and explains the adaptations of each one to maximise the efficiency of gaseous exchange.

There is a well-developed description and explanation of the majority of relevant features. The information presented is relevant and clearly explained.

### Level 2 (3-4 marks)

Clear description and explanation of the features of the mammalian respiratory system. Candidate demonstrates a reasonable understanding of most of the different features and includes explanations of the adaptations that maximise the efficiency of gaseous exchange.

There is a well-developed description and explanation of some of the relevant features. The information presented is relevant and for the most part clearly explained.

### Indicative scientific points may include:

#### Nasal cavity

- large surface area and good blood supply, warms air
- mucus secreting cells, trap dust and microbes
- moist surfaces, increase humidity and reduce evaporation from surfaces in lung

6

#### Trachea

- cartilage rings, stop it from collapsing
- ciliated epithelium and goblet cells secrete mucus, trap dust and microbes and move them towards stomach

Bronchi / bronchioles

		<ul> <li>Level 1 (1–2 marks)</li> <li>An attempt at description and explanation of a limited number of the features of the mammalian respiratory system. Candidate demonstrates a limited understanding of the different features with some explanation of the adaptations that maximise the efficiency of gaseous exchange.</li> <li>There is a logical structure to the answer. The explanations, though basic, are clear.</li> <li>O marks</li> <li>No response or no response worthy of credit.</li> </ul>		<ul> <li>smooth muscle, allows air to move in and out and maintains high concentration gradient of O<sub>2</sub> / CO<sub>2</sub></li> <li>Alveoli <ul> <li>thin (epithelial) wall, reduces diffusion distance</li> <li>collagen / elastic fibres, elastic recoil to help squeeze air out during exhalation</li> <li>large number / provide large surface area, to increase rate of diffusion</li> <li>good blood supply / capillaries, maintains high concentration gradient</li> <li>surfactant, allows gases to dissolve</li> </ul> </li> <li>Diaphragm / intercostal muscles <ul> <li>contract to increase volume in lungs, reduce pressure and cause inspiration</li> </ul> </li> </ul>
				NB: Many of the features listed above are common to more than one structure and should be credited where appropriate.
		Total	6	
2	i	two from	2	Only credit answers that refer to (a) as the chosen option DO NOT CREDIT if the 'a' is not clear enough Indicate that (a) has been chosen by using the green dot
9		<ul> <li>(a) because</li> <li>1 lung(s) are, deflated / less inflated / small(er) / volume decreased ✓</li> <li>2 diaphragm is, domed / curved up / arched / not flat / relaxed ✓</li> </ul>	_	<ol> <li>ACCEPT 'thorax has smaller volume' IGNORE ref to chest volume</li> <li>ACCEPT higher / moves up IGNORE pushed up</li> <li>ACCEPT 'rib cage moves down' IGNORE ref to intercostal muscles</li> </ol>

	3 rib cage is / ribs are, in lowered position / not raised ✓		<b>Examiner's Comments</b> Generally this was very well-answered. Most candidates know the position of ribs and diaphragm in expiration but some described inspiration or muddled relaxing and contracting. A small minority of candidates failed to gain marks as they either didn't state the letter of the correct diagram (A) or answered incorrectly with B. A number incorrectly referred to the lungs 'relaxing' and some talked about the lungs being completely empty of air.
			IGNORE ref to energy / ATP IGNORE ref to pressure, changes / gradients IGNORE ref to intercostal muscles contracting during expiration as Q refers to a passive process ACCEPT 'diaphragm relaxes' IGNORE 'rib cage moves down' as this could involve muscle contraction
ii	it does not use muscle contraction / muscles (just) relax or rib cage, falls / drops (due to gravity) or lungs (elastic so) will recoil √	1	Examiner's Comments This was moderately well-answered. Most correct answers referred to muscles relaxing. Very few candidates mentioned elastic recoil or the rib cage falling or dropping under the influence of gravity. The most common answers not worthy of credit were a reference to energy / ATP not being needed or pressure differences. Many candidates do not appreciate what passive means in this context, confusing it with subconscious or part of autonomic nervous system. Many of those who correctly recognise passive as not requiring energy then did not connect that to why it doesn't require energy.
iii	<i>two from</i> ( <i>as lumen of airways decrease</i> ) 1 reduction in (lumen) diameter of, bronchi / bronchioles <b>√</b>	2	IGNORE ref to contraction of muscle (as in Q) 1 ACCEPT ref to 'narrowing' for 'reduced diameter' IGNORE ref to blocking / size DO NOT CREDIT ref to trachea

		<ul> <li>2 harder to exhale / more resistance to exhalation / less air can be exhaled √</li> <li>3 more air remains in the lungs √</li> </ul>		2 <b>ACCEPT</b> ref to 'breathing out' for 'exhale' <b>IGNORE</b> ref to air leaving / air moving out
		4 harder to inhale / more resistance to inhalation / less air can be inhaled $\checkmark$		4 <b>ACCEPT</b> ref to 'breathing in' for 'inhale' <b>IGNORE</b> ref to air entering / air moving in
		5 harder to ventilate / more resistance to ventilation / increased breathing rate / gasping ✓		5 <b>IGNORE</b> 'hard to breath' 'struggles to get breath' 'short of breath' wheezing ventilation rate <b>Examiner's Comments</b>
				Most answers referred to airways being narrowed and gases (air / oxygen / carbon dioxide) entering, passing, moving in or flowing. Candidates demonstrated lack of scientific language, just referring to air 'moving in / out' rather than inhalation and exhalation. Key terms should be reinforced whilst teaching. The misconception that smooth muscle was present in the trachea was common. Some candidates referred to smooth muscle contraction in artery walls while others thought the muscle contraction would prevent any air from entering or was used to expel air from the lungs. A small number of candidates described the processes of inhalation and exhalation but failed to address the question.
		Total	5	
3 0		С	1	Examiner's Comments This question was also quite straightforward and answered correctly by many candidates. For those who could be confused with the intercostal muscles, the movement of the ribcage and contraction of the diaphragm should have been sufficient to choose the correct answer.

		Total	1	
3 1		use of data from Fig.16.1: calculated rate of oxygen uptake between 0.010 and 0.018 (dm <sup>3</sup> s <sup>-1</sup> ) $\checkmark$ calculated reduction in rate of oxygen uptake between 10 and 50% $\checkmark$ supporting statements: (claim is) correct / incorrect <b>AND</b> a comparison of calculated rate with , 20% statement / mean uptake / 0.020 (dm <sup>3</sup> s <sup>-1</sup> ) $\checkmark$ validity statements: one , woman / reading , is not enough (for a valid conclusion) $\checkmark$ (being) 36 weeks pregnant / late pregnancy , is not representative of whole pregnancy / AW $\checkmark$	3 max	ALLOW MP 1 as a percentage i.e calculated value between 50 and 90% (of mean uptake) Supporting statements MUST match evidence from calculation e.g. statement is incorrect because my calculation showed reduction of 40% which is higher than 20% If calculation in MP1 or MP2 is incorrect MP3 can still be awarded using calculation in response. ALLOW only one woman tested Examiner's Comments Good responses to this question assessing AO3, used the information in Fig. 16.1 to calculate oxygen uptake in dm <sup>3</sup> s <sup>-1</sup> followed by a calculation to work out the percentage reduction compared to 0.02 dm <sup>3</sup> s <sup>-1</sup> and then compared this by agreeing or disagreeing with the candidate's statement. Relatively few candidates commented on other aspects about the validity of the claim such as the use of only one woman 36 weeks into her pregnancy. Exemplar 1
		Total	3	

32		type / vigour / intensity / AW , of exercise √ muscle mass / bone density / fitness / height / build / proportion of body fat / BMI √ age √ (environmental) temperature √ brand / make / type , of smart watch √ reference to , exercise / rest , before experiment √ named , health / lifestyle , condition √	3 max (AO3.4)	the first one on each line. If only one or two lines used but there is more than one variable listed mark the first three variables given. IGNORE repeats / replicates / amount of exercise IGNORE mass IGNORE gender DO NOT ALLOW body temperature ALLOW same smart watch e.g. asthma e.g. smoking e.g. drugs / anabolic steroids IGNORE diet / healthy unqualified / alcohol <u>Examiner's Comments</u> Many candidates gained at least two marks here with the most common responses being 'temperature' (of the environment) and 'age' or 'fitness' of the students. There were some responses that were too vague to be credited often referring to the 'health' or 'diet' of the students without being specific.
33	а	Total (A =) spiracle √ (B =) trachea √	3 2 (AO2.3)	ALLOW spiracles DO NOT ALLOW tracheoles ALLOW chitin (rings) / taenidia / tracheal tube / tracheae <u>Examiner's Comments</u> Many candidates could correctly identify the spiracle from the photomicrograph in (a), with fewer candidates identifying B as trachea. A common error was to identify B as a tracheole. In (b)(ii), few candidates could suggest an improvement to the student's method, possibly indicating little hands-on experience of fish anatomy. Removing gills was often stated as an improvement but this was not linked to either removing the operculum first or observing the removed gills using a hand lens or microscope. Most unsuccessful

								responses for (c)(i) did not understand the relationship between tidal volume, breathing rate and ventilation rate, and there was also some confusion when converting dm <sup>3</sup> to cm <sup>3</sup> . Few candidates scored a mark in (c)(ii), with many candidates writing responses with the correct type of ideas but without sufficient detail. For example, many candidates wrote that artificial selection leads to a smaller gene pool, rather than linking this to more inbreeding leading to the smaller gene pool. The rest of Question 1 was generally well answered with most candidates scoring marks.
			Mouth close s	Bucca I cavity floor Iower s		Oxygen diffuses into capillarie s		
		Water move s into the bucca I cavity		$\checkmark$				
b	i	Water move s acros s the gills and out of the bucca I cavity	V		√	$\checkmark$	2 (AO1.2)	3 columns correct = √
		All 4 column	s correc	ct √√				
	ii	up the ventr use pins to l	al side) nold fish	√ n (rather	ed (rather th than a hand) nder a micros	)√	1 max (AO3.3)	IGNORE 'remove gills' unqualified IGNORE 'use a microscope' unqualified
		Total					5	

i	spiracle (s) ✔	1	ALLOW stigma(ta) DO NOT ALLOW stomata Examiner's Comments
			The majority of candidates correctly named spiracles for <b>Q16(b)(i)</b> and whilst <b>Q16(b)(ii)</b> was also generally well- answered there were a number of incorrect responses referring to haemolymph or tissue fluid.
ii	<u>trachea(</u> I) (fluid) ✓	1	IGNORE haemolymph IGNORE tracheole Examiner's Comments The majority of candidates correctly named spiracles for Q16(b)(i) and whilst Q16(b)(ii) was also generally well-answered there were a number of incorrect responses referring to haemolymph or tissue fluid.
	Total	2	
i	support or prevents the trachea(e) from collapsing / keeps the airways open ✓	1	IGNORE protection / structure / shape / squashed / strength / stability Examiner's Comments Most recognised the role of chitin in support, although some only mentioned properties of chitin such as strength or structure which were not credited.
11	<ul> <li><i>idea that</i></li> <li>(their presence) restricts the airflow in the trachea / blocks the airways</li> <li>or</li> <li>(leakage of haemolymph) deprives the, tissues / cells, of, oxygen / O<sub>2</sub> / nutrients</li> <li>or</li> <li>use of, oxygen / O<sub>2</sub> / nutrients, by mites</li> <li>or</li> <li>disease transmission</li> </ul>	1	IGNORE statements that simply refer to the mites feeding on the haemolymph (as given in Q) ACCEPT causes the trachea to collapse IGNORE 'affects airflow' unqualified IGNORE ref to 'difficult to breathe' ACCEPT ref to inflammatory / immune,
	i	trachea(I) (fluid) ✓         Total         i       Total         ii       support or prevents the trachea(e) from collapsing / keeps the airways open ✓         ii       idea that (their presence) restricts the airflow in the trachea / blocks the airways         ii       or (leakage of haemolymph) deprives the, tissues / cells, of, oxygen / O <sub>2</sub> / nutrients, by mites	trachea(I) (fluid) ✓         Image: Total       2         i       Support or prevents the trachea(e) from collapsing / keeps the airways open ✓       1         i       idea that (their presence) restricts the airflow in the trachea / blocks the airways       1         ii       or (leakage of haemolymph) deprives the, tissues / cells, of, oxygen / O <sub>2</sub> / nutrients, by mites       1

		or (mites) release toxins ✓		response <b>Examiner's Comments</b> Candidates generally recognised that the mites would obstruct the airways. References to oxygen frequently neglected to mention that the cells or tissues of the honey bee would receive less. Despite the gas exchange system of an insect being on the specification, a significant number of candidates referred to less oxygen reaching the bee's lungs. Other suitable suggestions included disease transmission or toxin production.
		Total	2	
3 6	а	lamella	1	ALLOW lamellae.
	b	<i>three from</i> many / AW, lamellae / structure A, provide large surface area (1) (presence of) secondary lamellae on main lamellae provide large surface area (1) short distance between blood and, water / outside (1) idea that blood maintains diffusion gradient (1)	4	
		<i>any of above linked to</i> faster diffusion (of oxygen, carbon dioxide) (1)		ALLOW only if linked to another marking point. IGNORE refs to squamous cells as not visible on Fig. 1.1.
	c	<pre>three from tissue has, one / few, types of cell and performs, one / few, functions (1) idea that bone has, one / few, types of cell or idea that bone performs, one / few, functions (1) organs consist of several tissues (1)</pre>	3	
		gills contain two or more <b>named</b> tissues (1)		ALLOW bone, blood, epithelial, connective.
		Total	8	
3 7			2 max	IGNORE numbered lines and mark as prose IGNORE references to detail of diagram

	1 large size / at least 50% of available space $\checkmark$		
	2 title / heading ✓		ALLOW once only no, sketching / feathering for either mp5 or mp6
	3 labels outside diagram ✓		<b>Examiner's Comments</b> The nine possible mark points for a two mark question meant that the vast majority of candidates were able to achieve at least one mark for <b>Q16(d)</b> with over 50% of
	<ul> <li>4 label lines should not cross over others ✓</li> </ul>		candidates being credited with both marks. It is pleasing to note that there was a clear indication that practical guidelines had been addressed by centres.
	5 continuous lines ✓		
	6 no shading ✓		
	7 use plain paper √		
	8 state magnification ✓		
	9 correct proportions ✓		
	Total	2	
3 8	removal of <u>operculum</u> (of fish) / move <u>operculum</u> out of the way / cut open <u>exoskeleton</u> (of insect) ✓ method to, observe / display, gills / tracheae / tracheoles ✓	2	ACCEPT any suitable detail of display method e.g. observe structures under water placing a rod / pencil into buccal cavity to display lamellae staining tracheoles with methylene blue Examiner's Comments Candidates' responses indicated that few had observed or carried out this practical. Few could correctly name the structures, such as the bony fish operculum or the

	Total	2	
			insect exoskeleton, which needed to be cut through or removed in order to reach the gas exchange systems. Usually only vague descriptions of cutting down the length of the organism were supplied. Very few candidates offered any further detail of how to observe or display the gills or tracheae by flooding with water, lifting relevant parts or the use of appropriate stains.