

WJEC (Eduqas) Biology A-level
1.1: Biological Compounds
Questions by Topic - Mark
Scheme

1. (a)

(i)

α glucose OH on C1 down, H up + β glucose OH on C1 up, H down; Allow HO (both for 1 mark). 1

(b)

(i)

Cellulose -Beta Starch - alpha; (both for 1 mark). 1

Allow symbols.

(ii)

Starch: any 2

correct reference to amylose and/or amylopectin;

glycosidic bonds (α 1-4);

molecules coil/branch (in amylopectin); NOT compact

NOT: amylopectin - coiled or amylose branched

easy to add/remove {glucose / maltose} units; 2

Cellulose: any 2; 2

alternate units rotate / head up, head down / 180° rotation;

straight chain only / no branches; NOT parallel

hydrogen bonds between / reference to cross linking;

gives strength or stability / forming microfibrils;

Question 1 total 6

2.	Question	Marking details	Marks Available
2	(a)	(i) Ester;	1
		(ii) Hydrolysis;	1
		(iii) Glycerol and fatty acid drawn correctly; Glycerol and fatty acid named;	2
		(iv) Glycerol and fatty acids have different structures / OWTF; (not just reference to monomers)	1
	(b)	(i) (Oleic acid is) unsaturated; It contains at least one C=C double bond (in the hydrocarbon chain) / is not fully saturated with hydrogen (atoms); NOT hydrogen bonds/ fewer hydrogens	2
		(ii) Any 2 protection of internal organs against impact; <u>thermal</u> insulation; buoyancy; waterproofing skin/fur; source of metabolic water;	Max 2
		Question 2 total	[9]

3.

Question		Marking details	Marks Available
3	(a)	Statement	Letter(s)
		Is a monosaccharide	A,F,G ;
		Any 2 from 3 correct	
		Is a dipeptide	C ;
		Would be found in nucleic acids	A ;
		contain C=C bonds	E ;
	Contains a glycosidic bond	B ;	
		Is a triose sugar	G ;
	(b)	(i) Add Benedicts/Fehlings (reagent) and <u>heat / boil</u> ;	
		Colour would change from <u>blue</u> to {red / orange / green / brown};	2
		Blue precipitate = neutral	
		(ii) Glucose is a reducing sugar / reduces copper II sulphate (to copper I oxide) / sucrose is a non reducing sugar;	1
		Question 3 total	[10]

4.

needed for / found in / used in /component of chlorophyll;

(allow: middle lamella / enzyme co-factors)

component haemoglobin; enzyme Co factors

component nucleic acids/DNA/RNA/ATP/ (plasma) membrane/ phospholipids/

hardens bone / nucleotide;

hardens/deposited in bones/teeth/ossification/synaptic transmission

enzyme co-factors/middle lamella (not: strengthen bones)

[4]

5. (a) (i) hydrogen/H 1
- (ii) {Holds/binds} {cellulose/glucose} {chains/molecules} 1
 together/ forms microfibrils;
 strengthens (the wall)/ (cellulose fibres are) strong/ rigid/ 1
 gives structural stability/
 can resist turgor/ osmotic pressure/ prevents plant cells
 bursting.
- (b) (i) condensation/ polymerisation 1
- (ii) (Has) amino acid (added)/glucosamine 1
 (to form a mucopolysaccharide)/ amine/ NH₂
- (iii) (exo)skeleton – strong/waterproof/ light/ rigidity/ tough 1
 NOT exoskeleton gives protection
- (c) (i) glycogen 1
- (ii) starch (accept amylose/ amylopectin) 1

(Total 8 marks)

6. (a) (i) glycerol;
(3) fatty acids; [2]
- (ii) ester; [1]
hydrolysis;
chemical insertion of water/water added to bond [2]
- (iii) energy storage / respiratory substrate/source of energy
waxy cuticle/leaf waterproofing;
membrane structure; [2]

(Total 7 Marks)

7. (a)	nitrogen (not: N)	1
(b) (i)	<u>heat/boil</u> with {Benedict's/ Fehlings A + B} solution; NOT boil with acid colour change from blue <u>to</u> {green/yellow/orange/brick red/ brown}	1 1
(ii)	A	1
(c)	C	1
(d) (i)	D	1
(ii)	saturated- no double bonds/ all carbon atoms have/attached to two hydrogens ; Fewer hydrogen atoms (or converse) Must have comparison for each	1 1

(Total 8 marks)

8. cell wall;
 beta/ β ;
 glycosidic;
 180;
 hydrogen;
 microfibrils; (not: microfibrres)

[6]

9. (a) (i)	amino acid; triglyceride; (not: lipid/triglycerol)	2
(ii)	nitrogen/sulphur; (not: chemical symbols)	1
(b)	condensation; peptide;	2
(c) (i)	add Biuret to test solution; (not: if ref. to boiling)	1
	blue changing to mauve/purple colour is positive result;	1
(ii)	little colour change/mauve colour may be masked;	1
		(Total 8 marks)

10.

Question	Marking details	Marks Available
(a)	Iron / Fe ²⁺ ;	1
(b)	{Four polypeptide chains / two alpha and two beta subunits}; in tertiary form are {combined/joined};	2
(c)	Add { <u>biuret</u> (reagent) / copper sulphate <u>and</u> sodium hydroxide}; Reject boil/heat Colour changes from <u>blue</u> to { <u>purple/lilac/violet</u> };	2

Question 3 Total [5]

11.

Question	Marking details	Marks available					
		AO1	AO2	AO3	Total	Maths	Prac
11 (a) (i)	Molecules drawn with a peptide bond correct (1) Molecule of <u>water/H₂O</u> also produced (1)	2			2		
	(ii) peptide bond	1			1		
(b) (i)	Quaternary	1			1		
	(ii) α helix (1) By hydrogen bonding (1) Ignore reference to peptide bonds	2			2		

12. (a) Quaternary/ 4°; 1
- (b) (i) (Labelled) arrow in correct position; 1
- (ii) COOH/ carboxyl/ carboxylic acid; 1
- (iii) Disulphide {bond/ bridges} / ionic bonds / hydrogen / hydrophobic interactions / Van der Waals; (Any 2) 1
NOT peptide / S-S (covalent – neutral)
- (c) **Mark points must be comparative** Max 2
- | phospholipid | triglyceride |
|--|-----------------------------------|
| 2 fatty acids | 3 fatty acids; |
| phosphate (head) | do not contain a phosphate (head) |
| polar/hydrophilic head and non-polar/hydrophobic tails | non-polar/hydrophobic; |
- (d) (i) {Heads/ phosphates} are {hydrophilic/ polar} and are {attracted to/ in} the water; 2
{Tails/ fatty acids} are {hydrophobic/ non polar} and are {repelled by/ above/ avoid} water;
NOT react/ dissolve with water

13. (a)

(i)

OH and H removal shown on diagram;
formation of water (H₂O) shown;
dipeptide correctly drawn with C joined to N; [3]

(ii)

Condensation; [1]

(iii)

Peptide; NOT dipeptide; [1]

- 14. (a)**
- | | | |
|-------|---|---|
| (i) | Molecule of water (drawn with arrow towards the O atom of the glycosidic bond); NOT water going out
Monosaccharides drawn with –OH groups in correct position on C1 and C4 (involved in bond); | 2 |
| (ii) | Hydrolysis; NOT hydrolysis (ignore reference to acid) | 1 |
| (iii) | Glycosidic; | 1 |
| (iv) | Glucose <u>and</u> galactose; ignore alpha/ beta | 1 |