- 1(a).
- (i) Alligators eat fish, birds, turtles and snakes.

These foods are high in protein.

Put a tick (\checkmark) in the box that describes what proteins are made of.

Amino acids	
Fatty acids	
Glycerol	
Sugars	

(ii) Describe a test that could be used to show if these foods contain protein.

		[2]
 	 	 [3]

[1]

- (b).
- (i) Alligators are unable to control their own internal temperature and rely on external sources of heat to regulate their body temperature.

They are most active at 33°C.

Put in a tick (\checkmark) in the box that best explains why.

There will be more collisions between enzymes and substrates so reactions will happen faster.

The enzymes will be denatured so reactions will slow down.

There will be fewer collisions between enzymes and substrates so the reactions will happen

slower.

There will be no collisions between enzymes and substrates so no reactions will happen.

(ii) Humans are able to control their internal temperature.

Describe how the skin looks when the temperature drops.

[2]


(iii) Humans need to be able to maintain a constant environment within their bodies, within very narrow limits.

What is this called?

[2]	
	-

[1]

2(a). This is a food web from woodland with a pond nearby.



(i) Name a producer in this food web.

	[1	1
(ii)	How many trophic levels does the longest food chain in this food web have?	
	[1	1
(iii)	What do the arrows in the food web mean?	
		_
	[1	1

(b). One food chain from this food web is:

Berries \rightarrow Titmouse \rightarrow Fox

Draw a pyramid of biomass for this food chain in the space below.

Label your pyramid.

(c). A group of students decide to investigate the populations of animals and plants in this food web.

Suggest the piece of apparatus they would use to sample:

(i) the small plants in the woodland.

[1]

(ii) invertebrates, such as woodlice, on the ground in the woodland.

.....[1]

[2]

(d). A species of toad that liked to eat butterflies and dragonflies was introduced into this community.

It had skin that tasted bitter so nothing wanted to eat it.

Explain the effect of the introduction of this toad on the food web.

 	[4]

3(a). Rainforests are an important ecosystem.

Rainforests obtain their energy from sunlight.

Explain why scientists regard sunlight as a sustainable source of energy.

	[2]
(b).	Rainforests used to be thought of as closed-loop systems.
	Now, large amounts of biomass are removed when timber is harvested.
	Explain the effects that the removal of timber has on the closed-loop system.
	[2]
(c).	Burning is another way that biomass is removed from a rainforest.
	Rainforests are burnt to create grassland to keep cattle.
	Write down two groups of people who might be affected by this action.
	Identify the advantage or disadvantage to each group.
	Group 1
	Group 2
	[2]

4(a). Nitrates enter plant roots from the soil.

Plants use the nitrogen in nitrates to make some chemicals.

Which nitrogen-containing chemicals do plants make?

Put rings around the two correct answers.


	amino acids	cellulose	enzymes	oxygen	starch	water
(b).	Plants need chemica	als to survive.				[2]
	One essential chem	ical is glucose.				
	What can happen to	glucose in plants'	?			
	Put ticks (?) in the b	oxes next to the t	vo correct answers.			
	Glucose can be					
	used i	in respiration.				
	taken	up from the soil.				
	produ	ced as a waste pro	oduct.			
	conve	rted into starch for	storage.			
	lost fro	om the underside o	of plant leaves.			
	absor	bed by the green c	chemical chlorophyl	I.		

[2]

5. Carbon is recycled through the environment.Explain how this process takes place.You may draw a diagram to help explain your answer.

The quality of written communication will be assessed in your answer.

 	 	 [6]



A new organism that eats greenflies enters the food web at Y.

(i) Suggest what effect the introduction of the new organism will have on the oak trees.

Put a tick (\checkmark) in the box next to the correct statement.

The tree will be in a better condition.

The tree will be unaffected.

The tree will be in a worse condition.

(ii) Which of these statements about the new organism are true?
 Put ticks (✓) in the boxes next to the two correct answers.





[1]

The new organism is ...

a disease-causing organism.	
a decomposer.	
a competitor.	
a microorganism.	
a predator.	

[2]


(b). Not all the energy is kept within the food web. Suggest reasons why.

[3]
**

7(a). The drawing shows the Eden Project in Cornwall.

Each dome contains a different environment such as 'Mediterranean' and 'rainforest'.

Visitors can enter each dome to see the different animals and plants in each environment.



Jason visits the Eden Project on a school trip. He thinks that each dome is a closed-loop system.

Explain what Jason means by a closed-loop system. Discuss reasons why Jason may be right and why he may be wrong.

The quality of written communication will be assessed in your answer.


|
 | |
|------|------|------|------|------|------|------|------|------|------|------------|
|
 | |
|
 | |
|
 | |
|
 | |
|
 | |
|
 | |
|
 | |
|
 | |
|
 | <u>[6]</u> |

(b). The Eden Project does not use pesticides to kill unwanted pests. Use ideas about closed-loop systems to suggest why.


______[2]

8(a). A human female usually only produces one egg at a time.

A female codfish can release over 1 million eggs at one time.



Human female



Female codfish

Suggest why there is such a large difference in the number of eggs produced by humans and by codfish.

 <u>[2]</u>

(b). Suggest why the number of eggs produced by the codfish is not wasteful for the ecosystem.

_____[1]

(c). Codfish live in a natural ecosystem.Humans depend on natural ecosystems for 'ecosystem services'.

Write down one service provided by the ecosystem in which the codfish lives.

.....[1]

9. Coral reefs are found in tropical seas.

They are made by living organisms called reef-building corals.

Reef-building corals have a symbiotic relationship with microscopic algae. Algae are single-celled plants.

In a symbiotic relationship both organisms benefit from each other.

(i) Using your knowledge of photosynthesis, what are the benefits for the organisms in this symbiotic relationship?

Put a tick (\checkmark) in the **three** correct boxes.

Algae give carbon dioxide to the coral.	
Algae give chlorophyll to the coral.	
Algae give glucose to the coral.	
Algae give oxygen to the coral.	
Coral gives carbon dioxide to the algae.	
Coral gives chlorophyll to the algae.	
Coral gives glucose to the algae.	
Coral gives oxygen to the algae.	


(ii) Algae can convert glucose into other substances.

Put a (ring) around two substances that the algae can make from glucose.

	starch	nitrogen	cellulose	carbon	calcium
[2]					

[3]

10(a) The diagram shows parts of the carbon cycle.



Three different processes are involved:

- 1 combustion
- 2 photosynthesis
- 3 respiration.

Write the letters A, B and C in the correct boxes to complete the diagram.

(b). Explain what is happening at arrow X.

______[2]

[2]

(c). Microorganisms have a very important role in the carbon cycle.


Describe the role of microorganisms in the carbon cycle.

[2]
_[2]

11. Scientists study the effect of increasing levels of atmospheric carbon dioxide on an ecosystem.

They measure carbon dioxide levels in the atmosphere and the rate of photosynthesis in plants over a twentyyear period.

Look at the graph.



Put ticks (?) in the boxes next to the two statements that explain this.

photosynthesis.

Plants release oxygen and animals release carbon dioxide.	
Deforestation reduces the amount of photosynthesis.	
Photosynthesis stops during winter months.	
Animals cannot photosynthesise.	
The amount of carbon dioxide in the air is much larger than the amount used in	

12. Fish are an important source of protein in our diet.

Ben wants to show that fish contain protein.

He uses the following method:

- 1. He adds a small sample of fish to a test tube.
- 2. He adds a small amount of Benedict's solution to the sample.
- 3. He observes a colour change.

(i) Ben's friend thinks he has made a mistake in his method.

Describe the mistake Ben has made and how he should correct it.

Mistake	
Correction	

(ii) What change would Ben observe when using the correct method?

Tick (\checkmark) one box.

Colourless to cloudy white emulsion




Light blue to lilac/purple

Red-brown precipitate formed

Pale brown to blue-black

13. The Galapagos Islands are a group of 13 islands found in the Pacific Ocean.

The food web shows the feeding relationships of some Galapagos Islands species.



(i) A weather event called El Niño occurs every three years. This causes the population of algae to decrease.


Explain what effect this could have on the population of marine iguanas.

 	[2]

(ii) Scientists have discovered that during this event the marine iguanas can shrink in size.

The length of the marine iguana is determined by measuring the distance from the snout to the end of the tail.

Below is a drawing of a marine iguana.



Use the scale bar to calculate the actual length of this marine iguana in metres.

Length of marine iguana = _____ m [2]


(iii) Some marine iguanas can shrink by up to 20% of their original length.

Calculate the length of this marine iguana after maximum shrinkage.

Length after maximum shrinkage = _____ m [1]

(iv) Scientists calculated the change in body length of the iguanas and measured how long they survived during the El Niño event.

The results are shown in the graph.



What can be concluded from the data?

Tick (\checkmark) two boxes.

The marine iguanas that decreased in size the least survived longer.

The change in body length made no difference to the survival time of the marine iguanas.

The marine iguanas that decreased in size the most on average lived for a greater length of time.

The marine iguanas that did not decrease in size survived for approximately 2 years less than the marine iguanas that decreased in size by up to 60 mm.


The marine iguanas that decreased in size by 20 mm survived more than double the length of time than those that did not change in size.

[2]

14. One farmer grows a crop called oilseed rape.


Honey bees feed on the oilseed rape, as shown in the food chain in Fig. 2.1.

The measurements below the food chain show the amount of biomass in each trophic level.



(i) A food chain is one way of showing the feeding relationships in this ecosystem. A pyramid of biomass is another way.

Complete the pyramid of biomass for this ecosystem.



(ii) Calculate the efficiency of biomass transfer from the oilseed rape to the honey bees.

Give your answer as a percentage.

Efficiency = _____ % [2]

15. Plant cells make their own antimicrobial substances.

Explain how antimicrobial substances help plants to survive and why this is essential for human survival.

 [3]

END OF QUESTION PAPER

© OCR 2019.

Question		n	Answer/Indicative content	Marks	Guidance
1	а	i	Amino acids 🗸	1	If more than one box is ticked, do not award the mark even if the correct box is also ticked
		ii	Add biuret solution ✔ Should turn from blue ✔ To purple if protein present ✔	3	ALLOW sodium / potassium hydroxide AND copper sulphate solutions
	b	i	There will be more collisions between enzymes and substrates so reactions will happen faster ✓	1	If more than one box is ticked, do not award the mark even if the correct box is also ticked
		ii	 Goes pale ✓ Hairs stand up ✓ 	2	MP1 ALLOW description of vasoconstriction
		iii	Homeostasis 🗸	1	
			Total	8	
2	а	i	Berries / plantain 🗸	1	
		ii	6 🗸	1	
		iii	Movement / flow of biomass (from one trophic level to another) ✔	1	IGNORE reference to flow of energy
	b		Pyramid with large bottom level, smaller middle and smallest top level ✓ Correctly labelled with berries at bottom, titmouse in middle and fox at the top ✓	2	
	с	i	Quadrat 🗸	1	DO NOT ALLOW 'quadrant'
		ii	Pitfall trap ✓	1	

Q	Question		Answer/Indicative content	Marks	Guidance
d			Any four from Butterfly population would decrease as another species eating them ✓ Dragonfly population would decrease as another species eating them ✓ Frogs would decrease as would have less to eat ✓ Ladybird population might increase as fewer being eaten as there are fewer dragonflies ✓ Berries might increase as fewer butterflies to eat them ✓ Greenflies and grasshoppers might increase as more berries to eat as fewer butterflies eating them ✓ Snake population might decrease as fewer frogs to eat ✓ This would mean fewer buzzards ✓ Buzzards increase as more berries ✓ Buzzards increase as more titmouse ✓ Snakes increase as more titmouse ✓ Plantain could increase as grasshoppers eats more berries ✓ Plantain might decrease as more grasshoppers ✓ Rabbits might increase if plantain increases ✓ Buzzards might increase if there are more rabbits ✓ Mouse could increase as the plantain increases ✓ Buzzards could increase if there are more rabbits ✓	4	ALLOW any other correct description linked to a correct explanation
			Total	11	
3	а		Never runs out; Idea qualified eg can't use it up like coal; External source of energy	1	ignore reusable accept always there Examiner's Comments Most candidates gained one mark for recognising the reasons why sunlight was regarded as a sustainable source of energy.

Question	Answer/Indicative content	Marks	Guidance
b	Goes open loop; Has an effect on food web / other organisms;	2	Examiner's Comments As in previous series candidates still have great difficulties with open / closed loop systems. Many candidates gained one mark for explaining one effect but failed to recognise that the system would become open loop once the changes had occurred.
с	Farmers – more meat;	2	
	Rest of world – less resources / O ₂ ;		Examples could include native people, indigenous groups with a loss of habitat / homes / resources Scientists, medicines / cures from plants Examiner's Comments This question reflected the range of abilities within the candidates, marks gained were split with similar numbers gaining zero, one or two marks. Many incorrect responses reflected some candidates' inability to correctly read the question. Many responses referred to animals being affected, when the question specifically required a response about the effect on groups of people.
	Total	6	

Q	uestio	n	Answer/Indicative content		Marks	Guidance
4	а		amino acids; enzymes		2	Examiner's Comments This question showed that most candidates were unclear about which nitrogen containing chemicals plants make, with cellulose and starch being among the more popular choices.
	b		used in respiration. converted into starch for storage.	? ?	2	Examiner's Comments Few candidates failed to score one mark, but many went for the options that glucose is taken up from the soil or that it is lost from the underside of leaves instead of giving both correct options.
			Total		4	

Question	Answer/Indicative content	Marks	Guidance
5	Level 3 (5–6 marks) Includes photosynthesis and two different pathways or processes for CO ₂ to enter the atmosphere. Correct technical terms. Quality of written communication does not impede communication of the science at this level. Level 2 (3–4 marks) Includes ideas of processes that add and remove CO ₂ from the atmosphere, possibly with labelled arrows on the diagram Less technical terms, ie more description. Incomplete with only some explanation. Quality of written communication partly impedes communication of the science at this level. Level 1 (1–2 marks) Describes either photosynthesis or a pathway for CO ₂ to enter the atmosphere. Quality of written communication impedes communication of the science at this level. Level 0 (0 marks) Insufficient or irrelevant science. Answer not worthy of credit.	6	This question is targeted at grades up to D General diagram and / or explanation Specific diagram
	Total	6	

Q	Question		Answer/Indicative content	Marks	Guidance
6	а	i	The tree will be in a better condition.	1	Examiner's Comments Tended to be well answered, with just one tick in the top box.
		ii	…a competitor. ✓ …a predator. ✓	2	Examiner's Comments Was also well answered, with most candidates choosing at least one of the two correct boxes for competitor and predator. It was pleasing to see that virtually all gave the correct number of ticks, the most common error being to offer only one tick.
	b		<i>any three from:</i> heat; waste; uneaten parts; movement; migration;	3	 ignore references to sunlight accept references to "dead animals" or "animals die" Examiner's Comments Was not well answered, and seemed to be another point where candidates missed the thrust of the question. There seemed to be a weak grasp of the idea of energy loss between trophic levels in the food web.
			Total	6	

Question	Answer/Indicative content	Marks	Guidance	
7 a	Level 3 (5–6 marks) Answer includes why he is correct AND why he is wrong AND correct explanation of closed loop system. Quality of written communication does not impede communication of the science at this level. Level 2 (3–4 marks) Answer includes why he is correct AND why he is wrong OR why correct AND an explanation OR why wrong AND an explanation Quality of written communication partly impedes communication of the science at this level. Level 1 (1–2 marks) Answer includes why he is correct, OR why he is wrong OR gives an explanation(s). Quality of written communication impedes communication of the science at this level. Level 0 (0 marks) Answer includes some points from basic description. Insufficient or irrelevant science. Answer not worthy of credit.	6	 This question is targeted up to grade C relevant scientific points concerning explanation of closed loop may include: no waste (from the system) / Waste recycled output from one part forms input for another part reasons he may be correct may include: Inside a dome So nothing can enter or leave Stated examples of waste & output process eg CO₂ from respiration Stated examples of input & process eg CO₂ for photosynthesis reasons he may be wrong may include: People enter and leave dome Air will enter / leave when door is open Other examples of how things could enter or leave eg Watering, fertiliser, replanting Use the L1, L2, L3 annotations in Scoris; do not use ticks. Examiner's Comments As in previous years closed loop systems appeared to cause problems for the majority of candidates at this level. Only 25% of candidates achieved more than a level 1 mark. 	
b	Any 2 from Idea that this would be introducing something to the closed loop Idea that in closed loop predator / prey reach a balance Idea that predator / prey are food for other organisms	2	Examiner's Comments This problem was continued in this part and is clearly an area of the specification that is poorly understood by the majority of the candidates.	
	Total	8		

Qı	Question		Answer/Indicative content	Marks	Guidance
8	а		<i>Any two from</i> Humans look after young / good survival rate Cod abandon young / low survival rate Humans internal fertilisation, cod external	2	 Accept (cod) do not look after eggs / young owtte Examiner's Comments Many candidates found it difficult to make suitable suggestions for the very large differences in the number of eggs produced by humans and fish.
	b		Food / energy recycled	1	Accept used for energy Do not accept reused
	с		<i>Any one from …</i> Water (Fish for) food	1	Accept CO ₂ sink
			Total	4	
9		i	Algae give carbon dioxide to the coral Image: Coral gives carbon dioxide to the coral Image: Coral gives glucose to the coral Image: Coral gives carbon dioxide to the algae Coral gives carbon dioxide to the algae Image: Coral gives glucose to the algae Image: Coral gives oxygen to the algae Coral gives oxygen to the algae Image: Coral gives oxygen to the algae Image: Coral gives oxygen to the algae	3	remove one mark for each additional incorrect answer Examiner's Comments In this question aspects of the role of symbiotic algae in coral were explored. In this part, the benefits to both organisms were required. Although most candidates scored, few gained all three marks available.
		Ħ	cellulose (1) starch (1)	2	Examiner's Comments Most candidates were able to give at least one substance which the algae can make from glucose produced in photosynthesis. Starch was better known than cellulose, and calcium was a common incorrect answer.
			Total	5	

Qı	uestio	n	Answer/Indicative content	Marks	Guidance
10	а		from top of diagram: B C A	2	two / three correct = 2 marks one correct = 1 mark Examiner's Comments Candidates did not appear to have a good working knowledge of the carbon cycle and as a result this question was often one that candidates struggled with. A range of answers were observed for this question, with many candidates correctly identifying all three processes.
	b		any two from animals are eating the plant / feeding (1) digestion (1) carbon used in body to build new chemicals (1)	2	do not allow the movement / transfer of carbon Examiner's Comments Candidates did not appear to have a good working knowledge of the carbon cycle and as a result this question was often one that candidates struggled with. A surprising number of candidates could not identify that the animals were eating the plants and those that did identify this often failed to develop the answer further.
	С		<i>any two from</i> decay / decomposition / breakdown (1) of waste material or dead matter (1) recycling (1) microorganisms respire (1)	2	Examiner's Comments Candidates did not appear to have a good working knowledge of the carbon cycle and as a result this question was often one that candidates struggled with. Candidates also found this question difficult. Very few candidates understood the role of microorganisms. Those that did, however, often went on to score two marks for this question.
			Total	6	

© OCR 2019.

Qı	lestion	Answer/Indicative content factor = carbon (dioxide) level (increases) (1) outcome = rate of photosynthesis increases (1) (carbon dioxide levels are increasing) because combustion / burning fuels / waste from human system (so not closed loop)	may be on same line but must be clear which is the factor and which is the outcome Examiner's Comments This question indicated that many candidates were unsure about what a 'factor' and an 'outcome' were. Many candidates confused the two or failed to say that photosynthesis rate increased. 1 Examiner's Comments This question indicated that many candidates were unsure about what a 'factor' and an 'outcome' were. Many candidates confused the two or failed to say that photosynthesis rate increased. 1 Examiner's Comments This area of the specification caused a number of problems. Many candidates appeared to be unaware of 'closed loop	Guidance
11	i			 which is the factor and which is the outcome Examiner's Comments This question indicated that many candidates were unsure about what a 'factor' and an 'outcome' were. Many candidates confused the two or failed to say that photosynthesis rate increased. Examiner's Comments This area of the specification caused a number of problems. Many candidates appeared to be unaware of 'closed loop
	iii	plants release oxygen and animals release carbon dioxide. deforestation reduces the amount of photosynthesis. photosynthesis stops during winter months. animals cannot photosynthesise. the amount of carbon dioxide in the air is much larger than the amount used in photosynthesis.	2	 systems' or failed to explain why carbon dioxide levels were rising. three ticks = 1 mark max. four or more ticks = 0 marks Examiner's Comments Most candidates scored at least one of the two marks available here. However it was disappointing to see candidates fail to follow the instructions to place two ticks in the boxes.
		Total	5	

Q	uestior	า	Answer/Indicative content	Marks	Guidance
12		i	Benedict's solution tests for presence of (reducing) sugar ✓	2 (AO 2.2)	ALLOW marks anywhere on the answer lines
					ALLOW phonetic spellings of biuret
			use biuret solution to test for protein \checkmark	(AO 1.2)	ALLOW description of biuret chemicals ie sodium hydroxide and (dilute) copper (II) sulfate
					Examiner's Comments
					Candidates found this AO1/AO2 question challenging and most did not score any marks. It appeared that they had either not carried out practical work, or not recognised the importance of revising practical techniques. Candidates who recognised a different test was needed for protein often picked the wrong one. Many were looking for an improvement to the method that was used rather than realising that it was using the wrong test. Centres are advised that it is compulsory that candidates complete at least eight practical activities as set out in Chapter 8 of the specification.
		ii	Light blue to lilac/purple \checkmark	1 (AO 1.2)	Examiner's Comments
					A third of candidates were able to give the correct response with other incorrect responses given with a similar frequency. This question assessed objective AO1.
			Total	3	

Qı	Question		Answer/Indicative content	Marks	Guidance
13		i	number of iguanas decrease \checkmark	2 (AO 2.1 × 2)	
			due to a shortage of food \checkmark		ALLOW they will starve
					DO NOT ALLOW (they will have) no food
					Examiner's Comments
					Three quarters of candidates scored at least one mark here and examination technique was the most common reason for lost marks. For example, rather than writing that if the algae decreased the iguana population would decrease because of less food, some candidates used absolutes such as "no food" and "the iguanas would become extinct". Other candidates misunderstood the food web and thought that the algae ate the iguanas, and a significant number of candidates wasted time writing about the effect on all of the other species and not the one that they were asked about. This question assessed objective AO2.
		ii	FIRST CHECK THE ANSWER ON ANSWER LINE	2 (AO 2.2 × 2)	
			if answer = 1.5 (m) award 2 marks		
			iguana drawing measures 10 cm		
			10 × 15 = 150 ✓ 150 cm ÷ 100 = 1.5 (m) ✓		ALLOW working mark if measured incorrectly derived from length (cm) ÷ 100
					Examiner's Comments
					This question was assessing mathematical skill M1c. Almost all candidates were able accurately measure the length of the iguana in cm. 10% of candidates were able to work out the length of the animal in cm but not convert this to m, and around half of candidates could complete the second part of the calculation and convert cm into m. Those who did not score any marks were unable to use the scale bar.

Qı	Question		Answer/Indicative content	Marks	Guidance
	ii	iii	(1.5 ÷ 100) x 80 = 1.2 (m) ✓	1 (AO 2.2)	ALLOW ECF from (c) (ii) Examiner's Comments As with 8 (c) (ii) this question assessed mathematical skill M1c and half of candidates were able to calculate the length after 20% reduction. A common error was to calculate 20% of the length of the iguana and not subtract this from the original length.
	i	iv	The marine iguanas that decreased in size the most on average lived for a greater length of time ✓ The marine iguanas that did not decrease in size survived for approximately 2 years less than the marine iguanas that decreased in size by up to 60 mm ✓	5 (AO 5 × 2.2)	Examiner's Comments Candidates scored well on this question with almost all obtaining at least one mark on this AO3 and mathematical skills question, and half scoring two marks.
			Total	7	
14		.	her an environt level (encound transition level)		
	i		bar on correct level (second trophic level) AND longer than spiders bar AND ≤3cm long ✓ bar labelled 'honey bees' on left AND '2000' on right ✓	2 (AO 2.1 × 2)	birds 40 spiders 561 honey bees 2000 oil seed rape 7047 Examiner's Comments Many candidates scored a mark for correctly labelling the left and right sides of the diagram. Far fewer candidates were able to draw a bar of appropriate length to complete the pyramid of biomass, and many did not attempt to draw a bar at all.
	i	i	AND longer than spiders bar AND ≤3cm long ✓ bar labelled 'honey bees' on left AND		spiders 561 honey bees 2000 oil seed rape 7047 Examiner's Comments 7047 Many candidates scored a mark for correctly labelling the left and right sides of the diagram. Far fewer candidates were able to draw a bar of appropriate length to complete the pyramid of biomass, and

Qı	Question		Answer/Indicative content	Marks	Guidance
15			antimicrobial substances kill / protect plants from (death/damage caused by) pathogens/disease(s) \checkmark Plus any two from: we depend on plants for food \checkmark	3 (AO 1.1 × 3)	DO NOT ALLOW idea of plants being "immune" to diseases/pathogens
			 (photosynthesising) plants add oxygen to the air / remove carbon dioxide from the air / provide breathable air ✓ plants are an essential part of the carbon cycle ✓ all organisms (in an ecosystem) are interdependent ✓ 		Examiner's Comments Higher ability candidates were able to answer this synoptic question well, by linking understanding of plant defences against disease (B2.2.6) to ideas about the interdependence of organisms (B3.3.5) and why humans depend on plants (B3.1.1, B3.3.2 and B3.3.9).
				2	
			Total	3	