

- M1.** (a) Water or H₂O or molecules (in ice) are held further apart
(than in liquid water)/(more) space/gaps/holes in structure/Water
or H₂O or molecules (in ice) are more spread out
- Allow water (liquid) is more compact/less space/gaps/holes*
CE if holes filled with air, O₂ etc
CE if macromolecule
CE if atoms further apart (since ambiguous)
Ignore spaces filled with H₂O
Ignore reference to H bonds
Allow better tessellation in liquid water
- 1
- (b) (i) Hydrogen bonding
- Allow H bonds*
Do not allow 'hydrogen' only but mark on
- 1
- (ii) Van der Waals'/VdW
- Allow London forces, dispersion forces, temporary induced dipole forces*
- 1
- (iii) Hydrogen bonding is stronger (than van der Waals forces)/IMF in ice stronger (than IMF in methane)/H bonds take more energy to break
- Not H Bonds are strong (needs comparison)*
If (b)(i) OR (ii) is incorrect, cannot award (b)(iii)
If (b)(i) and/or (ii) is blank, can score (b)(iii)
- 1
- (c) (i) Structure showing 3 bonds to H and 1 lone pair
- 1
- (trigonal) pyramid(al)/(distorted) tetrahedral
- do not insist on the + sign*
Allow triangular pyramid
Not square pyramid
Ignore bond angles in structure
M2 independent of M1

1

(ii) 107°

Allow range 106 – 108°

Ignore °(C)

1

(iii) NH₃/ammonia

Contradictions (eg NH₄ ammonia) CE = 0

1

(d) 3

Allow three/III/3 lone pairs/3lp/3 lone pairs of electrons

1

[9]

M2.

(a) (i) shared pair of electrons

Can have one electron from each atom contributes to the bond

Not both electrons from one atom

1


(ii) $\frac{1}{2} \text{Cl}_2 + \frac{3}{2} \text{F}_2 \rightarrow \text{ClF}_3$

1


Only

Ignore state symbols even if wrong

(b)



1



OR


Allow any structure with 4 bp

In $CClF_2$, watch for Cl in centre- it must be C

Ignore wrong bond angles

Representations of lone pairs allowed are the two examples shown with or without the electrons in the lobe.

Also they can show the lone pair for either structure by two crosses/dots or a line with two crosses/dots on it e.g.



Or a structure with 3 bp and 2 lp

1

(c) Dipole – dipole

Allow van der Waals/vdw/London/dispersion/temporary dipole – induced dipole

Not dipole alone

1

(d) (i) Coordinate/dative (covalent)

If wrong CE = 0/3 but if 'covalent' or left top line blank, mark on.

1

(Lone) pair of electrons/both electrons (on F⁻)

CE if lone pair is from B

1

Donated from F⁻/fluoride or donated to the BF₃

Must have the – sign on the F ie F⁻

Ignore F⁺

M3 dependent on M2

1

(ii) 109° to 109.5°

1

(e)
$$\frac{238 \times 100}{438}$$

*For 1 mark allow 238 as numerator and 438 as denominator
or correct strings*

1

= 54.3%

*2 marks if correct answer to 3 sig figs.
54% or greater than 3 sig figs = 1 mark*

1

[11]

M3. (a) (i) Covalent;

If not covalent CE = 0.

If blank, mark on.

1

Shared pair of electrons (one from each atom);

Not shared electrons.

1

(ii) Hydrogen bonds / H bonds;

Not just hydrogen.

1

Van der Waals/London/dispersion forces/temporary
induced dipole;

1

- (b) Showing all the lone pairs on both molecules;
Allow showing both lone pairs on the O involved in the H-bond. 1
- Showing the partial charges on O and H on both molecules;
Allow showing both partial charges on the O and H of the other molecule involved in the H bond. 1
- Showing the Hydrogen bond from the lone pair on O of one molecule to the delta + on the H of the other molecule; 1
- (c) (i) $C_2H_6OH + 3O_2 \rightarrow 2CO_2 + 3H_2O$;
Accept multiples.
Allow C_2H_6O . 1
- (ii) CO is (produced which is) toxic/ poisonous/C (may be produced) which is toxic/ C is a respiratory irritant/ C (particles) exacerbate asthma/C causes global dimming/ smog;
Must relate to C or CO.
Any mention of SO_2 , NO_2 or other pollutants CE = 0. 1
- (iii) More fuel needed (which costs more)/Wastes fuel/ less fuel burnt (so need more to buy more)/engine gets sooty so need to pay for engine to be cleaned/Have to fit catalytic converter;
Not just costs more.
Not engine gets sooty unless qualified. 1
- (d) (i) (React) with CaO/ calcium oxide/quicklime/lime;
Accept $CaCO_3$ / calcium carbonate/limestone.
Not chalk. 1
- All the sulfur dioxide may not react with the CaO or $CaCO_3$ / may not have time to react/ incomplete reaction;
Accept incomplete reaction. 1

- (ii) Occupies a (much) smaller volume;
Not easier to store or transport.

1

[13]

- M4.** (a) Hydrogen/H bonds
Not just hydrogen


1

van der Waals/vdw/dipole-dipole/London/temporarily induced
dipole/dispersion forces

Not just dipole

1

(b)



*M1 for partial charges as indicated in diagram (correct
minimum)*

M2 for all four lone pairs

*M3 for H bond from the lp to the H ($\delta+$) on the other
molecule*

Lone pair on hydrogen CE = 0

OHO CE = 0

If only one molecule of water shown

CE = 0

3

- (c) Hydrogen bonds/IMF (in water) stronger

OR

IMF/VDW/dipole-dipole forces (in H_2S) are weaker

OR

H bonding is the strongest IMF

Ignore energy references

Comparison must be stated or implied

1

- (d) Atoms/molecules get larger/more shells/more electrons/more surface area

Not heavier/greater Mr

1

therefore increased Van der Waals/IMF forces

Ignore references to dipole-dipole forces

1

- (e) Dative (covalent)/coordinate

If not dative/coordinate CE = 0/2

If covalent or blank read on

1

(Lone) pair/both electrons/two electrons on O(H₂) donated (to H⁺)

OR pair/both electrons come from O(H₂)

Explanation of a coordinate bond specific to oxygen or water required

Not just H⁺ attracted to lone pair since that is nearer to a H bond

1

- (f) ionic

1

if not ionic CE = 0

oppositely charged ions/+ and – ions or particles

atoms or molecules loses M2 and M3

1

ions attract strongly OR strong/many (ionic) bonds must be broken

S⁻ loses M2

Reference to IMF loses M2 and M3

1

[13]