

General Certificate of Education  
June 2007  
Advanced Subsidiary Examination



**MATHEMATICS**  
**Unit Pure Core 1**

**MPC1**

Monday 21 May 2007 9.00 am to 10.30 am

**For this paper you must have:**

- an 8-page answer book
- the **blue** AQA booklet of formulae and statistical tables.

You must **not** use a calculator.



Time allowed: 1 hour 30 minutes

**Instructions**

- Use blue or black ink or ball-point pen. Pencil should only be used for drawing.
- Write the information required on the front of your answer book. The *Examining Body* for this paper is AQA. The *Paper Reference* is MPC1.
- Answer **all** questions.
- Show all necessary working; otherwise marks for method may be lost.
- The use of calculators (scientific and graphics) is **not** permitted.

**Information**

- The maximum mark for this paper is 75.
- The marks for questions are shown in brackets.

**Advice**

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.

---

Answer **all** questions.

---

- 1 The points  $A$  and  $B$  have coordinates  $(6, -1)$  and  $(2, 5)$  respectively.
- (a) (i) Show that the gradient of  $AB$  is  $-\frac{3}{2}$ . (2 marks)
- (ii) Hence find an equation of the line  $AB$ , giving your answer in the form  $ax + by = c$ , where  $a$ ,  $b$  and  $c$  are integers. (2 marks)
- (b) (i) Find an equation of the line which passes through  $B$  and which is perpendicular to the line  $AB$ . (2 marks)
- (ii) The point  $C$  has coordinates  $(k, 7)$  and angle  $ABC$  is a right angle.  
Find the value of the constant  $k$ . (2 marks)
- 2 (a) Express  $\frac{\sqrt{63}}{3} + \frac{14}{\sqrt{7}}$  in the form  $n\sqrt{7}$ , where  $n$  is an integer. (3 marks)
- (b) Express  $\frac{\sqrt{7} + 1}{\sqrt{7} - 2}$  in the form  $p\sqrt{7} + q$ , where  $p$  and  $q$  are integers. (4 marks)
- 3 (a) (i) Express  $x^2 + 10x + 19$  in the form  $(x + p)^2 + q$ , where  $p$  and  $q$  are integers. (2 marks)
- (ii) Write down the coordinates of the vertex (minimum point) of the curve with equation  $y = x^2 + 10x + 19$ . (2 marks)
- (iii) Write down the equation of the line of symmetry of the curve  $y = x^2 + 10x + 19$ . (1 mark)
- (iv) Describe geometrically the transformation that maps the graph of  $y = x^2$  onto the graph of  $y = x^2 + 10x + 19$ . (3 marks)
- (b) Determine the coordinates of the points of intersection of the line  $y = x + 11$  and the curve  $y = x^2 + 10x + 19$ . (4 marks)

- 4 A model helicopter takes off from a point  $O$  at time  $t = 0$  and moves vertically so that its height,  $y$  cm, above  $O$  after time  $t$  seconds is given by

$$y = \frac{1}{4}t^4 - 26t^2 + 96t, \quad 0 \leq t \leq 4$$

- (a) Find:

(i)  $\frac{dy}{dt}$ ; (3 marks)

(ii)  $\frac{d^2y}{dt^2}$ . (2 marks)

- (b) Verify that  $y$  has a stationary value when  $t = 2$  and determine whether this stationary value is a maximum value or a minimum value. (4 marks)
- (c) Find the rate of change of  $y$  with respect to  $t$  when  $t = 1$ . (2 marks)
- (d) Determine whether the height of the helicopter above  $O$  is increasing or decreasing at the instant when  $t = 3$ . (2 marks)

- 5 A circle with centre  $C$  has equation  $(x + 3)^2 + (y - 2)^2 = 25$ .

- (a) Write down:

(i) the coordinates of  $C$ ; (2 marks)

(ii) the radius of the circle. (1 mark)

- (b) (i) Verify that the point  $N(0, -2)$  lies on the circle. (1 mark)

(ii) Sketch the circle. (2 marks)

(iii) Find an equation of the normal to the circle at the point  $N$ . (3 marks)

- (c) The point  $P$  has coordinates  $(2, 6)$ .


(i) Find the distance  $PC$ , leaving your answer in surd form. (2 marks)

(ii) Find the length of a tangent drawn from  $P$  to the circle. (3 marks)

**Turn over for the next question**

**Turn over ►**

- 6 (a) The polynomial  $f(x)$  is given by  $f(x) = x^3 + 4x - 5$ .
- (i) Use the Factor Theorem to show that  $x - 1$  is a factor of  $f(x)$ . (2 marks)
- (ii) Express  $f(x)$  in the form  $(x - 1)(x^2 + px + q)$ , where  $p$  and  $q$  are integers. (2 marks)
- (iii) Hence show that the equation  $f(x) = 0$  has exactly one real root and state its value. (3 marks)
- (b) The curve with equation  $y = x^3 + 4x - 5$  is sketched below.



The curve cuts the  $x$ -axis at the point  $A(1, 0)$  and the point  $B(2, 11)$  lies on the curve.

- (i) Find  $\int (x^3 + 4x - 5) dx$ . (3 marks)
- (ii) Hence find the area of the shaded region bounded by the curve and the line  $AB$ . (4 marks)

- 7 The quadratic equation

$$(2k - 3)x^2 + 2x + (k - 1) = 0$$

where  $k$  is a constant, has real roots.

- (a) Show that  $2k^2 - 5k + 2 \leq 0$ . (3 marks)
- (b) (i) Factorise  $2k^2 - 5k + 2$ . (1 mark)
- (ii) Hence, or otherwise, solve the quadratic inequality

$$2k^2 - 5k + 2 \leq 0 \quad (3 \text{ marks})$$

**END OF QUESTIONS**