

General Certificate of Education Advanced Subsidiary Examination January 2013

Mathematics

MPC2

Unit Pure Core 2

Monday 14 January 2013 9.00 am to 10.30 am

For this paper you must have:

• the blue AQA booklet of formulae and statistical tables. You may use a graphics calculator.

Time allowed

• 1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer each question in the space provided for that question. If you require extra space, use an AQA supplementary answer book; do **not** use the space provided for a different question.
- Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

1

The diagram shows a sector OAB of a circle with centre O and radius r cm.



The angle AOB is 1.25 radians. The perimeter of the sector is 39 cm.

(a)	Show that $r = 12$.	(3 marks)
(b)	Calculate the area of the sector OAB.	(2 marks)

2 (a) Use the trapezium rule with five ordinates (four strips) to find an approximate value for

$$\int_1^5 \frac{1}{x^2 + 1} \,\mathrm{d}x$$

giving your answer to three significant figures.

(4 marks)

(b) (i) Find $\int \left(x^{-\frac{3}{2}} + 6x^{\frac{1}{2}}\right) dx$, giving the coefficient of each term in its simplest form. (3 marks)

(ii) Hence find the value of
$$\int_{1}^{4} \left(x^{-\frac{3}{2}} + 6x^{\frac{1}{2}}\right) dx$$
. (2 marks)



P56733/Jan13/MPC2

3 The diagram shows a triangle *ABC*.



The lengths of AC and BC are 5 cm and 6 cm respectively.

The area of triangle ABC is 12.5 cm^2 , and angle ACB is obtuse.

- (a) Find the size of angle ACB, giving your answer to the nearest 0.1° . (3 marks)
- (b) Find the length of AB, giving your answer to two significant figures. (3 marks)

4 Given that

$$\log_a N - \log_a x = \frac{3}{2}$$

express x in terms of a and N, giving your answer in a form not involving logarithms. (3 marks)

5 The point P(2, 8) lies on a curve, and the point M is the only stationary point of the curve.

The curve has equation $y = 6 + 2x - \frac{8}{x^2}$.

(a) Find
$$\frac{dy}{dx}$$
. (3 marks)

(b) Show that the normal to the curve at the point P(2, 8) has equation x + 4y = 34. (3 marks)

- (c) (i) Show that the stationary point *M* lies on the *x*-axis. (3 marks)
 - (ii) Hence write down the equation of the tangent to the curve at M. (1 mark)
- (d) The tangent to the curve at M and the normal to the curve at P intersect at the point T. Find the coordinates of T. (2 marks)





6 (a) A geometric series begins 420 + 294 + 205.8 +
(i) Show that the common ratio of the series is 0.7. (1 mark)
(ii) Find the sum to infinity of the series. (2 marks)

- (iii) Write the *n*th term of the series in the form $p \times q^n$, where p and q are constants. (2 marks)
- (b) The first term of an arithmetic series is 240 and the common difference of the series is -8.

The *n*th term of the series is u_n .

- (i) Write down an expression for u_n . (1 mark)
- (ii) Given that $u_k = 0$, find the value of $\sum_{n=1}^{k} u_n$. (4 marks)
- 7 (a) Describe a geometrical transformation that maps the graph of $y = 4^x$ onto the graph of $y = 3 \times 4^x$. (2 marks)
 - (b) Sketch the curve with equation $y = 3 \times 4^x$, indicating the value of the intercept on the y-axis. (2 marks)
 - (c) The curve with equation $y = 4^{-x}$ intersects the curve $y = 3 \times 4^x$ at the point *P*. Use logarithms to find the *x*-coordinate of *P*, giving your answer to three significant figures. (5 marks)

8 (a) Expand
$$\left(1+\frac{4}{x}\right)^2$$
. (1 mark)

(b) The first four terms of the binomial expansion of $\left(1+\frac{x}{4}\right)^8$ in ascending powers of x are $1 + ax + bx^2 + cx^3$. Find the values of the constants a, b and c. (4 marks)

(c) Hence find the coefficient of x in the expansion of
$$\left(1+\frac{4}{x}\right)^2 \left(1+\frac{x}{4}\right)^8$$
. (4 marks)



- 9 (a) Write down the two solutions of the equation $\tan(x + 30^\circ) = \tan 79^\circ$ in the interval $0^\circ \le x \le 360^\circ$. (2 marks)
 - (b) Describe a single geometrical transformation that maps the graph of $y = \tan x$ onto the graph of $y = \tan(x + 30^\circ)$. (2 marks)
 - (c) (i) Given that $5 + \sin^2 \theta = (5 + 3\cos\theta)\cos\theta$, show that $\cos\theta = \frac{3}{4}$. (5 marks)
 - (ii) Hence solve the equation $5 + \sin^2 2x = (5 + 3\cos 2x)\cos 2x$ in the interval $0 < x < 2\pi$, giving your values of x in radians to three significant figures. (3 marks)

