

Write your name here

Surname

Other names

**Pearson Edexcel**  
**International**  
**Advanced Level**

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

# Further Pure Mathematics F3

## Advanced/Advanced Subsidiary

Monday 25 June 2018 – Morning  
**Time: 1 hour 30 minutes**

Paper Reference

**WFM03/01**

**You must have:**

Mathematical Formulae and Statistical Tables (Blue)

Total Marks

--

**Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.**

### Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

### Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

### Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P51515A

©2018 Pearson Education Ltd.

1/1/1/1/1/1/



Pearson



Question 1 continued

Lined writing area for the question response.

(Total 6 marks)

Q1

Small box for marking the question.

DO NOT WRITE IN THIS AREA



P 5 1 5 1 5 A 0 3 3 2









3. Given that

$$y = \arctan\left(\frac{\sin x}{\cos x - 1}\right) \quad x \neq 2n\pi, \quad n \in \mathbb{Z}$$

Show that

$$\frac{dy}{dx} = k$$

where  $k$  is a constant to be found.

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA









Leave  
blank

**Question 3 continued**

Lined writing area with multiple horizontal lines for text entry.

**Q3**

**(Total 6 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 5 1 5 1 5 A 0 1 1 3 2

4. The hyperbola  $H$  has equation

$$\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$$

The line  $l$  is a normal to  $H$  at the point  $P(a \sec \theta, b \tan \theta)$ ,  $0 < \theta < \frac{\pi}{2}$

- (a) Using calculus, show that an equation for  $l$  is

$$ax \sin \theta + by = (a^2 + b^2) \tan \theta \quad (5)$$

The line  $l$  meets the  $x$ -axis at the point  $Q$ , and the point  $M$  is the midpoint of  $PQ$ .

- (b) Find the coordinates of  $M$ . (3)

- (c) Hence find the cartesian equation of the locus of  $M$  as  $\theta$  varies, giving your answer in the form  $y^2 = f(x)$ . (4)







Leave blank

**Question 4 continued**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**Q4**

**(Total 12 marks)**



P 5 1 5 1 5 A 0 1 5 3 2

5.

$$\mathbf{M} = \begin{pmatrix} 4 & -5 & 0 \\ k & 2 & 0 \\ -3 & -5 & k \end{pmatrix}, \text{ where } k \text{ is a real constant, } k \neq 0, k \neq -\frac{8}{5}$$

(a) Find, in terms of  $k$ , the inverse of the matrix  $\mathbf{M}$ .

(5)

A transformation  $T: \mathbb{R}^3 \rightarrow \mathbb{R}^3$  is represented by the matrix

$$\begin{pmatrix} 4 & -5 & 0 \\ -1 & 2 & 0 \\ -3 & -5 & -1 \end{pmatrix}$$

The transformation  $T$  maps the plane  $\Pi_1$  onto the plane  $\Pi_2$

Given that the plane  $\Pi_2$  has equation  $2x - z = 4$

(b) find a cartesian equation of the plane  $\Pi_1$

(6)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---





**Question 5 continued**

Handwriting practice area consisting of 26 horizontal lines.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





**Question 5 continued**

Lined writing area for the answer to Question 5.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**Q5**

--	--

**(Total 11 marks)**



P 5 1 5 1 5 A 0 1 9 3 2

6. The curve  $C$  has parametric equations

$$x = \theta - \tanh \theta, \quad y = \operatorname{sech} \theta, \quad 0 \leq \theta \leq \ln 3$$

- (a) Find

(i)  $\frac{dx}{d\theta}$

(ii)  $\frac{dy}{d\theta}$

(2)

The curve  $C$  is rotated through  $2\pi$  radians about the  $x$ -axis.

- (b) Find the exact area of the curved surface formed, giving your answer as a multiple of  $\pi$ .

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA









7. The plane  $\Pi_1$  has equation  $x + y + z = 3$  and the plane  $\Pi_2$  has equation  $2x + 3y - z = 4$

The planes  $\Pi_1$  and  $\Pi_2$  intersect in the line  $L$ .

- (a) Find a cartesian equation for the line  $L$ . (6)

The plane  $\Pi_3$  has equation

$$\mathbf{r} \cdot \begin{pmatrix} 5 \\ -4 \\ 4 \end{pmatrix} = 12$$

The line  $L$  meets the plane  $\Pi_3$  at the point  $A$ .

- (b) Find the coordinates of  $A$ . (3)
- (c) Find the acute angle between  $\vec{OA}$  and the line  $L$ , where  $O$  is the origin. (3)  
Give your answer in degrees to one decimal place.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





Question 7 continued

Area with horizontal lines for writing.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





Leave  
blank

**Question 7 continued**

Lined writing area for the response to Question 7.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Q7

Marks box for Q7

**(Total 12 marks)**



8.

$$I_n = \int \frac{x^n}{\sqrt{(x^2 + k^2)}} dx \quad \text{where } k \text{ is a constant and } n \in \mathbb{Z}^+$$

(a) Show that, for  $n \geq 2$

$$I_n = \frac{x^{n-1}}{n} (x^2 + k^2)^{\frac{1}{2}} - \frac{(n-1)}{n} k^2 I_{n-2} \tag{7}$$

(b) Hence find the exact value of

$$\int_0^1 \frac{x^5}{\sqrt{(x^2 + 1)}} dx \tag{5}$$

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA









