

OCR

Oxford Cambridge and RSA

Accredited

AS Level Further Mathematics B (MEI)

Y412 Statistics a

Sample Question Paper

Date – Morning/Afternoon

Time allowed: 1 hour 15 minutes

OCR supplied materials:

- Printed Answer Booklet
- Formulae Further Mathematics B (MEI)

You must have:

- Printed Answer Booklet
- Formulae Further Mathematics B (MEI)
- Scientific or graphical calculator

**INSTRUCTIONS**

- Use black ink. HB pencil may be used for graphs and diagrams only.
- Complete the boxes provided on the Printed Answer Booklet with your name, centre number and candidate number.
- Answer **all** the questions.
- **Write your answer to each question in the space provided in the Printed Answer Booklet.**
- Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.
- You are permitted to use a scientific or graphical calculator in this paper.
- Final answers should be given to a degree of accuracy appropriate to the context.

INFORMATION

- The total number of marks for this paper is **60**.
- The marks for each question are shown in brackets [].
- You are advised that an answer may receive **no marks** unless you show sufficient detail of the working to indicate that a correct method is used. You should communicate your method with correct reasoning.
- The Printed Answer Booklet consists of **12** pages. The Question Paper consists of **8** pages.

2

Answer **all** the questions

- 1 The number of failures of a machine each week at a factory is modelled by a Poisson distribution with mean 0.45.
- (i) Write down the variance of the distribution. [1]
- (ii) Find the probability that there are exactly 2 failures in a week. [1]
- (iii) State a distribution which can be used to model the number of failures in a period of 4 weeks. [2]
- (iv) Find the probability that there are at least 2 failures in a period of 4 weeks. [2]
- 2 The discrete random variable Y is uniformly distributed over the values $\{12, 13, \dots, 20\}$.
- (i) Write down $P(Y < 15)$. [1]
- (ii) Two independent observations of Y are taken. Find the probability that one of these values is less than 15 and the other is greater than 15. [3]
- (iii) Find $P(Y > E(Y))$. [2]

3 **In this question you must show detailed reasoning.**

A student is investigating what people think about organic food. She wishes to see if there is any difference between the opinions of females and males. She takes a random sample of 100 people and asks each of them if they think that organic food is better for their health than non-organic food. She will use the data to conduct a hypothesis test. The table below shows the opinions of these 100 people.

		Sex	
		Female	Male
Opinion on organic food	Organic better	35	18
	Not better	22	25

- (i) Explain why the student should use a random sample. [2]
- (ii) Carry out a test at the 5% significance level to examine whether there is any association between a person's sex and their opinion on organic food. Show your calculations. [8]

3

- 4 The discrete random variable X has probability distribution defined by

$$P(X = r) = k(2r - 1) \quad \text{for } r = 1, 2, 3, 4, 5, 6, \text{ where } k \text{ is a constant.}$$

- (i) Complete the table in the Printed Answer Booklet giving the probabilities in terms of k .

r	1	2	3	4	5	6
$P(X = r)$						

[1]

- (ii) Show that the value of k is $\frac{1}{36}$.

[2]

- (iii) Draw a graph to illustrate the distribution.

[2]

- (iv) **In this question you must show detailed reasoning.**

Find

- $E(X)$
- $\text{Var}(X)$.

[5]

A game consists of a player throwing two fair dice. The score is the maximum of the two values showing on the dice.

- (v) Show that the probability of a score of 3 is $\frac{5}{36}$.

[2]

- (vi) Show that the probability distribution for the score in the game is the same as the probability distribution of the random variable X .

[3]

- (vii) The game is played three times.

Find

- the mean of the total of the three scores.
- the variance of the total of the three scores.

[3]

4

- 5 In a recent report, it was stated that 40% of working people have a degree. For the whole of this question, you should assume that this is true.

A researcher wishes to interview a working person who has a degree. He asks working people at random whether they have a degree and counts the number of people he has to ask until he finds one with a degree.

- (i) Find the probability that he has to ask 5 people. [2]
- (ii) Find the mean number of people the researcher has to ask. [1]

Subsequently, the researcher decides to take a random sample from the population of working people.

- (iii) A random sample of 5 working people is chosen. What is the probability that at least one of them has a degree? [2]
- (iv) How large a random sample of working people would the researcher need to take to ensure that the probability that at least one person has a degree is 0.99 or more? [3]

- 6 A motorist decides to check the fuel consumption, y miles per gallon, of her car at particular speeds, x mph, on flat roads. She carries out the check on a suitable stretch of motorway. Fig.6 shows her results.




Fig.6

- (i) Explain why it would not be appropriate to carry out a hypothesis test for correlation based on the product moment correlation coefficient. [2]
- (ii) (A) One of the results is an outlier. Circle the outlier on the copy of Fig. 6 in the Printed Answer Booklet. [1]
- (B) Suggest one possible reason for the outlier in part (ii) (A) not being used in any analysis. [1]

5

The motorist decides to remove this item of data from any analysis. The table below shows part of a spreadsheet that was used to analyse the 14 remaining data items (with the outlier removed). Some rows of the spreadsheet have been deliberately omitted.

Data item	x	y	x^2	y^2	xy
1	50	53.6	2500	2872.96	2680
2	50	53.3	2500	2840.89	2665
13	70	44.8	4900	2007.04	3136
14	70	44.2	4900	1953.64	3094
Sum	840	686	51150	33779.7	40812

- (iii) Calculate the equation of the regression line of y on x . [4]
- (iv) Use the equation of the regression line to predict the fuel consumption of the car at
- (A) 58 mph,
- (B) 30 mph. [2]
- (v) Comment on the reliability of your predictions in part (iv). [2]

END OF QUESTION PAPER

SPECIMEN

SPECIMEN

SPECIMEN

Copyright Information:

OCR is committed to seeking permission to reproduce all third-party content that it uses in the assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.