



Pearson

Mark Scheme (Results)

January 2017

International GCSE Mathematics A
4MA0/1FR

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2017

Publications Code 4MA0_1FR_1701_MS

All the material in this publication is copyright

© Pearson Education Ltd 2017

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
 - M marks: method marks
 - A marks: accuracy marks
 - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
 - cao – correct answer only
 - ft – follow through
 - isw – ignore subsequent working
 - SC - special case
 - oe – or equivalent (and appropriate)
 - dep – dependent
 - indep – independent
 - eeo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.
- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.
- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.
- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

International GCSE Maths January 2017 – Paper 1FR Mark scheme

Apart from Questions 10c, 20a where the mark scheme states otherwise, the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

Q	Working	Answer	Mark	Notes
1 ai		$\frac{3}{10}$	2	B1
aii		0.3		B1 ft from (i)
b		eg. $\frac{4}{14}$	1	B1 Any fraction equivalent to $\frac{2}{7}$
c		0.65	1	B1
d		28	1	B1
				Total 5 marks

2 a		Friday	1	B1 F or Fri
b		Twelve thousand and thirty eight	1	B1
c		4900	1	B1
d		9780, 4695	2	B2 B1 for one correct
e	15243 ÷ 1200	13	2	M1 A1 accept 12.7 – 13 providing working seen
f	(9780 + 4853 + 12038 + 15243 + 4695 + 4801 + 11856) ÷ 7 or 63266 ÷ 7	9038	2	M1 Full method A1
				Total 9 marks

3	a		radius	1	B1
	b		chord	1	B1
	c		segment shaded	1	B1
					Total 3 marks

4	a		20	1	B1
	b		9	1	B1 accept $6 < \text{population} < 10$
	c		Argentina	1	B1
	d		explanation	1	B1 eg. No as $1/5$ of 20 is 4
	e		bar drawn	1	B1 $25 < \text{height} < 30$
	f	E.g. 626 : 32	313 : 16	2	M1 or any other equivalent ratio or A1 16 : 313
					Total 7 marks

5	a		23 or 29 or 31 or 37	1	B1 accept one or more of 23, 29, 31, 37 with no incorrect numbers
	b		343	1	B1
					Total 2 marks

6	a		800	1	B1
	b		9.5	1	B1
	c		kilograms	1	B1 or kg
	d		11 45 pm	1	B1
	e	e.g. $2\frac{1}{2} + 7\frac{1}{4}$	9 h 45 min	2	M1 award for any correct method or for 9 hours or for 45 mins A1 accept 9.75 h or $9\frac{3}{4}$ h or 585 min (oe)
	f	100^2 or 100^2 oe	120 000	2	M1 e.g. 12×100^2 A1
					Total 8 marks

7	ai		unlikely	1	B1
	aii		impossible	1	B1
	b		$\frac{3}{8}$	2	M1 for $\frac{a}{8}$ with $a < 8$ or $\frac{3}{b}$ with $b > 3$ A1
	c		E,W E,X F,W F,X G,W G,X	2	M1 for at least 3 correct pairs (ignore repeats) A1 for all 6 pairs with no repeats
					Total 6 marks

8	a		$3p$	1	B1
	b		$30ef$	1	B1
	c		5	1	B1
	d		4	1	B1
	e	$23 = 3c + 5$ $23 - 5 = 3c$	6	3	M1 for substitution M1 isolating term in c A1
					Total 7 marks

9	a		9.9	1	B1 accept 9.8 – 10
	b		73	1	B1 accept 72 - 74
	c	eg. 100 HKD = 8.2 and 8.2×10	82	2	M1 complete method A1 accept 80 – 85
					Total 4 marks

10 a	$\frac{2}{9} \times 738$ oe or $738 \div 9 (=82)$ or $2 \times 738 (= 1476)$	164	2	M1 A1
b	$24 - 17 = 7$ or $\frac{17}{24}$	$\frac{7}{24}$	2	M1 A1
c	$\frac{10}{21} - \frac{7}{21}$	shown	2	M1 or any 2 equivalent fractions with common denominators eg. $\frac{30}{63} - \frac{21}{63}$ A1 for completion
				Total 6 marks

11	ai		104	1	B1
	aii		Angles on a straight line sum to 180°	1	B1
	b	$360 - 76 - 130 (=154)$ “154” $\div 2$	77	3	M1 M1 dep A1
	c	$360 \div 18$ or $\frac{(2n-4)90}{n} = 162$ or			M1
		$\frac{(n-2)180}{n} = 162$	20	2	A1
					Total 7 marks

12	$\left(\frac{4+8}{2}, \frac{11+3}{2}\right)$				M1 for $\frac{4+8}{2}$ or $\frac{11+3}{2}$ or (6, y) or (x, 7) or (7, 6)
		(6, 7)	2	A1	
					Total 2 marks

13	$15 \div 60 (=0.25)$ or 13.25 or $13 \times 60 + 15 (=795)$ or $13 \times 3600 + 15 \times 60 (=47700)$				M1
	$8740 \div \text{“13.25”}$ or $8740 \div \text{“795”} \times 60$ or $8740 \div \text{“47700”} \times 3600$				M1 accept $8740 \div 13.15$ or an answer of 664 - 665
		660	3	A1	accept 659.6 – 660
					Total 3 marks

14	$80 \div (3 + 1) (=20)$ or 20 or 60	67	5	M1	
	$0.15 \times (3 \times "20") (=9)$			M1	M1 for $0.85 \times (3 \times "20") = 51$
	"20" \div 5 (=4)			M1	M1 for $\frac{4}{5} \times "20" (=16)$
	$80 - "9" - "4"$			M1	M1 for "16" + "51"
				A1	
	or				
14	$\frac{3}{4} \times \frac{15}{100} (= \frac{9}{80}$ or 0.1125)	67	5	M1	M1 $\frac{3}{4} \times \frac{85}{100} (= \frac{51}{80}$ or 0.6375)
	$\frac{1}{4} \times \frac{1}{5} (= \frac{1}{20}$ or 0.05)			M1	M1 $\frac{1}{4} \times \frac{4}{5} (= \frac{1}{5}$ or 0.2)
	" $\frac{9}{80}$ " + " $\frac{1}{20}$ " ($= \frac{13}{80}$) or "0.1125" + "0.05" (=0.1625)			M1	M1 $\frac{51}{80} + \frac{1}{5}$
	$(1 - \frac{13}{80}) \times 80$ or $(1 - "0.1625") \times 80$ or $\frac{67}{80}$			M1	M1 $(\frac{51}{80} + \frac{1}{5}) \times 80$ oe or $\frac{67}{80}$
				A1	
				Total 5 marks	

15	a	Reflection in $y = -1$	2	B1 for reflection ----- B1 for $y = -1$ NB. If more than one transformation then award no marks
	b	Vertices at $(-2, 1)$ $(-2, 6)$ $(-5, 1)$ $(-5, 3)$	2	B2 If not B2 then award B1 for a correct transformation 90° clockwise about $(0, 0)$ or 3 vertices correct or correct shape in correct orientation but in wrong position
				Total 4 marks

16	<table border="1"> <tr> <td>x</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>y</td> <td>10</td> <td>8</td> <td>6</td> <td>4</td> <td>2</td> <td>0</td> <td>-2</td> </tr> </table>	x	-2	-1	0	1	2	3	4	y	10	8	6	4	2	0	-2	$y = 6 - 2x$ drawn from $x = -2$ to $x = 4$	4	B4 For a correct line between $x = -2$ and $x = 4$
	x	-2	-1	0	1	2	3	4												
	y	10	8	6	4	2	0	-2												
		B3 For a correct straight line segment through at least 3 of $(-2, 10)$ $(-1, 8)$ $(0, 6)$ $(1, 4)$ $(2, 2)$ $(3, 0)$ $(4, -2)$ OR for all of $(-2, 10)$ $(-1, 8)$ $(0, 6)$ $(1, 4)$ $(2, 2)$ $(3, 0)$ $(4, -2)$ plotted but not joined																		
	B2 For at least 2 correct points plotted																			
	B1 For at least 2 correct points stated (may be in a table) OR for a line drawn with a negative gradient through $(0, 6)$ OR a line with gradient -2																			
				Total 4 marks																

17	a	$224 \div 8$ oe	28	2	M1 A1
	b	$523 - 411 (=112)$ or $\frac{523}{411} (=1.273\dots)$ or $\frac{523}{411} \times 100 (=127.3\dots)$		3	M1
		----- $\frac{"112"}{411} \times 100$ or $100 \times "1.273" - 100$ ----- or $"127.3" - 100$ -----			M1 dep
			27.3		A1 27.25 – 27.3
					Total 5 marks

18	a		$100 < w \leq 110$	1	B1
	b	$85 \times 3 + 95 \times 5 + 105 \times 7 + 115 \times 4 + 125$ $255 + 475 + 735 + 460 + 125$		3	M2 for frequency \times mid-interval for at least 3 products and summing If not M2 then award M1 for multiplying consistently by value within intervals (eg. end of interval) and summing products or mid-intervals used but not summed.
			2050		A1 SC : B2 for an answer of 102.5
					Total 4 marks

19	$18^2 - (14 \div 2)^2 (=275)$	116	4	M1	or M1 for $\cos x = \frac{7}{18}$ or $\sin y = \frac{7}{18}$ or $\cos z = \frac{18^2 + 18^2 - 14^2}{2 \times 18 \times 18}$
	$\sqrt{18^2 - (14 \div 2)^2}$ or $\sqrt{275}$ or $5\sqrt{11}$ or 16.5... or 16.6			M1	or M1 for $x = \cos^{-1}\left(\frac{7}{18}\right)$ or $x = 67.1\dots$ or $y = \sin^{-1}\left(\frac{7}{18}\right)$ or $y = 22.8\dots$ or $z = \cos^{-1}\left(\frac{18^2 + 18^2 - 14^2}{2 \times 18 \times 18}\right)$ or $z = 45.77\dots$
	$0.5 \times 14 \times "16.5\dots"$ or $35\sqrt{11}$			M1	or M1 for $0.5 \times 14 \times 18 \times \sin("67.1\dots")$ or $0.5 \times 18 \times 18 \times \sin(2 \times "22.8\dots")$ or $0.5 \times 18 \times 18 \times \sin("45.77\dots")$
				A1	116 – 116.1 NB Allow use of Hero's formula
				Total 4 marks	
	Alternative scheme				
	$25(25 - 18)(25 - 18)(25 - 14)(= 13475)$ oe	116	4	M2	
	$\sqrt{13475}$ oe			M1	
				A1	
				Total 4 marks	

20	a	$12x = 36$	$x = 3$ oe, $y = -2.5$	3	M1	for addition of given equations or a complete method to eliminate y (condone one arithmetic error)
		e.g. $7 \times "3" + 2y = 16$			M1	(dep) for method to find second variable
					A1	NB. Candidates showing no working score 0 marks
	b	$k^2 + 9k - 5k - 45$	$k^2 + 4k - 45$	2	M1	for 3 correct or all 4 terms correct ignoring signs or $y^2 + 4k + \dots$ or $\dots + 4k - 45$
					A1	
					Total 5 marks	

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom