M1.Correct order and all four correct

values seen in same format

3, 3.15, 3.25, 3.5(0)
or 3,
$$3\frac{15}{100}$$
, $3\frac{25}{100}$, $3\frac{50}{100}$
or 3, $3\frac{3}{20}$, $3\frac{1}{4}$, $3\frac{1}{2}$
or 300(%), 315(%), 325(%), 350(%)
or $\sqrt{9}$, 3.15, $\frac{13}{4}$, $3\frac{1}{2}$ after values

seen in same format

oe B2 all four correct values in same format or three correct values in same format and correct order for their values B1 three correct values in same format SC1 $\sqrt{9}$, 3.15, $\frac{13}{4}$, $3\frac{1}{2}$ with no working

[3]

M2.(a)
$$\frac{30}{100}$$
 or $\frac{3}{10}$

oe any equivalent fraction eg
$$\frac{15}{50}$$
 , $\frac{6}{20}$

B1

Additional Guidance

Accept equivalent fractions such as $\frac{15}{50}$, $\frac{6}{20}$ etc

Do not accept decimal answer such as 0.3, 0.30 etc.

Note: $\frac{1}{3}$ in working with $\frac{3}{10}$ on answer line is B1

(b) 0.8 or 0.80

oe decimal

B1

Additional Guidance

Accept 0.8, 0.80, 0.800, 0.8000 etc Do not accept fraction answer such as $\frac{80}{100}$, $\frac{8}{10}$ etc.

(c) $0.6 \text{ and } \frac{66}{99}$

B1 one correct or one correct and one incorrect or two correct and one incorrect any clear indication

B2 ГА[.]

[4]

M3.(a) ¹⁹/₇

Must be a fraction

(b) 16 (b) 24

B1

B1

(c)
$$\frac{9}{2} = 4.5$$

B1

[3]

M4.65% 0.76 $\frac{2}{3}$ B2 for 2 correct (and 1 incorrect) or 3 correct and 1 incorrect B1 for 1 correct (and 1 incorrect) or 2 correct and 2 incorrect	B3	[3]
M5. (a) 3.6	B1	
(b) 0.325 0.5 0.62	B1	
(c) $\frac{4}{5}$ and 80% B1 for one correct (and one incorrect) or for two correct and one incorrect Any indication	B2	[4]
M6. top row: (0).5 (0) B2 two correct		
middle row: 75(%) B1 one correct		
bottom row: $\frac{1}{10}$ or $\frac{10}{100}$ oe	B 3	

B3 [3]

[4]

M7.(a) A
Accept 3.4 (m)
(b) 6.45 or
$$6\frac{45}{100}$$
 or $6\frac{9}{20}$
(c) Evidence of an attempt to add any three lengths with a total shown
Total does not have to be correct
M1
A and B and C oe
 $3.4 + \frac{3}{4} + 3.35$
M8. (a) 7.5
Not equivalent to $\frac{3}{4}$
or 0.75 or 75%
oe or other valid reason
B1
(b) $\frac{4}{10}$ and
Not equivalent to $\frac{1}{3}$
oe or other valid reason
B1

(c)	√125	
	Not an exact square root oe or other valid reason	B1
(d)	15	
	Not a prime number or other valid reason eg only multiple of 3 or only multiple of 5	B1
	3 400 38	

M9. $3 \div 8 \text{ or } \frac{3}{8} \times 100 \text{ or } \frac{38}{100} \text{ or } 38(\%) \text{ or } 37.(5\%)$ M1 0.37(5) or $\frac{76}{200}$ and $\frac{75}{200}$ or 37.(5%) and 38(%)oe A1

Q1

[4]

M10.	(a) (0).421875	B1
(b)	(0).422 ft any value 4 decimal places or more	B1 ft

M11.	(a) (0).8(0)	B1
(b)	$\frac{7}{10}$ oe eg $\frac{14}{20}$, $\frac{70}{100}$	B1
(c)	(0).75	B1
(d)	0.7, $\frac{3}{4}$, 80(%) In any format Allow correct answer or ft from their answers to a,b,c.	B1 ft

[4]

[2]

[4]

M12. (a)	50 (%)	B1
(b)	$\frac{1}{4}$ B1 $\frac{4}{16}$ oe B1 wrong fraction correctly simplified	B2
(c)	Shade the equivalent of 2 squares	B1
M13.	(a) (i) $25(\%)$ (ii) $0.3(0)$ $\frac{1}{2}$	B1 B1
	 (iii) 0.2(0) 4 30(%) Allow answers written as decimals or percentages 	B1
(b)	(i) 12	B1
	(ii) 3	B1
(c)	$3 \div 8$ or $(1 \div 8) \times 3$	

AQA GCSE Maths - Terminating Decimals

PhysicsAndMathsTutor.com

$$e e or \left(\frac{1}{8}e\right) = (0).125$$
(1)
SC1 37.5% or 37.5
(10)
M14. (a) (0).75
90(%)
 $\frac{3}{10}$
(b) $30(\%), \frac{3}{4}, 0.9$
(c) $30(\%), \frac{3}{4}, 0.$

[4]

[7]