

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2009 question paper  
for the guidance of teachers**

**0625 PHYSICS**

**0625/06**

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	06

- 1 (a) (i)  $d$  0.5 cm or 5mm [1]  
(ii)  $x$  10.0 [1]
- (b) (i)–(iii)  
table:  $T$  1.0, 0.95, 0.895 (0.90, 0.9), 0.84, 0.775 (0.78) [1]  
 $T^2$  1.00, 0.903, 0.801, 0.706, 0.601 (if  $T$  correct) [1]
- (c) graph:  
axes labelled [1]  
scales suitable, plots occupying at least half grid [1]  
plots all correct to  $\frac{1}{2}$  square [1]  
well judged line [1]  
thin line, 5 neat plots [1]
- (d) statement NO and not through origin/  
inverse/negative gradient/  
 $x$  increases,  $T^2$  decreases/ wtte [1]
- [Total: 10]**
- 2 (a) 91 ( $^{\circ}\text{C}$ ) [1]
- (b)  $t$  in s, both  $\theta$  in  $^{\circ}\text{C}$  [1]
- (c) statement B and justified by reference to readings [1]
- (d) any two from:  
same starting temperature/temperature of hot water  
constant room temperature/keep away from draughts/out of direct sunlight  
same time intervals [2]
- [Total: 5]**
- 3 (a)–(c)  
table:  
 $V, A, \Omega$  [1]  
 $V$  1.8 [1]  
 $I$  0.25 [1]  
 $R$  values 7.20, 3.46(3.5) [1]  
consistent significant figures for  $R$  (2 or more) [1]
- (d)  $y$  0.48, 0.49, 0.5 (ecf) [1]  
2/3 significant figures and no unit [1]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	06

- (e) (i) correct symbols and circuit (ignore power source symbol) [1]  
(ii) voltmeter position correct [1]  
(iii) control current/voltage/resistance/speed of motor [1]

**[Total: 10]**

- 4 (a)  $f$   $14.95 \pm 0.05$  (cm) [1]  
unit to match number [1]
- (b) more than one value shown [1]  
 $d$   $6.5 \pm 0.1$  [1]
- (c)  $t$   $0.85 \pm 0.05$  (cm) [1]  
 $d$  and  $t$  both with correct unit [1]
- (d) diagram showing blocks correctly placed [1]  
rule shown correctly touching both blocks [1]
- (e)  $f$   $10.9 - 13.1$  (cm) (or  $109 - 131$  (mm)) [1]  
no, too far out to be explained by experimental inaccuracy (wtte) [1]

**[Total: 10]**

- 5 (a) lens between object and screen (not mirror) [1]  
lens at least 2 cm from object and screen [1]  
metre rule on bench or clamped [1]
- (b) any two from:  
use of darkened room/brighter object  
slowly moving lens back and forth to obtain good image  
avoid parallax, action given  
lining up object and lens  
object and lens at same height from bench/object on principal axis  
repeats  
screen/lens perpendicular to bench  
mark centre of lens position on block [2]

**[Total: 5]**