

THIS IS A NEW SPECIFICATION

**H**

Thursday 13 June 2013 – Morning

**GCSE GATEWAY SCIENCE
ADDITIONAL SCIENCE B**
B721/02 Additional Science modules B3, C3, P3 (Higher Tier)

Candidates answer on the Question Paper.
A calculator may be used for this paper.

OCR supplied materials:
None

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: 1 hour 15 minutes

Candidate forename		Candidate surname	
-----------------------	--	----------------------	--

Centre number						Candidate number				
---------------	--	--	--	--	--	------------------	--	--	--	--

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- Your quality of written communication is assessed in questions marked with a pencil (✎).
- A list of equations can be found on page 2.
- The Periodic Table can be found on the back page.
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **75**.
- This document consists of **24** pages. Any blank pages are indicated.

2

EQUATIONS

energy = mass × specific heat capacity × temperature change

energy = mass × specific latent heat

efficiency = $\frac{\text{useful energy output (} \times 100\% \text{)}}{\text{total energy input}}$

wave speed = frequency × wavelength

power = voltage × current

energy supplied = power × time

average speed = $\frac{\text{distance}}{\text{time}}$

distance = average speed × time

$$s = \frac{(u + v)}{2} \times t$$

acceleration = $\frac{\text{change in speed}}{\text{time taken}}$

force = mass × acceleration

weight = mass × gravitational field strength

work done = force × distance

power = $\frac{\text{work done}}{\text{time}}$

power = force × speed

$$\text{KE} = \frac{1}{2}mv^2$$

momentum = mass × velocity

force = $\frac{\text{change in momentum}}{\text{time}}$

GPE = mgh

$$mgh = \frac{1}{2}mv^2$$

resistance = $\frac{\text{voltage}}{\text{current}}$

Answer **all** the questions.

SECTION A – Module B3

1 Look at the picture of chromosomes.



(a) Polar bears have 74 chromosomes in their white blood cells.

What is the haploid number for a polar bear?

..... [1]

(b) Chromosomes are made from a chemical called DNA.

Describe the structure of DNA. You may draw a labelled diagram.

.....
.....
..... [2]

(c) Collagen and insulin are two different proteins.

The production of these proteins is controlled by two different genes.

Describe how these two genes are similar and how they are different.

.....
.....
.....
.....
..... [3]

[Total: 6]


Turn over

2 Soya beans are grown as food.



(a) Soya bean plants can be genetically modified to be resistant to herbicides.

Complete the flow chart to show the process.



[2]

(b) Some people object to growing genetically modified soya bean plants.

This is because they think the soya beans could be harmful when eaten.

Write about **other** reasons why people may object.

.....

.....

..... [2]

[Total: 4]

5

3 Jenny and Fred investigate plant growth using two identical plants.

They put plant **A** in a warm room and plant **B** in a cold room.

Both plants get the same amount of light, needed for photosynthesis and growth.

They use a ruler to measure the height of each plant once a week.

Look at their results.

Time in weeks	Height in cm	
	Plant A warm room (20°C)	Plant B cold room (10°C)
0	4.5	4.5
1	5.3	4.8
2	5.8	5.2
3	6.2	5.7
4	6.9	6.0
5	7.4	6.3

(a) The percentage increase for plant **A** after 5 weeks is 64.4%.

Calculate the percentage increase in growth for plant **B** after 5 weeks.

answer % [2]

(b) Explain the differences in the growth. Use ideas about enzymes in your answer.

.....

.....

.....

.....

..... [3]

[Total: 5]

6

4 Peter is investigating how exercise affects his pulse rate.


He uses a pulse meter to measure his pulse rate.

He runs as fast as he can for four minutes.

Peter's legs ache towards the end of the exercise.

He then sits down and measures his pulse rate again every two minutes for the next 16 minutes.

The graph shows his results.



8

(b) Peter then compares his recovery time after exercising for different lengths of time.

He does this by repeating his experiment but changing how long he exercises.

Look at his results.

Length of exercise in minutes	Recovery time in minutes
4	10
6	12
8	14
10	14

Predict his recovery time after 12 minutes of exercise.

Use your understanding of science to justify your answer.

.....

.....

..... [2]

(c) Peter finds out about blood circulation.

Humans have a double circulatory system.

Fish have a single circulatory system.

Explain the **disadvantages** of a single circulatory system.

.....

.....

..... [2]

[Total: 10]

SECTION B – Module C3


5 This question is about rates of reaction.

Julie and Trevor investigate the reaction between marble chips (calcium carbonate) and dilute hydrochloric acid.

They use 20.0g of marble chips and 40 cm³ of dilute hydrochloric acid.

The temperature of the acid is 25 °C.

Look at the diagram. It shows the apparatus they use.




They measure the mass every 50 seconds until the reaction stops.

They calculate the loss in mass.

Look at the graph on the next page.

10



(a) How long does it take for the reaction to stop?

..... seconds [1]

(b) Some marble chips are still left at the end of the experiment.

The hydrochloric acid is the **limiting reactant**.

What is meant by the limiting reactant?

.....
 [1]

(c) Julie and Trevor repeat the experiment using 20.0 g of **larger** marble chips.

They use the same volume of hydrochloric acid at the same temperature.

On the grid sketch the curve they would get using the larger marble chips.

[2]

11

(d) Julie and Trevor can increase the rate of reaction between marble chips and hydrochloric acid by:

- increasing the concentration of the hydrochloric acid
- increasing the temperature of the hydrochloric acid.

Explain, in terms of the reacting particle model, why both these methods increase the rate of this reaction.



The quality of written communication will be assessed in your answer to this question.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

..... [6]

[Total: 10]

12

- 6 Mike wants to find a fuel to heat his garden shed. He decides to investigate the energy given out by four different fuels. Look at the diagram. It shows the apparatus Mike uses.



Look at the table. It shows Mike's results.

Fuel	Temperature at start in °C	Temperature at end in °C	Mass of fuel burned in grams
A	18	38	1.1
B	22	42	0.9
C	16	36	0.6
D	25	45	0.7

- (a) Look at the results for fuel C.

Mike calculates that fuel C transfers **4200 J** of energy to the water.

Use the equation

$$\text{energy} = \text{mass} \times \text{specific heat capacity} \times \text{temperature change}$$

to calculate the **mass of water** that Mike used in his experiment.

The specific heat capacity of water is $4.2\text{J/g}^\circ\text{C}$.

.....

.....

.....

.....

answer g [2]

13

(b) Burning fuels is an **exothermic** reaction.

Explain, in terms of bonds between atoms, why burning fuels is an exothermic reaction.

.....
.....
.....
..... [3]

(c) Fuel **D** is ethanol, C_2H_6O .

Ethanol burns in oxygen, O_2 .

Carbon dioxide and water are made.

Write a **balanced symbol** equation for this reaction.

..... [2]


[Total: 7]

14

- 7 Milk of magnesia is an antacid that helps to relieve indigestion.

Milk of magnesia contains magnesium hydroxide, $\text{Mg}(\text{OH})_2$.

A pharmaceutical company makes magnesium hydroxide using the following reaction



The sodium chloride, NaCl , made is a **waste product**.

Look at the table of relative formula masses.

Substance	Relative formula mass, M_r
MgCl_2	95
NaOH	40
$\text{Mg}(\text{OH})_2$	58
NaCl	58.5



- (a) Calculate the **atom economy** for the manufacture of magnesium hydroxide.

.....

.....

.....

atom economy = % [2]

- (b) John is a scientist working for the pharmaceutical company.

He predicts that he should make 35 g of magnesium hydroxide.

He actually makes 21 g.

Calculate his **percentage yield** of magnesium hydroxide.

.....

.....

.....

percentage yield = % [2]

15

- (c) It is important for the pharmaceutical company to have a high atom economy **and** a high percentage yield.

Explain why.

.....

.....

.....

.....

..... [2]

- (d) The pharmaceutical company wants to make a range of flu vaccines as cheaply as possible.

They need to be able to change their production of vaccines depending on:

- the demand for the vaccines
- the different types of flu each winter.

Look at the information about two possible processes for making flu vaccines.

Process	Cost to make 1 tonne of vaccine	'Down time' (time when machine is not running)	Daily production in tonnes	Can the amount of product made be varied?	How easy is it to change the product made?
Batch	£170	1 hour per day	250	yes	easy
Continuous	£95	3 hours per month	1000	no	difficult

The company decides to use a batch process for making a flu vaccine.

Use information from the table to give reasons for the company's decision.

.....

.....

.....

.....

..... [2]


[Total: 8]

SECTION C – Module P3

8 Ravi drives his car on a straight road.

Look at the distance-time graph for his car journey.

There are four sections shown on the graph, **A**, **B**, **C** and **D**.



(a) Which **two** sections show the car either accelerating or decelerating?

Choose from **A**, **B**, **C** or **D**.

answer and [1]

(b) Calculate the car's speed in **m/s** for section **A** of the journey.

.....

.....

.....

.....

.....

speed m/s [3]

(c) Ravi sets off on another journey. His friend Lewis follows Ravi's car as shown in the diagram.



(i) What is the relative velocity of the two cars?

Choose from

- 0.7 1.5 5 12.5 25

answer m/s [1]

(ii) Explain your answer to (i).

.....

.....

.....

..... [2]

[Total: 7]

(b) Seatbelts are another car safety feature that can be useful in a crash.

When seatbelts were first fitted to cars, not everyone thought that they were a good idea.

However, there was scientific evidence which showed the benefit of wearing seatbelts.

Suggest how governments have made society aware of the scientific evidence and encouraged the wearing of seatbelts.

.....

.....

.....


.....

.....

..... [2]

[Total: 8]

10 Miranda is shopping.
She travels up an escalator.



(a) Miranda carries her shopping from the bottom of the escalator to the top. It takes 8 seconds.
Calculate the extra power that the escalator motor must provide when Miranda and her shopping travel from the bottom to the top of the escalator.

.....

.....

.....

.....

answer W [3]

(b) What would happen to the value of the extra power calculated in (a), if the escalator took 16 seconds to take Miranda and her shopping up to the top of the escalator?

answer

explanation

.....

.....

..... [2]

[Total: 5]

11 Tanya and Sarah both test drive a car.

They drive the same car on roads in town and on the motorway. Look at the table.

Driver	Fuel consumption driving in town in km per litre	Fuel consumption for motorway driving in km per litre	CO ₂ emissions for total journey in grams per km
Tanya	18	21	128
Sarah	16	18	138

(a) Use the data to suggest and explain why the two drivers obtain different fuel consumptions and CO₂ emissions for their test drives.

.....

.....

.....

.....

.....

.....

..... [3]

(b) Tanya drives along a road. She applies the brakes to stop the car.

The next day she drives along the same road and again brakes to stop the car.

Look at the data in the table.

	Speed in m/s	Thinking distance in metres	Braking distance in metres
Day 1	18	12	24
Day 2	18	15	30

Explain what could have produced the differences in the figures for these two days.

(i) Difference in thinking distance:

..... [1]

(ii) Difference in braking distance:

..... [1]

[Total: 5]

END OF QUESTION PAPER

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

1	2	3	4	5	6	7	0	
7 Li lithium 3	9 Be beryllium 4	11 Na sodium 11	12 C carbon 6	13 Al aluminium 13	14 N nitrogen 7	15 O oxygen 8	16 F fluorine 9	17 Ne neon 10
19 K potassium	20 Ca calcium	21 Sc scandium	22 Ti titanium	23 V vanadium	24 Cr chromium	25 Mn manganese	26 Fe iron	27 Co cobalt
37 Rb rubidium	38 Sr strontium	39 Y yttrium	40 Zr zirconium	41 Nb niobium	42 Mo molybdenum	43 Tc technetium	44 Ru ruthenium	45 Rh rhodium
55 Cs caesium	56 Ba barium	57 La* lanthanum	58 Ce cerium	59 Pr praseodymium	60 Nd neodymium	61 Pm promethium	62 Sm samarium	63 Eu europium
87 Fr francium	88 Ra radium	89 Ac* actinium	90 Th thorium	91 Pa protactinium	92 U uranium	93 Np neptunium	94 Pu plutonium	95 Am americium
133 Cs caesium	137 Ba barium	139 La* lanthanum	140 Ce cerium	141 Pr praseodymium	142 Nd neodymium	143 Pm promethium	144 Sm samarium	145 Eu europium
151 Eu europium	152 Gd gadolinium	153 Tb terbium	154 Dy dysprosium	155 Ho holmium	156 Er erbium	157 Tm thulium	158 Yb ytterbium	159 Lu lutetium
173 Lu lutetium	175 Yb ytterbium	177 Tm thulium	178 Hf hafnium	179 Ta tantalum	180 W tungsten	181 Re rhenium	182 Os osmium	183 Ir iridium
201 Hg mercury	202 Tl thallium	203 Pb lead	204 Bi bismuth	205 Po polonium	206 At astatine	207 Rn radon	208 Fr francium	209 Ra radium
65 Zn zinc	66 Cu copper	67 Ni nickel	68 Co cobalt	69 Fe iron	70 Mn manganese	71 Cr chromium	72 V vanadium	73 Ti titanium
79 Se selenium	80 Br bromine	81 Kr krypton	82 Rb rubidium	83 Sr strontium	84 Y yttrium	85 Zr zirconium	86 Nb niobium	87 Mo molybdenum
115 In indium	116 Sn tin	117 Sb antimony	118 Te tellurium	119 I iodine	120 Xe xenon	121 Ba barium	122 La* lanthanum	123 Ce cerium
127 I iodine	128 Te tellurium	129 Sb antimony	130 Sn tin	131 In indium	132 Cd cadmium	133 Ag silver	134 Pd palladium	135 Cu copper
153 I iodine	154 Xe xenon	155 Kr krypton	156 Br bromine	157 Se selenium	158 As arsenic	159 Ge germanium	160 Ga gallium	161 Zn zinc
209 Bi bismuth	210 Po polonium	211 At astatine	212 Rn radon	213 Fr francium	214 Ra radium	215 Ac* actinium	216 Th thorium	217 Pa protactinium
207 Pb lead	208 Bi bismuth	209 Po polonium	210 At astatine	211 Rn radon	212 Fr francium	213 Ra radium	214 Ac* actinium	215 Th thorium
201 Hg mercury	202 Tl thallium	203 Pb lead	204 Bi bismuth	205 Po polonium	206 At astatine	207 Rn radon	208 Fr francium	209 Ra radium
108 Ag silver	109 Cd cadmium	110 In indium	111 Sn tin	112 Sb antimony	113 Te tellurium	114 I iodine	115 Xe xenon	116 Kr krypton
63.5 Cu copper	64 Ni nickel	65 Co cobalt	66 Fe iron	67 Mn manganese	68 Cr chromium	69 V vanadium	70 Ti titanium	71 Sc scandium
197 Au gold	198 Pt platinum	199 Ir iridium	200 Rh rhodium	201 Pd palladium	202 Ag silver	203 Cu copper	204 Zn zinc	205 Ga gallium
272 Rg roentgenium	273 Ds darmstadtium	274 Mt meitnerium	275 Lr lawrencium	276 Uu unbinidium	277 Uub unbihadium	278 Uut unbinilium	279 Uuq unquadium	280 Uuq unquadium
[272]	[271]	[268]	[269]	[266]	[267]	[264]	[265]	[262]
[209]	[210]	[207]	[208]	[205]	[206]	[203]	[204]	[201]
[222]	[223]	[220]	[221]	[218]	[219]	[216]	[217]	[214]
[222]	[223]	[220]	[221]	[218]	[219]	[216]	[217]	[214]
[222]	[223]	[220]	[221]	[218]	[219]	[216]	[217]	[214]
[222]	[223]	[220]	[221]	[218]	[219]	[216]	[217]	[214]
[222]	[223]	[220]	[221]	[218]	[219]	[216]	[217]	[214]
[222]	[223]	[220]	[221]	[218]	[219]	[216]	[217]	[214]
[222]	[223]	[220]	[221]	[218]	[219]	[216]	[217]	[214]

1	H hydrogen	1
---	---------------	---

Key

relative atomic mass
atomic symbol
name
atomic (proton) number

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.