UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2012 question paper for the guidance of teachers

9700 BIOLOGY

9700/41


Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

Mark scheme abbreviations:

; separates marking points

I alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

AW alternative wording (where responses vary more than usual)

<u>underline</u> actual word given must be used by candidate (grammatical variants excepted)

max indicates the maximum number of marks that can be given

ora or reverse argument

mp marking point (with relevant number)

ecf error carried forward

I ignore

AVP Alternative valid point (examples given as guidance)

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

- 1 (a) 1. similar, morphological / physiological / biochemical / behavioural, features;
 - 2. interbreed / reproduce, to produce fertile offspring;
 - 3. occupy same niche;
 - 4. reproductively isolated;

[2 max]

- **(b)** isolating mechanism geographical / land barrier / AW **or** behavioural / AW; [1]
- (c) 1. no, breeding / gene flow, between populations;
 - 2. (gene) mutations occur;
 - 3. different selection pressures / different (environmental) conditions;
 - 4. genetic change; e.g. different alleles selected for / change in allele frequency / change in gene pool / advantageous alleles passed **on**;
 - 5. different chromosome numbers;
 - 6. genetic drift;
 - 7. do not recognise song;
 - 8. therefore cannot interbreed;
 - 9. <u>allopatric</u> (speciation);

[5 max]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

- 2 (a) (i) 1. ref. antigen presenting cells;
 - 2. (antigen) A recognised as, non-self / AW;
 - 3. by B lymphocytes;
 - 4. with appropriate, receptor / antibody / immunoglobulin;
 - 5. ref. clonal selection;
 - 6. (B lymphocytes) clonal expansion / mitosis / cell division;
 - 7. T-helper cells to stimulate B-cell (response);
 - 8. release cytokine;
 - 9. (B lymphocytes) mature into plasma cells;
 - 10. (plasma cells) secrete (anti-A) antibody;

[4 max]

- (ii) plasma cell fused with, myeloma / cancerous / malignant, cell; [1]
- (iii) 1. B cells / plasma cells, will not grow in culture / cannot divide (AW) / short-lived;
 - cancerous / malignant / myeloma, cells divide, indefinitely / continuously
 or
 hybridoma divides (AW) indefinitely;
 - 3. AVP; e.g. to obtain, genetic material / genes / genomes, from both cells [2 max]
- (iv) use of marker described (attached to, antigen A / specific mAB against mouse antibody);[1]
- (b) (i) 1. all infliximab treatments reduce percentage with increased joint damage;
 - 2. (general trend) high dosage / more infliximab, percentage with increased joint damage lower

or

low dosage / less infliximab, percentage with increased joint damage higher;

- 3. both increasing dosage & decreasing time intervals have an effect;
- 4. at high dosage increasing time interval shows, percentage with increased joint damage is similar / AW;
- at low dosage increasing time interval shows, the percentage with increased joint damage is less / AW;
- 6. 30.5% with no infliximab to 0.5 1.0% with most infliximab / 30% decrease;
- 7. other comparative data; [3 max]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

(ii) because small numbers involved / AW;

[1]

- (c) N.B. diagnosis not treatment
 - 1. quick diagnosis;
 - 2. than having to culture pathogen;
 - 3. (quicker diagnosis) so quicker treatment;
 - 4. less labour intensive (than culturing);
 - 5. not all pathogens can be cultured;
 - 6. microscopic identification difficult;
 - 7. viruses difficult to identify;
 - 8. AVP; e.g. ref. specificity / ref. non-pathogenic diseases

[3 max]

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

- 3 (a) 1. VNTRs with more repeats are, longer / greater mass; ora
 - 2. phosphate groups (of DNA) give negative charge;
 - 3. fragments / DNA, attracted to, anode / positive electrode;
 - 4. Shorter / lower mass / fewer repeat, pieces move, faster / further in unit time; ora
 - 5. ref. impedance of gel / AW;

[3 max]

(b) N.B. answer on Fig 3.2

one band in exactly same place as given band; may be drawn thinner

second band above the first;

[2]

- (c) to identify
 - 1. a carrier / heterozygote, before marriage;
 - 2. a carrier / heterozygote, before conceiving child;
 - 3. HbS HbS child in utero re: termination;
 - 4. HbS HbS child at birth re: treatment;
 - 5. ref. genetic counselling;

[3 max]

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

- **4** (a) 1. anthers, outside flower / exposed, to allow wind to carry pollen away;
 - 2. long / flexible, filaments to allow wind to dislodge pollen; A versatile anthers
 - 3. no / small, petals to allow, anthers/ pollen, to be exposed to the wind;
 - 4. anthers large to produce large quantities of pollen;

[2 max]

- **(b)** 1. (genetic) mutation / random changes (in corn borer);
 - 2. caterpillars / corn borers, with mutation, more likely to survive / have selective advantage;
 - 3. (adults with this mutation) likely to breed;
 - 4. mutated gene / resistance <u>alleles</u>, passed on to next generation;
 - 5. increase in frequency of <u>allele</u> for resistance;

[3 max]

- (c) <u>m</u>; [1]
- (d) 1. when (non resistant) borers from outside breed with resistant borers, many offspring will not be resistant;
 - 2. because (many) offspring will be, Rr / heterozygous;
 - 3. detail, e.g. results of rr x RR and rr x Rr;

[2 max]

- (e) (i) 1. much mixing;
 - 2. more marked females recaptured than marked males, showing more mixing of males; **ora**
 - 3. high percentage of recaptured borers were unmarked;
 - 4. unmarked borers come from different fields;
 - 5. ref. considerable variation between results for different trials;
 - 6. use of data from shaded columns;

[3 max]

- (ii) 1. (HDR strategy needs) mating between borers from Bt fields with borers from outside;
 - 2. (results show) marked females had mated with marked males / only some marked females had mated with unmarked males;
 - use of figures relating to above point;
 - 4. (this means that) many females mated with males from the same field;
 - 5. (so) many females from a *Bt* field would mate with males from *Bt* field;

Page 8	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

- 6. their offspring would all be, resistant / rr;
- 7. ref. this reduces the effectiveness of the HDR strategy / fewer heterozygotes;

[4 max]

[3 max]

[Total: 15]

- 5 (a) 1. (mostly) secreted, during the second half of the cycle / from day 14 onwards;
 - 2. maintains, lining of the uterus / endometrium;
 - 3. in preparation for implantation;
 - 4. inhibits, GnRH / development of new follicle; A FSH / LH
 - **(b) (i)** 32.6 32.8 <u>days</u>; [1]
 - (ii) 1. high fat diet causes decrease in age of puberty;
 - 2. change in either mother or her offspring has an effect;
 - 3. (from 40% +) greater effect by changing mother's diet;
 - 4. use of comparative figures;
 - 5. cannot assume that effect on humans would be the same as on rats;
 - 6. no data provided on change in diet in European girls;
 - 7. does not take into account other possible changes;
 - 8. AVP; e.g. for mp 7 [4 max]

Page 9	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

- 6 (a) 1 large, so easy to detect;
 - 2 taken by collectors;
 - 3 destroyed due to smell;
 - 4 habitat destruction / named example ; e.g. effect of grazing / building / agriculture
 - 5 AVP; e.g. not easily pollinated / detail of *Rafflesia* / flowers infrequently [3 max]
 - (b) (i) diversity of ecosystems in a region;

the number of different species in each ecosystem;

the genetic diversity within populations of each species;

[1 max]

- (ii) 1. (some, species / plants / animals may have) uses in the future;
 - 2. medical uses / example;
 - 3. resource material; e.g. wood for building / fibres for clothes / food (for humans) / agriculture;
 - 4. ecotourism;
 - 5. maintain, gene pool / genetic diversity;
 - 6. prevention of natural disasters;
 - 7. aesthetic reasons;
 - 8. to maintain stability in, ecosystems / food chains; [4 max]

Page 10	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

7 (a) correct symbols; e.g. $X^A = \text{(allele for) red-eye}$ $X^a = \text{(allele for) white-eye}$

parental genotypes $\mathbf{X}^{\mathbf{A}} \, \mathbf{X}^{\mathbf{a}}$ and $\mathbf{X}^{\mathbf{a}} \mathbf{Y}$;

gametes X^A X^a X^a Y;

offspring genotypes $X^A X^a X^A Y X^a X^a X^a Y$;

offspring phenotypes red-eyed red-eyed white-eyed white-eyed

female male female male ; [5]

(b) (i) passes Y chromosome onto son / passes X chromosome onto daughter; [1]

(ii) heterozygous; [1]

(iii) gene / allele, mutation ; [1]

Page 11	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

- 8 (a) (i) 1. 26 °C optimum temperature for, rubisco / enzyme of Calvin cycle;
 - 2. (at just over 40 °C) enzymes / rubisco, denatured;
 - 3. so less carbon dioxide fixed;
 - 4. reduction in Calvin cycle / AW;
 - 5. increased rate of transpiration / AW;
 - 6. so stomata close;
 - 7. less carbon dioxide uptake;
 - 8. oxygen more likely to combine with rubisco;
 - 9. so increased photorespiration;

[5 max]

- (ii) curve of C4 drawn with optimum to the right of existing curve; 1 mark
 - 1. C4 / sorghum, enzymes, have higher optimum temperature (than C3);
 - 2. has leaf structural features to avoid photorespiration;
 - 3. adapted to hot climate;

2 max

[3 max]

(b) (i)

light intensity /lux	total CO₂ uptake / μmol	rate of photosynthesis /µmol s ⁻¹
5	36	1.8
10	84	4.2
13	104	5.2
15	120	6.0

all 3 correct = 1 mark [1]

(ii) axes correct;

units;

correct plotting;

suitable curve; between 5 and 15 lux

accept ecf from table

[3 max]

Page 12	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

(iii) when a process is affected by more than one factor / AW;

the rate of photosynthesis is, restricted by / AW, the factor that is nearest its lowest value ; [2]

(iv) light intensity; [1]

Page 13	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

- 9 (a) 1. reduced, NAD / FAD;
 - 2. passed to ETC;
 - 3. inner membrane / cristae;
 - 4. hydrogen released (from reduced, NAD / FAD); R H₂
 - 5. split into electrons and protons;
 - electrons pass along, carriers / cytochromes ;
 - 7. ref. energy gradient;
 - 8. energy released pumps protons into intermembrane space;
 - 9. proton gradient;
 - 10. protons pass through (protein) channels;
 - 11. ATP synthase / stalked particles;
 - 12. (ATP produced from) ADP and inorganic phosphate;
 - 13. electron transferred to oxygen;
 - 14. addition of proton (to oxygen) to form water / (oxygen) reduced to water; [8 max]
 - (b) 15. organisms need energy, to stay alive / for metabolism / AW;
 - 16. ATP as, (universal) energy currency / described;
 - 17. light energy for photosynthesis; A light dependent stage
 - 18. light-dependent stage detail;
 - 19. light-independent stage detail;
 - 20. chemical energy;
 - 21. for anabolic reactions;
 - 22. named reaction; e.g. protein synthesis / starch formation
 - 23. activation of glucose in glycolysis / described ;
 - 24. active transport;
 - 25. detail; e.g. sodium potassium pump /movement against a concentration gradient
 - 26. mechanical energy / movement;
 - 27. detail; e.g. muscle contraction / spindle

Page 14	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

28. temperature regulation;

29. AVP; e.g. bioluminescence / electrical discharge

[7 max]

[6 max]

Page 15	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

10 (a) many of these mps can be given from a labelled diagram

- 1. (outer) cortex; 2. medulla; 3. pelvis; renal artery; 5. renal vein; nephron / (kidney) tubule; 7. renal capsule / proximal convoluted tubule (pct) / distal convoluted tubule (dct), in cortex loop of Henle / collecting duct (cd), in medulla; 9. glomerulus; 10. afferent & efferent arterioles; 11. capillary network, surrounds tubule / in medulla; (b) mechanisms 12. active transport; A actively pumped / uses ATP 13. Na⁺, out of pct cells / into blood; 14. (sets up) Na⁺ ion gradient; 15. facilitated diffusion; 16. using protein carrier; A transport protein 17. <u>cotransport</u> (from lumen to pct cell); 18. of, glucose / amino acids / ions; 19. osmosis;

 - 20. down water potential gradient;
 - 21. diffusion (in correct context);
 - 22. down a concentration gradient; max 7

adaptations

- 23. microvilli; A brush border
- 24. many mitochondria;

Page 16	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	41

- 25. tight junctions;
- 26. folded, basal membrane / described;
- 27. many, transport proteins / cotransporters / pumps;
- 28. AVP ; e.g. many aquaporins

[9 max]