Cambridge IGCSE[™] (9–1)

CHEMISTRY 0971/21

Paper 2 Multiple Choice (Extended)

May/June 2021

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION


- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

1 A gas is released at point P in the apparatus shown.



Which gas turns the damp universal indicator paper red most quickly?

- A ammonia, NH₃
- **B** chlorine, Cl_2
- C hydrogen chloride, HCl
- **D** sulfur dioxide, SO₂
- **2** A mixture is separated using the apparatus shown.



What is the mixture?

- A aqueous copper(II) sulfate and aqueous sodium chloride
- **B** aqueous copper(II) sulfate and copper
- **C** copper and sulfur
- D ethanol and ethanoic acid
- 3 Which statement about paper chromatography is correct?
 - **A** A solvent is needed to dissolve the paper.
 - **B** Paper chromatography separates mixtures of solvents.
 - **C** The solvent should cover the baseline.
 - **D** The baseline should be drawn in pencil.

4 Element X has 7 protons.


Element Y has 8 more protons than X.


Which statement about element Y is correct?

- A Y has more electron shells than X.
- **B** Y has more electrons in its outer shell than X.
- **C** Y is in a different group of the Periodic Table from X.
- **D** Y is in the same period of the Periodic Table as X.
- **5** A covalent molecule Q contains only six shared electrons.

What is Q?

- A ammonia, NH₃
- **B** chlorine, Cl₂
- C methane, CH₄
- **D** water, H₂O
- **6** The arrangement of particles in each of two solids, S and T, are shown.






What are S and T?

	S	Т
Α	diamond	silicon(IV) oxide
В	diamond	sodium chloride
С	graphite	silicon(IV) oxide
D	graphite	sodium chloride

- 7 Which statement about metals is correct?
 - A Metals conduct electricity when molten because negative ions are free to move.
 - **B** Metals conduct electricity when solid because positive ions are free to move.
 - C Metals are malleable because the bonds between the atoms are weak.
 - **D** Metals are malleable because the layers of ions can slide over each other.
- 8 Two elements, P and Q, are in the same period of the Periodic Table.

P and Q react together to form an ionic compound. Part of the lattice of this compound is shown.



Which statement is correct?

- A An ion of P has more electrons than an ion of Q.
- **B** Element P is non-metallic.
- **C** P is to the left of Q in the Periodic Table.
- **D** The formula of the compound is P_4Q_4 .
- **9** 2.56 g of a metal oxide, MO₂, is reduced to 1.92 g of the metal, M.

What is the relative atomic mass of M?

- **A** 48
- **B** 96
- **C** 128
- **D** 192
- 10 In separate experiments, electricity was passed through concentrated aqueous sodium chloride and molten lead(II) bromide.

What would happen in **both** experiments?

- **A** A halogen would be formed at the anode.
- **B** A metal would be formed at the cathode.
- **C** Hydrogen would be formed at the anode.
- **D** Hydrogen would be formed at the cathode.

11 What is the ionic half-equation for the reaction that occurs at the cathode when molten lead(II) bromide is electrolysed?

A
$$Pb^{2+} + 2e^{-} \rightarrow Pb$$

$$\mathbf{B} \quad 2\mathrm{Br}^- \rightarrow \mathrm{Br}_2 + 2\mathrm{e}^-$$

$$\mathbf{C} \quad \mathsf{Br}_2 \; + \; 2\mathsf{e}^- \; \rightarrow \; 2\mathsf{Br}^-$$

D Pb
$$\rightarrow$$
 Pb²⁺ + 2e⁻


12 The complete combustion of propane is exothermic.

progress of reaction

The equation for this reaction is shown.

$$C_3H_8 + 5O_2 \rightarrow 3CO_2 + 4H_2O$$

Which energy level diagram represents the complete combustion of propane?



progress of reaction

13 Which equation represents a reaction that takes place in a fuel cell?

$$A \quad C + O_2 \rightarrow CO_2$$

$$\textbf{B} \quad 2H_2 \, + \, O_2 \, \rightarrow \, 2H_2O$$

$$\textbf{C} \quad \text{CH}_4 \, + \, 2\text{O}_2 \, \rightarrow \, \text{CO}_2 \, + \, 2\text{H}_2\text{O}$$

D
$$C_3H_8 + 5O_2 \rightarrow 3CO_2 + 4H_2O$$

14 When sulfur is heated it undergoes a1..... change as it melts.

Further heating causes the sulfur to undergo a2..... change and form sulfur dioxide.

Which words complete gaps 1 and 2?

	1	2
Α	chemical	chemical
В	chemical	physical
С	physical	chemical
D	physical	physical

15 Four statements about the effect of increasing temperature on a reaction are shown.

- 1 The activation energy becomes lower.
- 2 The particles move faster.
- There are more collisions between reacting particles per second. 3
- 4 There are more collisions which have energy greater than the activation energy.

Which statements are correct?

16 An example of a redox reaction is shown.

$$Zn + Cu^{2+} \rightarrow Zn^{2+} + Cu$$

Which statement about the reaction is correct?

- **A** In is the oxidising agent and it oxidises Cu²⁺.
- **B** Zn is the oxidising agent and it reduces Cu²⁺.
- **C** In is the reducing agent and it oxidises Cu²⁺.
- **D** Zn is the reducing agent and it reduces Cu²⁺.
- 17 Which statement about a reaction in equilibrium is correct?
 - A Both the forward and the backward reactions are proceeding at the same rate.
 - **B** Neither the forward nor the backward reaction is proceeding.
 - **C** The amount of product present is no longer affected by changes in temperature or pressure.
 - **D** The amount of product present is only affected by a change in pressure.
- **18** Element X forms an oxide, XO, that neutralises sulfuric acid.

Which row describes X and XO?


	element X	nature of oxide, XO
Α	metal	acidic
В	metal	basic
С	non-metal	acidic
D	non-metal	basic

19 Copper(II) sulfate is prepared by adding excess copper(II) oxide to warm dilute sulfuric acid.

Which purification methods are used to obtain pure solid copper(II) sulfate from the reaction mixture?

- 1 crystallisation
- 2 filtration
- 3 chromatography
- 4 distillation
- **A** 1 and 4 **B** 1 and 2 **C** 2 and 3 **D** 3 and 4

20 Some reactions of element M are shown.



What is element M?

- A carbon
- **B** iron
- C magnesium
- **D** sulfur

21 In which equation is the underlined reactant acting as a base?

A
$$CH_3COO^- + \underline{H_3O^+} \rightarrow CH_3COOH + H_2O$$

$$\textbf{B} \quad \underline{\text{NH}_4}^{\pm} \, + \, \text{OH}^{-} \, \rightarrow \, \text{NH}_3 \, + \, \text{H}_2\text{O}$$

$$\textbf{C} \quad \text{CO}_2 \ + \ 2\underline{\text{H}_2\text{O}} \ \rightarrow \ \text{H}_3\text{O}^+ \ + \ \text{HCO}_3^-$$

$$\mathbf{D} \quad \underline{\mathsf{H}^{\scriptscriptstyle{+}}} \, + \, \mathsf{OH}^{\scriptscriptstyle{-}} \, \rightarrow \, \mathsf{H}_2\mathsf{O}$$

- 22 Why is helium used to fill balloons?
 - A Helium is monoatomic.
 - **B** Helium is in Group VIII of the Periodic Table.
 - C Helium has a full outer electron shell.
 - **D** Helium is less dense than air.
- 23 Which elements in the table are transition elements?

element	property
E	forms E ³⁺ ions only
F	forms F ⁺ and F ²⁺ ions
G	forms only white salts
Н	used in catalytic converters

A Eand G **B** Eand H **C** Fand G **D** Fand H

24 Element R forms a covalent compound R₂Si with silicon.

Which row describes R?

	metallic or non-metallic character	group number in the Periodic Table
Α	metallic	II
В	metallic	VI
С	non-metallic	II
D	non-metallic	VI

- 25 Some properties of metal J are listed.
 - J does not react with cold water.
 - J reacts with dilute hydrochloric acid.
 - No reaction occurs when the oxide of J is heated with carbon.

What is J?

- A copper
- **B** iron
- **C** magnesium
- **D** sodium
- **26** Some metal nitrates and carbonates decompose when heated strongly.

Metal Q has a nitrate that decomposes to give a salt and a colourless gas only.

The carbonate of metal Q does not decompose when heated with a Bunsen burner.

What is metal Q?

- A calcium
- **B** copper
- C sodium
- **D** zinc

- 27 Which substances are used in the extraction of aluminium?
 - bauxite and cryolite
 - В bauxite and hematite
 - cryolite and zinc blende C
 - **D** hematite and zinc blende
- 28 Different types of steel alloys are manufactured by changing the percentage of carbon in the alloy.

The properties of four steel alloys are shown.

alloy mixture	percentage of carbon in the alloy	strength of the alloy	hardness of the alloy
1	0.00 to 0.20	high	low
2	0.21 to 0.30	high	medium
3	0.31 to 0.40	medium	high
4	0.41 to 1.50	low	high

What are the properties of the steel alloy containing 0.23% of carbon?

	strength	hardness
Α	high	low
В	low	high
С	high	medium
D	medium	high

29 Ammonia is made by reacting nitrogen with hydrogen in the Haber process.

The equation for the process is shown.

$$N_2 + 3H_2 \rightleftharpoons 2NH_3$$

Which changes in reaction conditions would produce a greater yield of ammonia?

- adding more iron catalyst 1
- 2 increasing the reaction pressure
- 3 increasing the particle size of the iron catalyst
- A 1 only
- **B** 2 only
- **C** 1 and 2 **D** 2 and 3

- A combustion of fossil fuels
- **B** fermentation
- C photosynthesis
- **D** respiration

31 Which catalyst is used in the Contact process?

- A calcium oxide
- **B** iron
- C manganese(II) oxide
- **D** vanadium(V) oxide

32 A white solid Z reacts with dilute hydrochloric acid to produce a gas.

The same gas is produced when compound Z is heated strongly.

What is Z?

- A calcium
- **B** calcium carbonate
- C calcium hydroxide
- D calcium oxide

33 What is the structure of butanoic acid?

- A CH₃CH₂CO₂H
- B CH₃CH₂CH₂CO₂H
- C CH₃CH₂CH₂CH₂CO₂H
- D CH₃CH₂CH₂CO₂CH₃

34 Compound Z contains carbon, hydrogen and oxygen.

Molecules of compound Z have four hydrogen atoms and two carbon atoms.

Compound Z can be made by oxidation of an alcohol.

What is compound Z?

- A ethene
- **B** ethanol
- C ethanoic acid
- D methyl methanoate
- 35 Which statement about homologous series and isomerism is correct?
 - **A** Butane and butene are structural isomers.
 - **B** Compounds in the same homologous series have the same general formula.
 - **C** Compounds in the same homologous series have the same molecular formula.
 - **D** Structural isomers have different molecular formulae.
- **36** Which statement about alkanes is correct?
 - **A** They burn in oxygen.
 - **B** They contain carbon, hydrogen and oxygen atoms.
 - C They contain double bonds.
 - **D** They contain ionic bonds.
- **37** What is an advantage of manufacturing ethanol by fermentation?
 - **A** The process is very fast.
 - **B** The ethanol requires no separation.
 - **C** The raw materials used are renewable.
 - **D** There are no other products formed.

38 P, Q, R and S are four organic compounds.

P is an unsaturated hydrocarbon.


Q burns but otherwise is unreactive.

R contains a C–C single bond and a C=C double bond.

S undergoes addition polymerisation.

Which compounds are alkenes?

- **A** P and R only **B** P, R and S **C** P, Q and S **D** Q, R and S
- **39** The structure of a synthetic polymer is shown.



The structure shows that it is a1...... It is formed by2...... polymerisation.

Which words complete gaps 1 and 2?

	1	2
A	polyamide	addition
В	polyamide	condensation
С	polyester	addition
D	polyester	condensation

- **40** Which substance is a natural polymer?
 - A ethene
 - **B** Terylene
 - **C** nylon
 - **D** protein

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	=		ນ	Ę		a)	Е С	~	_	oo (<u>~</u>		ton	-	മ	n +		_	uo			
	=	5	Ė	helii 4	10	Ž	nec 20	131	⋖	argon 40	36		kryp 8	25	×	xen 13	86	<u>~</u>	rade			
	=				6	ட	fluorine 19	17	CI	chlorine 35.5	35	Ŗ	bromine 80	53	_	iodine 127	85	Ą	astatine			
	>				80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	moloulum —	116	_	livermorium
	>				7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>B</u>	bismuth 209			
	≥				9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	≡				2	Δ	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	므	indium 115	81	11	thallium 204			
								•			30	Zu	zinc 65	48	ဥ	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium
											29	n O	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium
Group											28	z	nickel 59	46	Pd	palladium 106	78	₫	platinum 195	110	Ds	darmstadtium -
Gro											27	ပိ	cobalt 59	45	Rh	rhodium 103	77	_	iridium 192	109	Μ̈́	meitnerium -
		-]	С,	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
					•						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	ā	tantalum 181	105	6	dubnium
						ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	₹	rutherfordium -
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ē	francium

71	Γn	lutetium 175	103	۲	lawrencium	ı
20	Υp	ytterbium 173	102	8	nobelium	I
69	E	thulium 169	101	Md	mendelevium	ı
89	ш	erbium 167	100	Fm	fermium	ı
29	웃	holmium 165	66	Es	einsteinium	ı
99	Ò	dysprosium 163	86	ŭ	californium	I
65	Q L	terbium 159	26	益	berkelium	ı
64	В	gadolinium 157	96	CB	curium	ı
63	Ш	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium -	93	d	neptunium	ı
09	PZ	neodymium 144	92	\supset	uranium	238
29	P	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	Ļ	thorium	232
25	Ľ	lanthanum 139	88	Ac	actinium	ı
	lanthanoids			actinoids		

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).