Surname	Other	names
Pearson Edexcel Certificate Pearson Edexcel International GCSE	Centre Number	Candidate Number
Mathemati	cs A	
Paper 3H		Higher Tie
Thursday 21 May 2015 – N	Morning	Higher Tier Paper Reference 4MA0/3H KMA0/3H

#### Instructions

- Use black ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
   there may be more space than you need.
- Calculators may be used.
- You must NOT write anything on the formulae page.
   Anything you write on the formulae page will gain NO credit.

## Information

- The total mark for this paper is 100.
- The marks for each question are shown in brackets
   use this as a guide as to how much time to spend on each question.

#### Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over


PEARSON

P44388A

©2015 Pearson Education Ltd. 1/1/1/1/

## International GCSE MATHEMATICS FORMULAE SHEET – HIGHER TIER

Pythagoras'





Volume of cone =  $\frac{1}{3}\pi r^2 h$ 

Volume of sphere =  $\frac{4}{3}\pi r^3$ 

Curved surface area of cone =  $\pi rl$ 

Surface area of sphere =  $4\pi r^2$ 






hyp opp

 $adj = hyp \times cos \theta$  $opp = hyp \times sin \theta$  $opp = adj \times tan \theta$ 

In any triangle ABC




 $or \qquad \sin \theta = \frac{\text{opp}}{\text{hyp}}$  $\cos \theta = \frac{\text{adj}}{\text{hyp}}$ 

 $\tan \theta = \frac{\text{opp}}{\text{adj}}$ 


Sine rule:  $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$ 

Cosine rule:  $a^2 = b^2 + c^2 - 2bc \cos A$ 

Area of triangle =  $\frac{1}{2} ab \sin C$ 




me of p m = a ea of cross section  $\times$  length




Circumference of circle =  $2\pi r$ 

Area of circle =  $\pi r^2$ 







Volume of cylinder =  $\pi r^2 h$ 

Curved surface area of cylinder =  $2\pi rh$ 

The Quadratic Equation The solutions of  $ax^2 + bx + c = 0$ , where  $a \ne 0$ , are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

# $\label{eq:answer} \textbf{Answer ALL TWENTY FOUR questions.}$

Write your answers in the spaces provided.

You must write down all stages in your working.

1 The ocean liner Queen Mary 2 is the longest of its type. It has a length of 345 metres.

A scale model is made of the Queen Mary 2 The scale of the model is 1:200

Work out the length of the scale model. Give your answer in centimetres.



cm

(Total for Question 1 is 3 marks)

2 The pie chart gives information about the amounts spent by a gas company in one year.




Diagram **NOT** accurately drawn

The amount spent on materials was 225.5 million euros.

The amount spent on services was the same as the amount spent on wages.

Work out the amount spent on services.

million euros

(Total for Question 2 is 3 marks)

3	The first four terms of an arith	nmetic sequ	ience are			
		5	9	13	17	
	(a) Write down an expression	, in terms o	of $n$ , for the			
						(2)
	(b) Write down an expression	, in terms o	of $n$ , for the	(n+1)th	term.	
						(1)
						(-)
				(Tot	tal for Quest	ion 3 is 3 marks)
_				(Tot	tal for Quest	
				(Tot	tal for Quest	
_				(Tot	al for Quest	
				(Tot	al for Quest	
				(Tot	tal for Quest	
_				(Tot	al for Quest	
_				(Tot	tal for Quest	
				(Tot	tal for Quest	
				(Tot	tal for Quest	
				(Tot	tal for Quest	
				(Tot	tal for Quest	
				(Tot	tal for Quest	
				(Tot	tal for Quest	

4	w, $x$ , $y$ and $z$ are 4 integers written in order of size, starting with the smallest.
	The mean of $w$ , $x$ , $y$ and $z$ is 13 The sum of $w$ , $x$ and $y$ is 33
	(a) Find the value of $z$ .
	z =
	(2)
	Given also that the range of $w$ , $x$ , $y$ and $z$ is 10
	(b) work out the median of $w$ , $x$ $y$ $nd$ $z$ .
	(2)
	(Total for Question 4 is 4 marks)
	(Total for Question 4 is 4 marks)
	6

5	On 1st May 2012, the cost of 5.7 grams of gold was 15 960 rupees.		
	(a) Work out the cost, in rupees, of 4.6 grams of gold on the same day.		
	(2	2)	rupees
	The cost of gold decreased by 7.5% from 1st May 2012 to 1st May 2013		
	(b) Work out the cost, in rupees, of 5.7 grams of gold on 1st May 2013		
	(3	6)	rupees
	(Total for Question 5 is 5 marks		
	, ,		

- **6** A steam engine for pulling trains has wheels of diameter 1.5 metres.
  - (a) Calculate the circumference of a wheel. Give your answer correct to 3 significant figures.



m

(2)

The steam engine travels 1000 metres along a test ack.

(b) Work out the number of complete turns of  $\,$  wheel.


(2)

(Total for Question 6 is 4 marks)



7	John changes £450 to euros.		
	The exchange rate is £1 = 1.16 euros.		
	(a) Change £450 to euros.		
			euros
		(2)	
	When in Amsterdam, John uses his credit card to pay for a ring costing 850 euros.		
	He has to pay a bank charge of £3.50 for using his credit card in addition to the cost of the ring.		
	(b) Work out the total cost, in pounds (£), of the ring and the bank charge.		
	e.		
	£	(3)	
	(Total for Question 7 is 5 ma	ırks)_	

**8** Here is a right-angled triangle.



AC = 6.5 cm. BC = 6.3 cm. Angle  $ABC = 90^{\circ}$ 

Calculate the length of *AB*.

cm

(Total for Question 8 is 3 marks)



9 (a) Simplify  $5y \times 4y^2$ 

(b) Simplify 
$$\frac{15e^2f}{25ef^3}$$

(2)

(c) Factorise  $6p^2 - 5pq - 6q^2$ 

(d) Simplify ( <sup>y</sup>

(1)

(Total for Question 9 is 7 marks)

10 The table shows some information about the five Great Lakes in North America.

Name	Surface area (m <sup>2</sup> )	Volume of water (m <sup>3</sup> )
Lake Erie	$2.57 \times 10^{10}$	$4.80 \times 10^{11}$
Lake Huron	$6.01 \times 10^{10}$	$3.52 \times 10^{12}$
Lake Michigan	$5.80 \times 10^{10}$	$4.87 \times 10^{12}$
Lake Ontario	$1.91 \times 10^{10}$	$1.64 \times 10^{12}$
Lake Superior	$8.21 \times 10^{10}$	$1.22 \times 10^{13}$

(a) Work out the total surface area of the five Great Lakes. Give your answer in standard form.

 $m^2$ 

**(2)** 

The volum of w in Lake Superio is k times the volume of water in Loch Ness.

(b) Work out the value o *k*. Give y ur anseer correct to 3 significant figures.

k =

(2)

(Total for Question 10 is 4 marks)

11 Here is a prism.




Diagram **NOT** accurately drawn

ABCDEF is a cross section of the prism.

ABCF is a square of side 12 cm.

FCDE is a trapezium.

ED = 22 cm.

The height of the prism is 20 cm.

The length of the prism is 80 cm.

Work out the total volume of he pr m.

 ${\rm cm}^3$ 

(Total for Question 11 is 5 marks)



12	There are 32 students in Mr Newton's class. 20 are boys and 12 are girls.	
	The mean height of the boys is 151 cm. The mean height of the girls is 148 cm.	
	Calculate the mean height of all the students in Mr Newton's class.	
		cm
	(Total for Question 12 is 3 marks)	

**13** (a) Solve

$$3x + 3y = 9$$

$$4x + 2y = 13$$

Show clear algebraic working.

x =

y =

**(4)** 

**L** is a line parallel to the line ith equation 4x + 2y = 13

L passes ough the point th co dinates (3, -1)

(b) Find an equation the line **L**.

(3)

(Total for Question 13 is 7 marks)

14	(a)	Factorise	$a^2$ –	$b^2$
	(4)	I according	Ci.	-

(1)


$$N = 2^{22} - 1$$

(b) Write N as the product of two integers, both of which are greater than 1000

× (2)

(Total for Question 14 is 3 marks)

**15** *ABCD* is a trapezium.



AB = 25 cm.

BC = 24 cm.

CD = 10 cm.

Angle ABC = angle BCD =  $90^{\circ}$ 

Calculate the size of angle CDA.

Give your answer correct to 3 significant figures.


(Total for Question 15 is 4 marks)

**16** (a) Complete the table of values for  $y = \frac{1}{2} \left( x + \frac{9}{x} \right)$ 

х	1	1.5	2	3	4	5	6
у	5		3.25		3.125	3.4	

(2)

(b) Draw the graph of  $y = \frac{1}{2} \left( x + \frac{9}{x} \right)$  for values of x from 1 to 6



(c) Use the graph to find estimates for the solutions of the equation  $x + \frac{9}{x} = 7$ 

(2)

## (Total for Question 16 is 6 marks)

**17** 
$$f(x) = \frac{3}{x+1} + \frac{1}{x-2}$$

(a) State one value of x which cannot be included in any domain of f.

**(1)** 

(b) Find the value of f(0)

(1)

(c) Find the value f x for which f(x) = 0Show clear algebr c wor ing.

x =

(3)

(Total for Question 17 is 5 marks)

**18** 
$$y = \frac{2a}{b-c}$$

a = 42 correct to 2 significant figures.

b = 24 correct to 2 significant figures.

c = 14 correct to 2 significant figures.

Work out the lower bound for the value of y.

Give your answer correct to 2 significant figures.

Show your working clearly.

(Total for Question 18 is 3 marks)






19 The table gives information about the areas of some farms in France.

Area (A hectares)	Frequency
$0 < A \leqslant 20$	50
$20 < A \leqslant 50$	90
$50 < A \leqslant 100$	120
$100 < A \leqslant 300$	160

On the grid, draw a histogram to show this information.



(Total for Question 19 is 3 marks)

	-					
20	-1.0	eonidas	has	a	tair	dice.

He throws the dice twice.

(a) Work out the probability that he gets the number 5 both times.



(2)

Alicia has a fair dice.

She throws the dice 3 times.

(b) Work out the probability thet she gets the umber 5 exactly once.

(3)

(Total for Question 20 is 5 marks)



21




Diagram **NOT** accurately drawn

A, B and C are three points on a circle.

DCA is a straight line.

CA is a diameter of the circle.

DB is a tangent to the circle.

Calculate the size of angle *CDB*.

(Total for Question 21 is 3 marks)



**22** *A*, *r* and *T* are three variables.

A is proportional to  $T^2$ A is also proportional to  $r^3$ 

T = 47 when r = 0.25

Find r when T = 365

Give your answer correct to 3 significant figures.

(Total for Question 22 is 4 marks)



23




Diagram **NOT** accurately drawn

ABCD is the square base of the pyramid VABCD.

$$AB = BC = CD = DA = 10$$
 cm.  
 $VA = VB = VC = VD = 12$  cm.

Calculate the height of the pyramid.

Give your answer correct to 3 significant figures.

cm

(Total for Question 23 is 4 marks)



24




Diagram **NOT** accurately drawn

In triangle  $\overrightarrow{OPQ}$ ,  $\overrightarrow{OP} = 6\mathbf{a}$  and  $\overrightarrow{OQ} = 6\mathbf{b}$ 

X is the midpoint of PQ.

(a) Find, in terms of **a** and **b**, the vector  $\overrightarrow{OX}$  Give your answer in its simplest form.

(2)


Y is the point on OX such t t OY YX = 2 1

(b) Find, in terms of **a** a d **b**, he vector  $\overrightarrow{QY}$  Give your answer i imp st form.

(2)

(Total for Question 24 is 4 marks)

TOTAL FOR PAPER IS 100 MARKS





BLANK PAGE	
Do NOT w ite in this space.	

