

Please check the examination details below before entering your candidate information

Candidate surname					Other names														
Pearson Edexcel										Centre Number					Candidate Number				
Level 3 GCE																			
Time 2 hours										Paper reference					9PS0/02				
Psychology																			
Advanced																			
PAPER 2: Applications of psychology																			
You do not need any other materials.															Total Marks				

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer ALL questions in Section **A**.
- Answer ALL questions from **one** of the three options in Section **B**.
- Answer the questions in the spaces provided
– *there may be more space than you need.*

Information

- The total mark for this paper is 90.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.
- Good luck with your examination.

Turn over ►



FORMULAE AND STATISTICAL TABLES

Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum(x - \bar{x})^2}{n - 1}\right)}$$

Spearman's rank correlation coefficient

$$1 - \frac{6 \sum d^2}{n(n^2 - 1)}$$

Critical values for Spearman's rank

N	Level of significance for a one-tailed test				
	0.05	0.025	0.01	0.005	0.0025
	Level of significance for a two-tailed test				
	0.10	0.05	0.025	0.01	0.005
5	0.900	1.000	1.000	1.000	1.000
6	0.829	0.886	0.943	1.000	1.000
7	0.714	0.786	0.893	0.929	0.964
8	0.643	0.738	0.833	0.881	0.905
9	0.600	0.700	0.783	0.833	0.867
10	0.564	0.648	0.745	0.794	0.830
11	0.536	0.618	0.709	0.755	0.800
12	0.503	0.587	0.678	0.727	0.769
13	0.484	0.560	0.648	0.703	0.747
14	0.464	0.538	0.626	0.679	0.723
15	0.446	0.521	0.604	0.654	0.700
16	0.429	0.503	0.582	0.635	0.679
17	0.414	0.485	0.566	0.615	0.662
18	0.401	0.472	0.550	0.600	0.643
19	0.391	0.460	0.535	0.584	0.628
20	0.380	0.447	0.520	0.570	0.612
21	0.370	0.435	0.508	0.556	0.599
22	0.361	0.425	0.496	0.544	0.586
23	0.353	0.415	0.486	0.532	0.573
24	0.344	0.406	0.476	0.521	0.562
25	0.337	0.398	0.466	0.511	0.551
26	0.331	0.390	0.457	0.501	0.541
27	0.324	0.382	0.448	0.491	0.531
28	0.317	0.375	0.440	0.483	0.522
29	0.312	0.368	0.433	0.475	0.513
30	0.306	0.362	0.425	0.467	0.504

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Chi-squared distribution formula

$$X^2 = \sum \frac{(O-E)^2}{E}$$

$$df = (r - 1)(c - 1)$$

Critical values for chi-squared distribution

Level of significance for a one-tailed test						
	0.10	0.05	0.025	0.01	0.005	0.0005
Level of significance for a two-tailed test						
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Mann-Whitney U test formulae

$$U_a = n_a n_b + \frac{n_a(n_a+1)}{2} - \sum R_a$$

$$U_b = n_a n_b + \frac{n_b(n_b+1)}{2} - \sum R_b$$

(U is the smaller of U_a and U_b)

Critical values for the Mann-Whitney U test

		N_b																	
		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
N_a																			
$p \leq 0.05$ (one-tailed), $p \leq 0.10$ (two-tailed)																			
5	4	5	6	8	9	11	12	13	15	16	18	19	20	22	23	25			
6	5	7	8	10	12	14	16	17	19	21	23	25	26	28	30	32			
7	6	8	11	13	15	17	19	21	24	26	28	30	33	35	37	39			
8	8	10	13	15	18	20	23	26	28	31	33	36	39	41	44	47			
9	9	12	15	18	21	24	27	30	33	36	39	42	45	48	51	54			
10	11	14	17	20	24	27	31	34	37	41	44	48	51	55	58	62			
11	12	16	19	23	27	31	34	38	42	46	50	54	57	61	65	69			
12	13	17	21	26	30	34	38	42	47	51	55	60	64	68	72	77			
13	15	19	24	28	33	37	42	47	51	56	61	65	70	75	80	84			
14	16	21	26	31	36	41	46	51	56	61	66	71	77	82	87	92			
15	18	23	28	33	39	44	50	55	61	66	72	77	83	88	94	100			
16	19	25	30	36	42	48	54	60	65	71	77	83	89	95	101	107			
17	20	26	33	39	45	51	57	64	70	77	83	89	96	102	109	115			
18	22	28	35	41	48	55	61	68	75	82	88	95	102	109	116	123			
19	23	30	37	44	51	58	65	72	80	87	94	101	109	116	123	130			
20	25	32	39	47	54	62	69	77	84	92	100	107	115	123	130	138			

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

N_a	N_b															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

$p \leq 0.01$ (one-tailed), $p \leq 0.02$ (two-tailed)

5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
6	2	3	4	6	7	8	9	11	12	13	15	16	18	19	20	22
7	3	4	6	7	9	11	12	14	16	17	19	21	23	24	26	28
8	4	6	7	9	11	13	15	17	20	22	24	26	28	30	32	34
9	5	7	9	11	14	16	18	21	23	26	28	31	33	36	38	40
10	6	8	11	13	16	19	22	24	27	30	33	36	38	41	44	47
11	7	9	12	15	18	22	25	28	31	34	37	41	44	47	50	53
12	8	11	14	17	21	24	28	31	35	38	42	46	49	53	56	60
13	9	12	16	20	23	27	31	35	39	43	47	51	55	59	63	67
14	10	13	17	22	26	30	34	38	43	47	51	56	60	65	69	73
15	11	15	19	24	28	33	37	42	47	51	56	61	66	70	75	80
16	12	16	21	26	31	36	41	46	51	56	61	66	71	76	82	87
17	13	18	23	28	33	38	44	49	55	60	66	71	77	82	88	93
18	14	19	24	30	36	41	47	53	59	65	70	76	82	88	94	100
19	15	20	26	32	38	44	50	56	63	69	75	82	88	94	101	107
20	16	22	28	34	40	47	53	60	67	73	80	87	93	100	107	114

N_a	N_b															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

$p \leq 0.025$ (one-tailed), $p \leq 0.05$ (two-tailed)

5	2	3	5	6	7	8	9	11	12	13	14	15	17	18	19	20
6	3	5	6	8	10	11	13	14	16	17	19	21	22	24	25	27
7	5	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34
8	6	8	10	13	15	17	19	22	24	26	29	31	34	36	38	41
9	7	10	12	15	17	20	23	26	28	31	34	37	39	42	45	48
10	8	11	14	17	20	23	26	29	33	36	39	42	45	48	52	55
11	9	13	16	19	23	26	30	33	37	40	44	47	51	55	58	62
12	11	14	18	22	26	29	33	37	41	45	49	53	57	61	65	69
13	12	16	20	24	28	33	37	41	45	50	54	59	63	67	72	76
14	13	17	22	26	31	36	40	45	50	55	59	64	67	74	78	83
15	14	19	24	29	34	39	44	49	54	59	64	70	75	80	85	90
16	15	21	26	31	37	42	47	53	59	64	70	75	81	86	92	98
17	17	22	28	34	39	45	51	57	63	67	75	81	87	93	99	105
18	18	24	30	36	42	48	55	61	67	74	80	86	93	99	106	112
19	19	25	32	38	45	52	58	65	72	78	85	92	99	106	113	119
20	20	27	34	41	48	55	62	69	76	83	90	98	105	112	119	127



N_a	N_b															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
$p \leq 0.005$ (one-tailed), $p \leq 0.01$ (two-tailed)																
5	0	1	1	2	3	4	5	6	7	7	8	9	10	11	12	13
6	1	2	3	4	5	6	7	9	10	11	12	13	15	16	17	18
7	1	3	4	6	7	9	10	12	13	15	16	18	19	21	22	24
8	2	4	6	7	9	11	13	15	17	18	20	22	24	26	28	30
9	3	5	7	9	11	13	16	18	20	22	24	27	29	31	33	36
10	4	6	9	11	13	16	18	21	24	26	29	31	34	37	39	42
11	5	7	10	13	16	18	21	24	27	30	33	36	39	42	45	48
12	6	9	12	15	18	21	24	27	31	34	37	41	44	47	51	54
13	7	10	13	17	20	24	27	31	34	38	42	45	49	53	56	60
14	7	11	15	18	22	26	30	34	38	42	46	50	54	58	63	67
15	8	12	16	20	24	29	33	37	42	46	51	55	60	64	69	73
16	9	13	18	22	27	31	36	41	45	50	55	60	65	70	74	79
17	10	15	19	24	29	34	39	44	49	54	60	65	70	75	81	86
18	11	16	21	26	31	37	42	47	53	58	64	70	75	81	87	92
19	12	17	22	28	33	39	45	51	56	63	69	74	81	87	93	99
20	13	18	24	30	36	42	48	54	60	67	73	79	86	92	99	105

The calculated value must be equal to or less than the critical value in this table for significance to be shown.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

Critical values for the Wilcoxon Signed Ranks test

<i>n</i>	Level of significance for a one-tailed test		
	0.05	0.025	0.01
	Level of significance for a two-tailed test		
	0.1	0.05	0.02
N=5	0	-	-
6	2	0	-
7	3	2	0
8	5	3	1
9	8	5	3
10	11	8	5
11	13	10	7
12	17	13	9

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



2 Motsi carried out an investigation to see if culture had an influence on the treatments people accessed for their mental health disorders.

She studied people in the UK and people in Japan who had a mental health disorder. She aimed to see if people from the UK were more likely to use a psychological treatment compared to people from Japan.

Motsi used a volunteer sampling technique for her investigation.

(a) Describe how Motsi may have gathered her volunteer sample. (2)

.....

.....

.....

.....

.....

.....

(b) Explain **one** reason why a random sample of participants may be better than a volunteer sample of participants for Motsi's investigation. (2)

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Motsi used an unstructured interview to ask her participants about any treatment they were receiving for their mental health disorder.

Explain **one** weakness of Motsi using an unstructured interview for her investigation.

(2)

.....

.....

.....

.....

.....

.....

(Total for Question 2 = 6 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3 Rodney carried out an investigation to see whether two different mental health disorders influenced the ability to complete domestic tasks, such as being able to cook.

The ability to complete domestic tasks was measured using a questionnaire, which was scored from 0 (very poor at completing domestic tasks) to 32 (excellent at completing domestic tasks).

(a) State a fully operationalised non-directional (two-tailed) alternate hypothesis for Rodney's investigation.

(2)

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



The results for the participants who had a mental health disorder are shown in **Table 1**.

Participant	Domestic skills score
A	29
B	12
C	25
D	18
E	20

Table 1

- (b) Calculate the standard deviation for the participants who had one mental health disorder using the data in **Table 1**. Show your working and give your answer to **one** decimal place.

(4)

SPACE FOR CALCULATIONS

Standard deviation

(Total for Question 3 = 6 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



4 During your studies of clinical psychology, you will have carried out a practical investigation.

Evaluate your practical investigation for clinical psychology.

(8)

Area with horizontal dotted lines for writing.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Large rectangular area with horizontal dotted lines for writing.

(Total for Question 4 = 8 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Blank writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 5 = 8 marks)



6 Assess **one** non-biological theory/explanation for schizophrenia.

(20)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Area with horizontal dotted lines for writing.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Blank writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Large rectangular area with horizontal dotted lines for writing.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Blank writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Large area with horizontal dotted lines for writing.

(Total for Question 6 = 20 marks)

TOTAL FOR SECTION A = 54 MARKS



SECTION B

Answer questions from ONE option in this section.

Indicate which question you are answering by marking a cross . If you change your mind, put a line through the box and then indicate your new question with a cross .

OPTION 1: CRIMINOLOGICAL PSYCHOLOGY

If you answer OPTION 1 put a cross in the box .

Answer ALL questions.

7 You will have learned about one of the following contemporary studies in criminological psychology.

- Bradbury and Williams (2013)
- Valentine and Mesout (2009)
- Howells et al. (2005)

(a) State **two** findings of your chosen contemporary study.

(2)

Chosen study

.....

1

.....

2

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) Explain **one** strength of your chosen contemporary study in terms of reliability.

(2)

.....

.....

.....

.....

.....

.....

(Total for Question 7 = 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



8 Noah is investigating a new treatment for offenders.

He decided to conduct a case study on one offender from his local prison. Before Noah conducted his case study, he carried out a risk management.

(a) Describe the risk management Noah would have had to carry out for his case study.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Noah used a variety of research methods within his case study including an experiment comparing the behaviour of the offender before the new treatment and after the new treatment.

Identify the experimental/research design Noah used in the experiment.

(1)

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) For his case study Noah gathered qualitative and quantitative data.

Explain **one** reason why qualitative data may be better than quantitative data when researching criminological psychology.

(2)

.....

.....

.....

.....

.....

.....

.....

(d) Explain **one** weakness of Noah's investigation into the new treatment for offenders.

(2)

.....

.....

.....

.....

.....

.....

.....

(Total for Question 8 = 8 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Large rectangular area with horizontal dotted lines for writing.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 9 = 8 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

10 Detective Inspector Leeming is in charge of leading an investigation into a major crime. As part of the investigation she and another police officer have to interview a suspect. The suspect is under 16 years of age.

Detective Inspector Leeming is upset by the details of the crime. The interview is going to take place in two weeks' time and will be recorded. There has been no video footage of the incident found as yet.

Ethical interview techniques are going to be used during the interview.

Evaluate ethical interview techniques as they will be used by Detective Inspector Leeming.

You must make reference to the context in your answer.

(16)

Area with horizontal dotted lines for writing the answer.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Blank writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 25 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Blank writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 10 = 16 marks)

TOTAL FOR SECTION B OPTION 1 = 36 MARKS



OPTION 2: CHILD PSYCHOLOGY

If you answer OPTION 2 put a cross in the box .

Answer ALL questions.

11 You will have learned about one of the following contemporary studies in child psychology.

- Cassibba et al (2013)
- Gagnon-Oosterwall et al. (2012)
- Li et al. (2013)

(a) State **two** findings of your chosen contemporary study. (2)

Chosen study

1

2

(b) Explain **one** strength of your chosen contemporary study in terms of reliability. (2)

.....
.....
.....
.....
.....
.....
.....
.....

(Total for Question 11 = 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



12 Noah is investigating the influence of day care on children.

He decided to conduct an observation on one child from his local nursery. Before Noah conducted his observation, he had to consider issues around the participation and protection of the child.

- (a) Describe the issues around the participation and protection of the child that Noah would have to consider for his observation.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Noah carried out an experiment where he watched the behaviour of the child before they went to day care and then watched the behaviour of the same child after they had been in day care for two months.

Identify the experimental/research design Noah used in the experiment.

(1)

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) For his observation Noah gathered qualitative and quantitative data.

Explain **one** reason why qualitative data may be better than quantitative data when researching child psychology.

(2)

.....

.....

.....

.....

.....

.....

(d) Explain **one** weakness of Noah's investigation into the influence of day care for children.

(2)

.....

.....

.....

.....

.....

.....

(Total for Question 12 = 8 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 25 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 13 = 8 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

14 Mrs Leeming is in charge of a local nursery that looks after children aged from 6 months old to 5 years old. During her work she has noticed that different children have different reactions to their mothers when they are picked up from nursery to go home.

She has noticed that some children are happy to see their mothers at the end of the day. Other children do not seem happy to see their mothers, carry on playing, and run away. Mrs Leeming has also noticed that the mothers interact with their children differently.

Evaluate Ainsworth's types of attachment in relation to the children at the nursery.

You must make reference to the context in your answer.

(16)

Area with horizontal dotted lines for writing the answer.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Blank writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 25 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Blank writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Area with horizontal dotted lines for writing.

(Total for Question 14 = 16 marks)

TOTAL FOR SECTION B OPTION 2 = 36 MARKS



OPTION 3: HEALTH PSYCHOLOGY

If you answer OPTION 3 put a cross in the box .

Answer ALL questions.

15 You will have learned about one of the following contemporary studies in health psychology.

- Mundt et al.(2012)
- Dixit et al. (2012)
- Pengpid et al. (2012)

(a) State **two** findings of your chosen contemporary study.

(2)

Chosen study

1

2

(b) Explain **one** strength of your chosen contemporary study in terms of reliability.

(2)

(Total for Question 15 = 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



16 Noah is investigating the influence of a new drug treatment for heroin addicts.

He decided to conduct an experiment on rats. Before Noah conducted his experiment, he had to consider the ethics of using rats to study drug treatments.

(a) Describe the ethical issues that Noah would have had to consider when conducting his experiment.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Later, Noah carried out an experiment on the effects of the new drug treatment for human heroin addicts using one human heroin addict.

He compared the behaviour of the heroin addict before they had the new drug treatment and after they had the new drug treatment.

Identify the experimental/research design Noah used in the experiment.

(1)

.....

.....

.....



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) For his experiment Noah gathered qualitative and quantitative data.

Explain **one** reason why qualitative data may be better than quantitative data when researching drug treatments.

(2)

.....

.....

.....

.....

.....

.....

(d) Explain **one** weakness of Noah's investigation using the human heroin addict.

(2)

.....

.....

.....

.....

.....

.....

(Total for Question 16 = 8 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 25 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 17 = 8 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

18 Mr Leeming works at a local doctor's surgery. One of his responsibilities is to reduce the number of people in the local area who are addicted to nicotine. In order to do this, he offers help and advice to those addicted to nicotine as well as treatments.

Mr Leeming has recently hired a therapist who is qualified to administer aversion therapy, and he has decided to offer this to a small group of people who are addicted to nicotine to see if it is effective.

Evaluate aversion therapy in relation to the small group of nicotine addicts.

You must make reference to the context in your answer.

(16)

Area with horizontal dotted lines for writing the answer.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Blank writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 25 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Blank writing area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Area with horizontal dotted lines for writing.

(Total for Question 18 = 16 marks)

TOTAL FOR SECTION B OPTION 3 = 36 MARKS

TOTAL FOR PAPER = 90 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

